

Guideline Uptake In Digital Ecosystems (GUIDE) study: implementation research on the impact of Digital Adaptation Kits on quality of care

Submission date	Recruitment status	<input checked="" type="checkbox"/> Prospectively registered
27/10/2022	No longer recruiting	<input checked="" type="checkbox"/> Protocol
Registration date	Overall study status	<input type="checkbox"/> Statistical analysis plan
21/12/2022	Completed	<input type="checkbox"/> Results
Last Edited	Condition category	<input type="checkbox"/> Individual participant data
10/10/2025	Other	<input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

WHO launched the SMART Guidelines initiative to support countries' digitization journeys and facilitate a structured approach to embedding WHO recommendations and standards within digital systems. "Digital Adaptation Kits" (DAKs) are one of the steps within the SMART guidelines approach. The DAKs distil WHO guidelines into operational components that can be more easily executed within the digital systems countries are adopting, and thereby accelerate the uptake of WHO clinical, public health and data use guidelines. DAKs include the package of business process workflows, core data needs, decision support algorithms, linkages to indicators, and functional requirements for a health domain area, which can then be operationalized more easily into a digital system. In creating these operational tools derived from WHO guidelines, the DAKs provide a unique way to reinforce recommendations and service delivery linkages.

The research aims to identify processes and the resources needed for adapting and incorporating the DAKs into countries' existing digital systems for strengthening primary care, as well as the impact of introducing the DAKs on service delivery and routine health information systems. The study is split into two phases: (i) formative phase for adapting the DAKs and providing the necessary support for uptake of DAK content into digital systems and (ii) assessment phase for evaluating the effect of the DAK integration on quality of care and data use related outcomes. The duration of the study is 16 months, with four months for the formative phase (phase 1) and 12 months for the impact evaluation (phase 2). The study will be conducted in Ghana.

Who can participate?

Public primary health care facilities in Ghana and Ethiopia that are using the national digital system for service delivery and data reporting.

What does the study involve?

Using a digital health record and decision support tool that has been aligned to national and WHO clinical, public health and data recommendations.

What are the possible benefits and risks of participating?

The ability to improve the impact of digital tools used for health service delivery, risks include potentially having to provide feedback on the experience of using the digital tool and changes to service delivery workflows.

Where is the study run from?

UNDP/UNFPA/UNICEF/World Bank Special Program of Research, Development and Research Training in Human Reproduction (HRP), Department of Sexual and Reproductive Health and Research, World Health Organization, Geneva, Switzerland

When is the study starting and how long is it expected to run for?

October 2022 to January 2026

Who is funding the study?

1. UNDP/UNFPA/UNICEF/World Bank Special Program of Research, Development and Research Training in Human Reproduction (HRP), Department of Sexual and Reproductive Health and Research, World Health Organization, Geneva, Switzerland
2. Government of Canada

Who is the main contact?

Tigest Tamrat, tamratt@who.int

Contact information

Type(s)

Scientific

Contact name

Dr Tigest Tamrat

ORCID ID

<https://orcid.org/0000-0001-8579-5698>

Contact details

20 Avenue Appia
Geneva
Switzerland
1211
+41 796339995
tamratt@who.int

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

Study information

Scientific Title

Digitizing primary healthcare: Implementation research on the impact of Digital Adaptation Kits for strengthening quality of care and accountability

Acronym

GUIDE

Study objectives

The hypothesis of this study is that by packaging WHO clinical, public health and data recommendations in the format of the WHO SMART Guidelines-Digital Adaptation Kits and integrating them into digital systems, primary care facilities in countries can better benefit from the WHO recommendations in real-time. Furthermore, unlike common approaches to digital health research where a new digital system is introduced, this research study leverages the digital systems that countries already have in places, thereby aiming to reduce the costs associated with the maintenance of parallel digital systems.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 21/10/2022, WHO Ethical Review Committee (Avenue Appia 20, 1211 Geneva, Switzerland; no telephone number provided; ercsec@who.int), ref: A66031

Study design

Qualitative process evaluation followed by stepped wedge cluster randomized trial

Primary study design

Interventional

Study type(s)

Other

Health condition(s) or problem(s) studied

Antenatal care, family planning, and HIV/AIDS, sexual and reproductive health

Interventions

Current interventions as of 01/10/2024:

WHO launched the SMART Guidelines initiative to support countries' digitization journeys and facilitate a structured approach to embedding WHO recommendations and standards within digital systems. "Digital Adaptation Kits" (DAKs) are one of the steps within the SMART guidelines approach. The DAKs distil WHO guidelines into operational components that can be more easily executed within the digital systems countries are adopting, and thereby accelerate the uptake of WHO clinical, public health and data use guidelines.

The intervention consists of embedding the adapted ANC, FP, and HIV DAK content within a country-supported digital system.

The first phase will consist of a formative assessment to understand the requirements for adapting customizing the generic DAKs to specific country contexts. This phase will use qualitative methods with key stakeholders and apply health information systems requirements design methodologies, such as mapping workflows and adapting data dictionaries. During this phase, each DAK will undergo a consultative process with MOH stakeholders and software development teams to review the content and determine enhancements to the digital systems that can be made based on an analysis of the DAK and national guidelines. The DAK-related upgrades to the digital system may consist of updates to data elements, review and inclusion of ICD terminology, addition/modification of decision-support logic, and other needs as identified in this phase.

The second phase, which consists of the impact evaluation, will be conducted through a stepped wedge design in Ghana and prepost in Ethiopia where outcome measures will be collected at baseline as well as in regular intervals throughout the study period to compare facilities using the country adapted DAK content in their digital systems versus the standard practice. With the stepped wedge design, we aim for all facilities in the study to eventually be using the adapted DAK content in their digital systems by the end of the study.

The Ethiopian arm of the study will be conducted in Bahir Dar City Amhara region, northwest Ethiopia. This study in Ethiopia will take place at the primary health care level at 3 health centers of Bahir Dar City, as they are currently the only public health facilities that are deploying the Bahmni electronic medical record system (which will be used for the DAK update). To account for this change in the number of facilities, we will be sampling a greater number of records per facility.

The Ghana arm of the research study will be conducted in primary healthcare facilities in five districts: three districts (Bongo, Kasena-Nankana and Bolgatanga) are located in the Upper East Region and two districts (Upper West Akin and Akuapim South Districts in the Eastern region.

Previous interventions:

WHO launched the SMART Guidelines initiative to support countries' digitization journeys and facilitate a structured approach to embedding WHO recommendations and standards within digital systems. "Digital Adaptation Kits" (DAKs) are one of the steps within the SMART guidelines approach. The DAKs distil WHO guidelines into operational components that can be more easily executed within the digital systems countries are adopting, and thereby accelerate the uptake of WHO clinical, public health and data use guidelines.

The intervention consists of embedding the adapted ANC, FP, and HIV DAK content within a country-supported digital system.

The first phase will consist of a formative country adaptation and preparation phase to understand the requirements for adapting customizing the generic DAKs to specific country contexts. This phase will use qualitative methods with key stakeholders and apply health information systems requirements design methodologies, such as mapping workflows and adapting data dictionaries. During this phase, each DAK will undergo a consultative process with MOH stakeholders and software development teams to review the content and determine enhancements to the digital systems that can be made based on an analysis of the DAK and national guidelines. The DAK-related upgrades to the digital system may consist of updates to data elements, review and inclusion of ICD terminology, addition/modification of decision-support logic, and other needs as identified in this phase.

For the qualitative research, this study will employ purposive sampling techniques to select health management information system managers and directors of the units/ departments, health workers, health system managers and software teams. With this approach, the study team will strive to identify all the core-staff working within these units at the national and selected regional levels and where possible, the district levels. This approach will ensure maximum variation sampling such that all the different types of health care workers (general nurses, midwives, health assistants) working in the selected units/ departments are well represented.

The second phase, which consists of the impact evaluation, will be conducted through a stepped wedge cluster randomized design where outcome measures will be collected at baseline as well as in regular intervals throughout the study period to compare facilities using the country-adapted DAK content in their digital systems versus the standard practice. With the stepped wedge design, we aim for all facilities in the study to eventually be using the adapted DAK content in their digital systems by the end of the study.

In addition, this phase will include a process evaluation to document the utilisation of DAKs among digital health and health programme leads. Focus-group discussions (FGDs) with health workers and managerial staff will also supplement the process evaluation to understand experiences in using the digital systems with the DAK-updated content. The FGDs will be conducted at various intervals of the study, as well as at the completion of the study to learn about their overall experience. The qualitative information collected during the study intervals will be used to also help inform the study procedures.

In Ethiopia, we will randomly sample from 9 health centers from the two study districts that meet the inclusion criteria. In addition, one facility in a non-study district will be used for piloting and user-testing the DAK-upgraded digital systems prior to being introduced into the stepped-wedge trial. Data collection for outcome indicators will not be conducted from the facility allocated for user testing.

In Ghana, we will randomly sample 4 facilities that fit the inclusion criteria (1 district hospital and 3 health centers) in each of the study districts, for a total of 12 facilities. Of the 12 facilities, 1 health center per district will be randomly selected to be used for user testing and getting preliminary feedback prior to deploying the upgraded digital system in the remaining 9 facilities. Similarly to Ethiopia, having one facility for piloting and user testing will help to check for bugs and ensure coherence with workflows prior to implementing the upgraded system for the stepped wedge design. Data collection for outcome indicators will not be collected from the 3 facilities allocated for user testing. In total there will be 9 health facilities for data collection, and 3 facilities for user testing.

Intervention Type

Behavioural

Primary outcome(s)

Current primary outcome measures as of 01/10/2024:

Collected from extractions of de-identified data from clients' service delivery records/medical records at a single time point:

1. The proportion of pregnant women tested for HIV at first ANC contact
2. The proportion of pregnant women receiving haemoglobin/haematocrit test at first ANC contact
3. The proportion of clients screened for STI during FP consultation

4. The proportion of people living with HIV (PLHIV) clients receiving viral load testing within 6 months of HIV diagnosis
5. The proportion of pregnant women re-tested for HIV at ANC visit during 26-34 gestation weeks if negative for HIV at first ANC contact
6. The proportion of new Family Planning clients who were counselled all 7 family planning methods available in Ghana (progestin-only pill, implant, injectable, IUD, lactational amenorrhea, barrier methods, and sterilization)
7. The proportion of PLHIV who have defaulted to refill medication

Previous primary outcome measure:

Collected from extractions of de-identified data from clients' service delivery records/medical records at a single time point:

1. Proportion of pregnant women screened for syphilis during ANC of all pregnant women with ANC1 (main outcome for powering sample size)
2. Proportion of postpartum clients who initiate modern contraceptive method within 1 year of delivery
3. Proportion of women registered on the digital system as having prior initiation of modern contraception that are continuing users of modern contraception (main outcome for powering sample size)
4. Proportion of individuals seeking contraception/FP who were tested for HIV
5. HIV+ pregnant women on ART

Key secondary outcome(s)

Collected from extractions of de-identified data from clients' service delivery records/medical records at a single time point:

1. Proportion of data elements for selected indicators are available in the national HMIS
2. Time taken to prepare and submit indicator data reports into the national HMIS from the facility
3. Availability of disaggregated indicators (particularly for family planning)

For the qualitative component, the outcomes are related to experience of end-users (digital health, HIS, health programme leads and software development teams) in using the DAKs (through grounded theory and thematic analysis).

Completion date

30/09/2025

Eligibility

Key inclusion criteria

Current participant inclusion criteria as of 01/10/2024:

In a facility where:

1. Country-supported digital system for tracking health services/maintaining health records available
2. Existing digital system for SRH-HIV or willingness to digitize SRH-HIV services
3. SRH-HIV services provided by facility/health workers in the catchment area
4. Minimum volume of required sample size

Previous participant inclusion criteria:

In a facility where:

1. Country-supported digital system for tracking health services/maintaining health records

available

2. Existing digital system for SRH-HIV or willingness to digitize SRH-HIV services
3. SRH-HIV services provided by facility/health workers in the catchment area
4. Minimum volume of monthly average of 100 pregnant women and women of reproductive age

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

1. In a facility where settings where services could not be digitized
2. Single service facilities

Date of first enrolment

01/10/2024

Date of final enrolment

31/01/2026

Locations

Countries of recruitment

Ethiopia

Ghana

Study participating centre

University of Ghana School of Public Health

P.O. Box LG 13

University of Ghana

Legon

Accra

Ethiopia

P.O. Box LG 13

Study participating centre

University of Gondar

P.O.Box 196

Gondar

Ethiopia

P.O.Box 196

Sponsor information

Organisation

UNDP/UNFPA/UNICEF/World Bank Special Program of Research, Development and Research Training in Human Reproduction (HRP), Department of Sexual and Reproductive Health and Research, World Health Organization, Geneva, Switzerland

Funder(s)

Funder type

Research organisation

Funder Name

UNDP/UNFPA/UNICEF/World Bank Special Program of Research, Development and Research Training in Human Reproduction (HRP), Department of Sexual and Reproductive Health and Research, World Health Organization, Geneva, Switzerland

Funder Name

Government of Canada

Alternative Name(s)

Canadian Government, Gouvernement du Canada, travelGoC

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Canada

Results and Publications

Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article		09/10/2025	10/10/2025	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes