

National root cause analysis to lower missed diagnoses of oesophageal and gastric cancers

Submission date 18/04/2023	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 06/06/2023	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 14/03/2024	Condition category Cancer	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

The are 15,800 people in the UK diagnosed with oesophageal or stomach cancer annually. Around 8% (approximately 1200 per year) had an endoscopy that did not find their cancer in the three years before diagnosis. This is known as post-endoscopy upper gastrointestinal cancer or 'missed' cancer. Missing cancers is bad, as the earlier they are identified, the more treatable they are and the better the outcome. This research is needed to find out why cancer is missed at endoscopy, tackle differences between hospitals and reduce missed cancers. The second highest endoscopy research priority for the British Society of Gastroenterology is "How can we improve the quality of upper gastrointestinal endoscopy?". The rate of missed cancer endoscopy is the most important endoscopy quality measure. The study aims to find out why cancer may not be found during endoscopy (flexible telescope examination of the oesophagus (gullet) and stomach), to reduce the risk in future.

Who can participate?

All endoscopy providers in the English NHS

What does the study involve?

Developed with the assistance of the Research Design Service. The study team have experience using routine NHS data to identify missed cancers that occurred in the past. However, to make a difference in endoscopy now, it is necessary to identify and investigate missed cancers as soon as possible after they occur.

This project will:

1. Adapt methods previously successfully used to identify and investigate missed bowel cancers. When a new potentially missed oesophageal or stomach cancer is found, the hospital will be informed who did the endoscopy and they will be asked to review the records in detail to understand why it was missed (root cause analysis).
2. Pool the results of these detailed analyses of missed cancers nationally to understand the common reasons for cancers being missed. Use these results to get the NHS to take steps to limit missing cancers in future.

What are the possible benefits and risks of participating?

The benefits of enrolment in the root cause analysis system are many. Data gained from this study will identify risk factors associated with missing cancer on endoscopy and improve endoscopy unit practice in the future with targeted interventions. There are no risks to participation in the study.

Patient and public involvement

Mimi McCord, chair of Heartburn Cancer UK (co-applicant and co-author of this summary) commented "It is imperative that an accurate diagnosis is achieved at the first endoscopy. Early diagnosis is vital to achieve a good outcome and possible cure with a cancer that has an appalling prognosis."

Heartburn Cancer UK, Action Against Heartburn and the Oxfordshire Oesophageal and Stomach Organisation fully support this project and have contributed to the study design, particularly around, as far as possible, having a "no blame" approach, and being open with patients when cancer is found to be missed.

Where is the study run from?

Sandwell & West Birmingham Hospitals NHS Trust (UK)

When is the study starting and how long is it expected to run for?

September 2022 to April 2026

Who is funding the study?

Research for Patient Benefit Programme (RfPB), National Institute for Health and Care Research (NIHR): NIHR203599 (UK)

Who is the main contact?

Dr Nigel Trudgill, Nigel.trudgill@nhs.net (UK)

Contact information

Type(s)

Public

Contact name

Dr Amar Srinivasa

Contact details

Sandwell General Hospital
Sandwell & West Birmingham NHS Trust
Lyndon
West Bromwich
United Kingdom
BH7 4HJ
+44 (0)7795084514
amarsrinivasa@nhs.net

Type(s)

Scientific

Contact name

Dr Amar Srinivasa

Contact details

Sandwell General Hospital
Sandwell & West Birmingham NHS Trust
Lyndon
West Bromwich
United Kingdom
BH7 4HJ
+44 (0)7795084514
amarsrinivasa@nhs.net

Type(s)

Principal investigator

Contact name

Dr Nigel Trudgill

ORCID ID

<https://orcid.org/0000-0002-8040-8158>

Contact details

Sandwell General Hospital
Sandwell & West Birmingham NHS Trust
Lyndon
West Bromwich
United Kingdom
BH7 4HJ
+44 (0)121 5072577
nigel.trudgill@nhs.net

Additional identifiers**Clinical Trials Information System (CTIS)**

Nil known

Integrated Research Application System (IRAS)

328295

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

CPMS 56102, IRAS 328295

Study information**Scientific Title**

Reducing the rate of missed diagnoses of oesophageal and gastric cancers during endoscopy through endoscopy provider root cause analysis of potentially missed cancers

Study objectives

Observational database study with a hypothesis that the creation of a national root cause analysis system for missed upper gastrointestinal (GI) cancers would identify common risk factors for missing upper GI cancer during endoscopy

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 30/06/2023, North West - Preston Research Ethics Committee (postal address: not provided; +44 (0)207 104 8364, +44 (0)207 104 8156, +44 (0)207 104 8181; preston.rec@hra.nhs.uk), ref: 23/NW/0193

Study design

Diagnosis process of care education or self-management cohort study

Primary study design

Observational

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Upper gastrointestinal cancer

Interventions

The project will be composed of five interlinked work packages. These are:

1. Identification of all PEUGIC in the English NHS

Following appropriate ethics and information governance approvals with NHS Digital, including producing a data protection impact assessment to support data flows, the research team will adapt a previously developed algorithm to identify post-colonoscopy colorectal cancer using routine cancer and endoscopy data across the NHS. This will be adapted to identify PEUGIC cases prospectively. Essentially, the linkage of almost real-time Hospital Episode Statistics (for endoscopy) and National Cancer Registration and Analysis Service (NCRAS) databases every quarter will enable the identification of patients with oesophageal and stomach cancer who have had an endoscopy in the previous 6-36 months, where that cancer was not detected at the endoscopy and will be classed as a PEUGIC. The service in which the endoscopy was performed will be responsible for capturing details of cancer and other relevant factors about the PEUGIC and transferring them to the root cause analysis tool described in work package 2.

2. Development of a secure web-based root cause analysis tool

Based on the national root cause analysis tool for post-colonoscopy colorectal cancer, a proforma will be developed that captures the data items required to undertake a comprehensive root cause analysis of a PEUGIC involving the following areas:

1. Patient – Demographic details
2. Endoscopy – Details of the procedure itself
3. Cancer – Nature of the missed cancer treatment
4. Management – plan following the endoscopy
5. Summary – PEUGIC classification, the potential to be avoidable, the duty of candour

We have learned from our current work on post-colonoscopy colorectal cancer root cause analysis that it is particularly important to focus on:

1. Patients at risk of PEUGIC for biological or other reasons (e.g. poor tolerance of procedure)
2. Adequate protocols for follow-up, either repeat procedures or surveillance, and whether adhered to or not
3. Clinician decision-making, including documentation
4. Booking processes
5. The quality of endoscopy procedures: protocols; care; equipment
6. Patient choice and co-morbidity
7. Action is taken when patients fail to attend procedures

A secure web-based portal will be developed by a developer working for Health Data Insight. This will involve: producing a specification based on the existing portal for the post-colonoscopy colorectal cancer root cause analysis project; agreeing on a data entry screen design and creating a data entry screen; testing a mockup portal and getting feedback; undertaking any portal changes; and finalising the specification and pushing the PEUGIC pages to the live portal.

The portal will then be piloted in two trusts with data entry on PEUGIC cases for those trusts. Feedback will be sought on the data entry screens and portal changes made as needed.

A second pilot phase will then be undertaken in 10 trusts with data entry on the portal for PEUGIC cases in those trusts. Further portal changes will be made following meetings with feedback on the data entry screens and any portal changes needed. Contingency will be allowed for additional changes, checking, and preparation for the portal to go live.

3. National rollout of secure web-based root cause analysis tool

The process for account registration and validation will follow that of the post-colonoscopy colorectal cancer root cause analysis project via an account verification Standard Operating Procedure. User guides will be created for the portal and other relevant user documents (duty of candour guidance, information governance information, information for other endoscopists, etc.).

We will advertise the launch of the PEUGIC root cause analysis portal through partner organisations (BSG, AUGIS, JAG) and PPI partners via social media and their websites. We will also ask Cancer Alliances, the National Oesophago-gastric Cancer Audit network, endoscopy training academies, the National Nurse Endoscopist Group, gastroenterology trainee networks and regional gastroenterology associations (e.g. Midland Gastroenterological Society) to promote the launch of and involvement in the project.

Lead endoscopists at each trust who will undertake data collection for PEUGIC cases via the portal will be identified from trusts. We will have regular follow-up meetings with lead endoscopists to ensure there are no data entry issues. We will run weekly data completeness reports to monitor data completeness. We will update data on the portal each quarter and remind trusts there will be a data refresh and further PEUGIC cases to root cause analysis.

4. Quantifying the reasons why PEUGIC occur

The portal will enable each endoscopy provider not only to be informed of each PEUGIC and the need for a root cause analysis but also facilitate this by providing a structured method to report the results of the root cause analysis that can be captured centrally and enable an analysis of the reasons for PEUGIC at a national level.

Once the results of root cause analysis data have been collated at the pilot and rollout stages of the root cause analysis tool, data release will be organised with the Office for Data Release to enable analysis by Nigel Trudgill, Nick Burr, Eva Morris and Roland Valori supported by a research fellow to assess common factors and generate population-level information as to why PEUGIC occur.

This will be by far the largest cohort of PEUGIC studied in such detail and enable us to identify e. g. high- and low-risk groups or endoscopy practices. The intelligence generated will then be used to inform effective interventions to tackle the incidence of PEUGIC through local and national quality improvement efforts.

5. Interventions to reduce the occurrence of PEUGIC and impact

For an individual endoscopy provider, a PEUGIC will be an infrequent event (we estimate 10 to 20 per year depending on the size of their service) and even less frequent for individual endoscopists (10-15 in a lifetime practice depending on their volume of endoscopy activity). It would therefore take time for a service to identify all the potentially avoidable factors. Furthermore, experience with post-colonoscopy colorectal cancer suggests that up to 20% of missed cancers are diagnosed in a different provider from the index endoscopy. Consequently, the endoscopy provider would be unaware of these PEUGIC without this project.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Root cause analysis of causes of post-endoscopy upper GI cancer (PEUGIC) assessed using a secure online proforma completed by the local endoscopy team over the course of 2 years with a national analysis of aggregated data

Key secondary outcome(s))

Contributory factors to PEUGIC assessed using a secure online proforma completed by the local endoscopy team over the course of 2 years with a national analysis of aggregated data

Completion date

04/04/2026

Eligibility

Key inclusion criteria

1. Endoscopy that did not diagnose cancer 6 to 36 months before the diagnosis date
2. Oesophageal squamous cell carcinoma or adenocarcinoma or gastric adenocarcinoma
3. Resident in England

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

1. Oesophageal or gastric carcinomas with no endoscopy that did not diagnose cancer 6 to 36 months before the diagnosis date
2. Other types of malignancy diagnosed in the oesophagus or stomach (e.g. metastatic or neuroendocrine tumours)
3. Not resident in England

Date of first enrolment

17/07/2023

Date of final enrolment

29/10/2023

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

Sandwell General Hospital [Lead]

Lyndon

West Bromwich

United Kingdom

B71 4HJ

Sponsor information**Organisation**

Sandwell & West Birmingham Hospitals NHS Trust

ROR

Funder(s)

Funder type

Government

Funder Name

Research for Patient Benefit Programme

Alternative Name(s)

NIHR Research for Patient Benefit Programme, Research for Patient Benefit (RfPB), The NIHR Research for Patient Benefit (RfPB), RfPB

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored in a publicly available repository. No patient-identifiable data will be analysed or published.

IPD sharing plan summary

Stored in publicly available repository

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Protocol file	version 1.4	28/07/2023	16/08/2023	No	No