

# Fibromyalgia symptoms and the immune system

<b>Submission date</b> 20/11/2018	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 15/03/2019	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 21/08/2024	<b>Condition category</b> Musculoskeletal Diseases	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

The causes of fibromyalgia syndrome (FMS), a wide-spread chronic (long-lasting) pain condition, are currently unknown. Treatment is often not effective and many patients suffer from unrelenting pain without relief. FMS is linked with additional symptoms, including pain changes at different temperatures, pain in response to pressure in various parts of the body, bowel problems, poor sleep, fatigue and memory problems. Patients can often feel bewildered and distressed by these unexplained symptoms.

Recent research from this research team suggests that many patients have substances called autoantibodies in their blood that cause the FMS symptoms. These autoantibodies also affect the temperature at which patients feel most comfortable. But there is not currently enough evidence on this to enable doctors to inform patients about how common the temperature dependence of FMS is.

This study aims to investigate patients' own perception of the temperature at which they feel at their best, and how a change in temperature affects their other FMS symptoms and their measured sensitivity to pressure. The results from this study, together with the results from previous laboratory tests, will allow doctors to better explain the temperature dependence of symptoms to their patients. Putting patients' experienced symptoms into context with information about the situation of other patients who suffer from the same condition should reduce patients' distress.

### Who can participate?

Any English-speaking adult over the age of 18 with a diagnosis of fibromyalgia and symptoms of at least 1 year duration who is not pregnant or breastfeeding.

### What does the study involve?

Participants will be asked a series of questions about their health and FMS. There will be a short test of pressure-related pain and skin sensitivity and the opportunity to donate blood to the Liverpool Biobank for our ongoing research into the immune causes of fibromyalgia.

### What are the possible benefits and risks of participating?

Doctors currently know very little about FMS and diagnosis is difficult. The knowledge gained from this study will support healthcare professionals to inform patients about these FMS-associated sensitivities and their causes. Better explanation of the underlying causes for these symptoms can reassure patients that their symptoms have a physical cause, reducing distress.

The results might allow doctors to better advise patients in the future about the benefits of different temperatures. The risks of participating very small. Sometimes, following the sensory testing, patients experience residual lingering pain for a few days.

Where is the study run from?  
The Walton Centre, Liverpool (UK)

When is the study starting and how long is it expected to run for?  
September 2018 to August 2024

Who is funding the study?  
UK Medical Research Council (MRC)

Who is the main contact?  
Dr Andreas Goebel, [Andreas.Goebel@liverpool.ac.uk](mailto:Andreas.Goebel@liverpool.ac.uk)

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Andreas Goebel

**ORCID ID**  
<https://orcid.org/0000-0002-3763-8206>

**Contact details**  
Pain Research Institute  
University of Liverpool  
Liverpool  
United Kingdom  
L69 3BX  
+44 (0)151 529 5526  
[Andreas.Goebel@liverpool.ac.uk](mailto:Andreas.Goebel@liverpool.ac.uk)

**Type(s)**  
Scientific

**Contact name**  
Dr Richard Berwick

**ORCID ID**  
<https://orcid.org/0000-0002-6895-6127>

**Contact details**  
University of Liverpool  
Liverpool  
United Kingdom

L69 3BX

-

richard.berwick@liverpool.ac.uk

## Additional identifiers

### Protocol serial number

40070

## Study information

### Scientific Title

Autoimmunity-informed Phenotyping In patients with Fibromyalgia syndrome (APIF)

### Acronym

APIF

### Study objectives

Symptom intensity in fibromyalgia is temperature-dependent. These phenotypic differences are mediated by a biological cause, most likely immunological, by serum IgG autoantibodies.

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Approved 13/09/2018, Health Research Authority (HRA) and Health and Care Research Wales (HCRW), ref: 18/WA/0234

### Study design

Observational; Design type: Clinical Laboratory Study

### Primary study design

Observational

### Study type(s)

Quality of life

### Health condition(s) or problem(s) studied

Fibromyalgia

### Interventions

Eligible patients identified from Walton Centre pain registry will be approached over the telephone and provided with study information by post if agreeable. Those who are happy to participate will attend a 2-hour clinic appointment held by a study doctor/nurse. Consent for the trial will be taken in the appointment. They will then be asked a number of questions pertaining to their health in general and to their fibromyalgia, including current and historical diagnostic criteria. They will undergo brief sensory testing, assessing for pressure pain sensitivity with an algometer and skin touch sensitivity with a brush. If participants agree, they will have a blood sample taken to be stored in the Liverpool BioBank. A series of standard pain questionnaires will then be completed to identify the impact of pain on participant lives and the psychological

implications of fibromyalgia. These will include pain intensity on a visual analogue scale (VAS) 0-10, an EQ-5D health questionnaire, a McGill questionnaire of pain characteristics, a Brief Pain Inventory of life interference, a Hospital Anxiety and Depression Scale, a Pain Catastrophising Scale, a Patient Developed Measures questionnaire, work Interferences with a Stanford Presenteeism questionnaire, Experiences in Close Relationships (ECR-R) questionnaire, a Pain Self Efficacy questionnaire, a Revised Fibromyalgia Impact questionnaire, daily stressors and a Pain Detect questionnaire. A member of the study team will call 5-7 days after the visit to confirm temperature pain relationship and to enquire over the presence of lingering pain from the examination from days 1-5.

## **Intervention Type**

Other

## **Primary outcome(s)**

1. Patient-reported 'ideal' temperature (i.e. the temperature at which a patients feels most comfortable with least spontaneous pain) by the researchers on interview
  2. Change in symptom intensity (including spontaneous pain, pressure induced pain, sleep, fatigue, bowel symptoms, and psychological symptoms such as anxiety and depression) caused by variation in ambient temperature, recorded by the researchers on interview
- Unless otherwise defined, the timepoint for all outcome measures is at the clinic visit.

## **Key secondary outcome(s)**

1. Mechanical pain threshold assessed using a pressure algometer
2. Brush stroke sensitivity (intensity, ticklishness and pain on a VAS 0 to 10 and pleasantness on a VAS (-5 to +5) for both slow and fast brush strokes)
3. Patient-reported pain lingering after mechanical examination from 0 to 5 days recorded during telephone call from researcher 5-7 days after the clinic visit
4. Extent of neuropathic component to pain assessed using the painDETECT questionnaire
5. Health-related quality of life assessed using the EQ-5D questionnaire
6. Pain characteristics assessed using McGill pain questionnaire
7. Interference with life of pain assessed using the Brief Pain Inventory
8. Anxiety and depression assessed using the Hospital Anxiety and Depression Scale (HADS)
9. Pain catastrophising assessed using the Pain Catastrophizing Scale
10. Energy and pain intensity assessed using a a Patient-Developed Measures questionnaire
11. Ability to focus on work assessed using the Stanford Presenteeism Questionnaire
12. Security in relationships assessed using the Experiences in Close Relationships (ECR-R) questionnaire
13. Confidence in ability to conduct life activities while in pain assessed using the Pain Self Efficacy questionnaire
14. Impact of FMS symptoms assessed using the Revised Fibromyalgia Impact questionnaire (FIQR)
15. Ability to deal with emotional burdens and social interactions assessed using a daily stressors questionnaire
16. Patient-reported psychological trauma trigger for FMS by the researchers on interview
17. History of rheumatic disease in participant or first-degree relative by the researchers on interview

Unless otherwise defined, the timepoint for all outcome measures is at the clinic visit.

## **Completion date**

31/08/2024

# Eligibility

## Key inclusion criteria

1. Fibromyalgia syndrome of more than 1 year duration, without other conditions that could explain participant's widespread pain in the view of the investigator
2. ACR Fibromyalgia Criteria 2010 or 1990
3. Aged 18 years and above
4. Average weekly pain intensity of 4/10 or higher on a 11-point numeric rating scale (0-10 NRS)

## Participant type(s)

Patient

## Healthy volunteers allowed

No

## Age group

Adult

## Lower age limit

18 years

## Sex

All

## Total final enrolment

113

## Key exclusion criteria

1. Pregnant or breastfeeding
2. Unable to read or understand the standard questionnaires

## Date of first enrolment

01/11/2018

## Date of final enrolment

31/08/2023

# Locations

## Countries of recruitment

United Kingdom

England

## Study participating centre

The Walton Centre

Lower Lane

Liverpool

United Kingdom  
L9 7LJ

## Sponsor information

### Organisation

University of Liverpool

### ROR

<https://ror.org/04xs57h96>

## Funder(s)

### Funder type

Government

### Funder Name

Medical Research Council

### Alternative Name(s)

Medical Research Council (United Kingdom), UK Medical Research Council, MRC

### Funding Body Type

Government organisation

### Funding Body Subtype

National government

### Location

United Kingdom

## Results and Publications

### Individual participant data (IPD) sharing plan

Access to to the anonymised datasets generated during the current study can be made by request to PI Dr Andreas Goebel ([andreas.goebel@liverpool.ac.uk](mailto:andreas.goebel@liverpool.ac.uk)) following trial completion in Autumn 2021. The data will be stored on SPSS/Excel software and held for 30 years. Research data is anonymised and stored separately to participant contact data. Participants will have a unique identification number. Participants have been consented to research data use for fibromyalgia-related research.

### IPD sharing plan summary

Available on request

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		01/12/2022	12/02/2024	Yes	No
<a href="#">HRA research summary</a>			28/06/2023	No	No
<a href="#">Participant information sheet</a>	Participant information sheet	11/11/2025	11/11/2025	No	Yes