

Home telemonitoring for patients with chronic obstructive pulmonary disease (COPD)

Submission date 16/11/2009	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 08/01/2010	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 17/01/2019	Condition category Respiratory	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Keir Lewis

Contact details
Respiratory Centre
Prince Philip Hospital
Llanelli
United Kingdom
SA14 8QF
+44 (0)1554 783133
k.e.lewis@swansea.ac.uk

Additional identifiers

Protocol serial number
N/A

Study information

Scientific Title
Does home telemonitoring reduce healthcare use in recurrent hospital attenders with chronic obstructive pulmonary disease (COPD)? A pilot randomised trial

Study objectives

To see if telemonitor deployment results in fewer admissions to hospital for chronic obstructive pulmonary disease (COPD).

Secondary outcomes:

1. To test the null hypotheses that there is no difference in primary care contacts, emergency room attendances, length of hospital admissions, Chronic Disease Management Team (CDMT) phone calls/visits, quality of life (computerised adaptive testing [CAT], EuroQol instrument [EQ5D]) scores during the 12 months 'telemedicine plus standard care' versus 12 months 'standard care alone'.
2. To record telemedicine usage/concordance during the 12-month monitoring period
3. To estimate cost-effectiveness of telemedicine using changes in EQ5D, CAT scores and healthcare contacts

Ethics approval required

Old ethics approval format

Ethics approval(s)

Dyfed Powys Local Research Ethics Committee pending approval approval pending as of 02/11 /2009

Study design

Randomised controlled cross-over trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Chronic obstructive pulmonary disease (COPD)

Interventions

From hospital databases, we will identify 240 patients who have had more than two admissions to any of Prince Philip, West Wales General, Withybush and Bronglais Hospitals within the last 2 years.

Medications will be optimised if not already done. 120 will be randomised to receive telemonitors (Tm's) for 1 year whilst the other 120 receive standard care. After 1 year, the Tm's will be swapped into the homes of the second group (120) in a crossover trial for a further year of monitoring.

Once daily the patients would complete a set of questions relating to COPD symptoms and record their oxygen levels, pulse rate and temperature. The Tm automatically sends the information via a (free) telephone line to a secure internet site. The results are reviewed daily by the home COPD specialist team and if there is any signs of worsening of their condition they would intervene with a phone call followed by a visit and treatment escalation, if appropriate. We hope that earlier intervention may prevent further deterioration, requiring hospital admission or multiple GP visits. The monitors are also set up to generate an email alert to the nurses if any questions or recordings indicate a significant deterioration. All participants are

aware that the Tm is not a replacement for their usual actions but to be used as an early warning system and they should seek direct help live in a severe emergency.

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

The number of hospital admissions

Key secondary outcome(s)

1. Quality of life measures (EQ-5D and CA-COPD questionnaires) at baseline and every 6 months for 2 years
2. Healthcare contacts - GP visits, outpatient visits and home contacts by the community COPD nurses over the 2 years of the study
3. A cost evaluation will also be undertaken after the 2 years

Completion date

03/01/2012

Eligibility**Key inclusion criteria**

1. 240 still living subjects with a primary diagnosis of COPD will identified from hospital admissions database
2. Two or more admissions to any of the following hospitals in the last 2 years - Prince Philip; West Wales General; Withybush; Bronglais
3. Diagnosis and reason for admission corroborated by a member of the research team
4. We will include COPD of any severity of airflow obstruction, who have been admitted to hospital two or more times in the last 2 years
5. Participants must be at least 40 years old, either sex

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

1. Inability or refusal to sign informed consent
2. Less than 40 years of age
3. Life expectancy less than 2 years or cognitive/physical impairment that would preclude home telemonitoring use

Date of first enrolment

04/01/2010

Date of final enrolment

03/01/2012

Locations

Countries of recruitment

United Kingdom

Wales

Study participating centre

Prince Philip Hospital

Llanelli

United Kingdom

SA14 8QF

Sponsor information

Organisation

Hywel Dda Health Board (UK)

ROR

<https://ror.org/012gye839>

Funder(s)

Funder type

Government

Funder Name

Welsh Assembly Government (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/05/2010	17/01/2019	Yes	No
Results article	results	01/02/2010	17/01/2019	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes