

# 35-45 year old men at elevated cardiovascular risk: Effects of Health Promotion interventions on periodontal health (EHP)

<b>Submission date</b> 03/01/2011	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 28/07/2011	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 20/04/2017	<b>Condition category</b> Oral Health	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Periodontal inflammation (gum disease) is a very common condition where the gums become swollen, sore or infected. Cardiovascular (heart) disease (CVD) has several risk factors such as male gender, high blood pressure, high blood cholesterol, obesity, lack of physical activity and smoking. One suggested additional risk factor is infection. Periodontitis infection may be linked to CVD. Patients with periodontitis have increased levels of CRP and fibrinogen. Periodontal treatment has shown to reduce CRP levels. Severe forms of periodontitis can result in systematic inflammation (affecting the whole body) with high blood levels of CRP. Studies have found that CRP levels can be used to predict the risk of heart disease. The aims of these studies are to assess the effects of health promotion interventions on gum health, and to study the effects of periodontal treatment on general health and heart disease risk.

### Who can participate?

Men aged 35 to 45 with two or more CVD risk factors (overweight, regular smoking, high blood fat/cholesterol, high blood sugar, high blood pressure)

### What does the study involve?

This is a series of two studies. In the first study, participants are randomly allocated to three groups. The first group attends a health information session about heart disease and diabetes with a nurse. The second group receives both health information from nurses and a group exercise course of 12 sessions. The third group receives the exercise course after the 1-year follow-up. Participants undergo periodontal examinations carried out by dental hygienists and receive instructions on oral hygiene. They are followed up after 12 months to assess their exercise activity and heart disease risk. In the second study, participants found to have poor gum health are selected and randomly allocated to one of two groups. Plaque samples are taken at the start of the study and at follow-up. Participants in one group receive a deep cleaning under the gums carried out by a dentist, have a periodontal examination carried out by a dental hygienist, and provide blood samples. Participants in the other group are treated 3 months later. Heart disease risk factors and periodontal health are assessed.

What are the possible benefits and risks of participating?

Not provided at time of registration

Where is the study run from?

University of Helsinki (Finland)

When is the study starting and how long is it expected to run for?

June 2009 to June 2011

Who is funding the study?

University of Helsinki (Finland)

Who is the main contact?

Dr Helena Liira

### **Study website**

<http://www.kirkkonummi.fi/mies40>

## **Contact information**

### **Type(s)**

Scientific

### **Contact name**

Dr Helena Liira

### **Contact details**

University of Helsinki

Kuninkaantie 4

Kirkkonummi

Finland

02400

+358 (0)50 577 1351

abc@email.com

## **Additional identifiers**

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

## **Study information**

### **Scientific Title**

Association of periodontal infection with cardiovascular risks

**Acronym**

EHP

**Study objectives**

Exercise is an effective method to control the cardiovascular risk in men. The challenge is to change the exercise habits of men. In this study we aim to modify the exercise habits by a exercise intervention in a group and by a health promotion intervention by a nurse. We hypothesize that the interventions have effect on the dental periodontal health of the men.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

The coordinating ethics committee at Helsinki University Hospital, 08/06/2009, ref: 4/13/03/00/09

**Study design**

Cohort study

**Primary study design**

Interventional

**Secondary study design**

Randomised controlled trial

**Study setting(s)**

Hospital

**Study type(s)**

Prevention

**Participant information sheet**

<http://www.kirkkonummi.fi/mies40>. Patient information sheets will be available in Finnish and Swedish

**Health condition(s) or problem(s) studied**

Men's general health and dental periodontal health

**Interventions**

Participants will be randomised into one of three groups:

1. First a health promotion intervention of 1h by a nurse practitioner, followed by an exercise course of 12 sessions in a group of men
  2. Health promotion intervention by a nurse practitioner of 1h. Cardiovascular and diabetes risks are assessed and the consultation focuses on perceived risk behaviour
  3. The control group will receive the exercise intervention after one year
- All groups are followed up after 12 months

**Intervention Type**

Other

**Phase**

Not Applicable

**Primary outcome measure**

Exercise activity and general health indicators and periodontal health indicators

**Secondary outcome measures**

Use of health services

**Overall study start date**

06/06/2009

**Completion date**

06/06/2011

## Eligibility

**Key inclusion criteria**

1. Male
2. Age 35 - 45 years
3. At least two cardiovascular risk factors of the following:
  - 3.1. BMI 27.0 - 34.0 Kg/m<sup>2</sup>
  - 3.2. Waist circumference > 94 cm
  - 3.3. Fasting glucose < 6,1 mmHg/l
  - 3.4. Total plasma cholesterol >4 mmHg/l
  - 3.5. LDL-cholesterol > 3,0 mmHg/l
  - 3.6. Triglycerides >2,0 mmHg/l
  - 3.7. Blood pressure < 140/90 mm Hg
- 3.8. Currently engaging in/taking all of the following:
  - 3.8.1. Smoking
  - 3.8.2. Cholesterol-lowering medication
  - 3.8.3. Blood pressure-lowering medication

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Male

**Target number of participants**

300

**Key exclusion criteria**

1. Exercise more than 3 times per week
2. BMI >34 Kg/m<sup>2</sup>
3. Chronic conditions (alcoholism, unstable heart problem, severe mental problems)

**Date of first enrolment**

06/06/2009

**Date of final enrolment**

06/06/2011

## **Locations**

**Countries of recruitment**

Finland

**Study participating centre**

**University of Helsinki**

Kirkkonummi

Finland

02400

## **Sponsor information**

**Organisation**

University of Helsinki (Finland)

**Sponsor details**

c/o Dr Helena Liira

Kuninkaantie 4

Kirkkonummi

Finland

02400

+358 (0)50 577 1351

helena.liira@helsinki.fi

**Sponsor type**

University/education

**Website**

<http://www.helsinki.fi/university/>

**ROR**

<https://ror.org/040af2s02>

## **Funder(s)**

**Funder type**

University/education

**Funder Name**

Helsingin Yliopisto

**Alternative Name(s)**

University of Helsinki, Helsingfors Universitet, Universitas Helsingiensis, HY, UH

**Funding Body Type**

Government organisation

**Funding Body Subtype**

Universities (academic only)

**Location**

Finland

## **Results and Publications**

**Publication and dissemination plan**

Not provided at time of registration

**Intention to publish date**

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**

Not provided at time of registration