Using family history as a tool to increase risk awareness and to motivate preventive behaviour of individuals at risk for diabetes type two

Submission date	Recruitment status No longer recruiting	Prospectively registered	
22/11/2006		☐ Protocol	
Registration date	Overall study status	Statistical analysis plan	
22/11/2006	Completed	[X] Results	
Last Edited 09/04/2009	Condition category Nutritional, Metabolic, Endocrine	[] Individual participant data	

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr L Henneman

Contact details

Vu Medical Center
Department of Public Health
P.O. Box 7057
Amsterdam
Netherlands
1007 MB
+31 (0)20 4449815
l.henneman@vumc.nl

Additional identifiers

Protocol serial number NTR761

Study information

Scientific Title

Study objectives

As a result of the intervention we hypothesise that:

- 1. Due to a tailored consultation provided by a counsellor, containing information on the causes and consequences of Diabetes Mellitus type Two (DM2) (with emphasis on familial risk) (intervention group compared to control group):
- 1.1. Perceived risk will increase due to an improved perception of the nature and height of the risk
- 1.2. Peoples perceptions of the causes and consequences of DM2 will be more accurate
- 1.3. Perceived severity of DM2 will increase due to more insight into the consequences of DM2
- 1.4. A higher protection motivation is expected
- 2. Due to risk reduction information (information on preventive options) (both groups) perceived controllability (or response efficacy) will increase because of increased understanding that the risk can be reduced due to behaviour change

Ethics approval required

Old ethics approval format

Ethics approval(s)

Received from local medical ethics committee

Study design

Randomised single-blind active-controlled parallel group trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Diabetes mellitus type two (DM type II)

Interventions

The intervention consists of tailored information (risk communication) on the causes and consequences of DM2 such as cardiovascular disease (with emphasis on familial risk). It will be emphasised that it is even more important to change behaviour, because of a positive family history (which cannot be changed). The consultation is based on a counselling model and is presented by a trained counsellor. Our group has gained extensive experiences in the field of genetic counselling for e.g. familial risk of breast cancer, cystic fibrosis.

The underlying goal of the intervention is to change people's perceptions of risk, and perceived causes and consequences of DM2 to increase their motivation to change behaviour. In addition, all participants receive information on preventive options to help them see how they can cope with their risk (increase controllability).

To analyse the effect of the intervention, subjects are randomly allocated to the intervention or control group:

- 1. Information on the causes and consequences of DM2 (with emphasis on familial risk) and intensive risk reduction information (intervention group)
- 2. General risk information and intensive risk reduction information (control group)

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Protection motivation: Intention to engage in DM2 risk-reducing behaviour. Three core behavioural intentions will be assessed:

- 1. Increasing physical activity
- 2. Restricting calories by eating low fat foods
- 3. Follow subsequent advice to screening for diabetes

Stopping smoking and reducing alcohol intake will also be assessed when relevant. For each participant, intentions towards the three core behaviours will be measured and combined to assess overall motivation to reduce risk.

Key secondary outcome(s))

- 1. Illness representations
- 2. Perceived severity of diabetes
- 3. Perceived risk of getting diabetes
- 4. Coping appraisal: self-efficacy
- 5. Self-reported health behaviour
- 6. Psychological well-being: Positive And Negative Affect Scale (PANAS).

Completion date

01/06/2007

Eligibility

Key inclusion criteria

- 1. Positive family history
- 2. Symptom Risk Questionnaire Scores more than ten (highest expected effects from the intervention)
- 3. Aged less than 75 years (born after 01/01/1931)

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Key exclusion criteria

- 1. People with diagnosed DM2
- 2. People unable to complete questionnaires in Dutch

Date of first enrolment

01/11/2006

Date of final enrolment

01/06/2007

Locations

Countries of recruitment

Netherlands

Study participating centre

Vu Medical Center

Amsterdam Netherlands 1007 MB

Sponsor information

Organisation

Vrije University Medical Centre (VUMC) (Netherlands)

ROR

https://ror.org/00q6h8f30

Funder(s)

Funder type

Research organisation

Funder Name

Societal Aspects of Genomics at the Centre for Medical Systems Biology (Maatschappelijke Aspecten van Genomics van het Centre for Medical Systems Biology [MAGCMSB]) (Netherlands)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/04/2009		Yes	No