

Effects of dietary fat structure on short term changes in blood lipids and insulin sensitivity

Submission date 26/02/2009	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 13/03/2009	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 07/02/2012	Condition category Circulatory System	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Tom Sanders

Contact details
Nutritional Sciences Division
Franklin Wilkins Building
150 Stamford Street
London
United Kingdom
SE1 9NH

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
N/A

Study information

Scientific Title

The acute effects of triacylglycerol structure of palmitic acid rich fats on postprandial changes in lipid and glucose metabolism: a randomised cross-over trial

Acronym

IPART

Study objectives

Changing the triacylglycerol structure of palm oil by interesterification, to produce a fat with a high proportion of palmitic acid in the sn-2 position, will alter postprandial lipid and glucose metabolism. Postprandial responses to plant (interesterified palm oil) and animal (lard) fats with a high proportion of palmitic acid in the sn-2 position will be similar.

Ethics approval required

Old ethics approval format

Ethics approval(s)

West Kent Research Ethics Committee gave approval on the 14th January 2009 (ref: 08/H1101/122)

Study design

Randomised cross-over design trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Diet and cardiovascular disease

Interventions

In a single test meal consisting of a muffin and a milkshake, three test fats (50 g) are compared versus a control fat (high oleic sunflower oil; 50 g). These are; native palm olein, chemically interesterified palm olein and lard.

1. Palm olein represents a palmitic acid-rich fat with palmitic acid almost exclusively (~90%) in the sn-1 and -3 positions
2. Chemically interesterified palm olein represents a palmitic acid-rich fat with a high proportion of palmitic acid in the sn-2 position (~33%)

3. Lard represents an animal fat with a high proportion of palmitic acid in the sn-2 position (~58%)
4. High oleic sunflower oil will be used as a reference oil for the control test meal

Contact details for joint Principal Investigator:
Professor Ronald P. Mensink, PhD
Department of Human Biology
School for Nutrition, Toxicology and Metabolism
Maastricht University
PO Box 616
6200 MD Maastricht
The Netherlands

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

Postprandial changes in plasma glucose (measured at: 0, 15, 30, 60, 90, 120, 150, 180, 240, 300, 360, 420 and 480 minutes) and plasma triacylglycerol concentrations (measured at 0, 60, 120, 180, 240, 300, 360, 420 and 480 minutes). Both will be measured using enzymatic assays.

Secondary outcome measures

1. Apolipoprotein B48 concentrations, measured at 0, 180, 240, 300 and 480 minutes
2. The positional distribution of chylomicron lipids in the sn-2 position, measured at 180, 240 and 300 minutes
3. Non-esterified fatty acids, measured at 0, 60, 120, 180, 240, 300, 360, 420 and 480 minutes
4. Plasma fatty acids, measured at 0, 60, 120, 180, 240, 300, 360, 420 and 480 minutes
5. Total cholesterol, measured at 0, 60, 120, 180, 240, 300, 360, 420 and 480 minutes
6. Insulin, measured at 0, 15, 30, 60, 90, 120, 150, 180, 240, 300, 360, 420 and 480 minutes
7. C-peptide, measured at 0, 15, 30, 60, 90, 120, 150, 180, 240, 300, 360, 420 and 480 minutes
8. Gut hormones (including the incretin, glucose-dependent insulinotropic polypeptide, peptide YY and cholecystokinin), measured at 0, 15, 30, 60, 90, 120, 150, 180, 240, 300, 360, 420 and 480 minutes
9. Cytokines (interleukin-6, tumour necrosis factor alpha, E-selectin), measured at 0, 180, 240, 300 and 480 minutes
10. Factor VII activated concentrations, measured at 0, 180 and 360 minutes

Overall study start date

20/02/2009

Completion date

01/10/2009

Eligibility

Key inclusion criteria

Healthy males and females, aged 18 - 45 years.

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

48 participants

Key exclusion criteria

1. A reported history of heart disease, diabetes, cancer, kidney, liver or bowel disease (healthy volunteers are required)
2. Current cigarette smoker
3. History of substance abuse or alcoholism (previous weekly alcohol intake greater than 60 units /men or 50 units/women)
4. Current self-reported weekly alcohol intake exceeding 28 units
5. Unwilling to follow the protocol and/or give informed consent
6. Weight change of greater than 3 kg in preceding 2 months
7. Body mass index (BMI) less than 20 and greater than 35 kg/m²
8. Blood pressure greater than 160/90 mmHg
9. Fasting blood cholesterol greater than 7.8 mmol/l, fasting plasma triacylglycerol concentrations greater than 3 mmol/l, or fasting plasma glucose greater than 7 mmol/L
10. Presence of gastrointestinal disorder or use of a drug, which is likely to alter gastrointestinal motility or nutrient absorption
11. Greater than or equal to 20% 10-year risk of cardiovascular disease (CVD) as calculated using the risk calculator
12. Vegetarian dietary practices
13. Pregnant women

Date of first enrolment

20/02/2009

Date of final enrolment

01/10/2009

Locations**Countries of recruitment**

England

Netherlands

United Kingdom

Study participating centre
Nutritional Sciences Division
London
United Kingdom
SE1 9NH

Sponsor information

Organisation
King's College London (UK)

Sponsor details
Nutritional Sciences Division
Franklin Wilkins Building
150 Stamford St
London
England
United Kingdom
SE1 9NH

Sponsor type
University/education

Website
<http://www.kcl.ac.uk>

ROR
<https://ror.org/0220mzb33>

Funder(s)

Funder type
Government

Funder Name
Malaysian Palm Oil Board (MPOB) (Malaysia)

Results and Publications

Publication and dissemination plan
Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/12/2011		Yes	No