

Effect of vitamin D treatment on the improvement of metabolic syndrome

Submission date 20/12/2011	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 16/01/2012	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
Last Edited 16/09/2016	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Altered vitamin D levels are associated with an increased risk of obesity, high blood pressure and diabetes (also known as metabolic syndrome). Low levels of vitamin D (hypovitaminosis D) are also a risk factor for heart disease and death. The northern Chinese population have an increased risk of hypovitaminosis D due to their darker skin pigmentation and living at a northern latitude. Few studies have focused on the effect of vitamin D supplements on obesity and related metabolic disorders in Chinese populations. The aims of this study are to examine the relationship between vitamin D levels and obesity and other metabolic risk factors, and to find out whether vitamin D supplements improve metabolic disorders in patients with metabolic syndrome and hypovitaminosis D.

Who can participate?

People aged 35-60 who visit the healthcare department of Jinan Central Hospital for their annual health examination

What does the study involve?

Participants' weight, height, waist circumference and blood pressure are measured. A blood sample is collected for measurement of vitamin D, glucose (sugar), insulin, fat and cholesterol levels. Participants with metabolic syndrome and hypovitaminosis D are randomly allocated to take either vitamin D and calcium supplements or a placebo (dummy drug) for 12 weeks. Both groups receive a lifestyle intervention provided by a dietitian. The dietitian meets the participants at 2-week intervals to assess their compliance with the lifestyle intervention program and provide additional study products (vitamin D, calcium or placebos). At the end of the 12 weeks, the two groups undergo the same tests as at the start of the study.

What are the possible benefits and risks of participating?

All participants receive a lifestyle intervention which may improve their health and physical function. The participants who receive vitamin D and calcium supplements may improve their vitamin D levels. There are no known risks to participants.

Where is the study run from?

Jinan Central Hospital (China)

When is the study starting and how long is it expected to run for?
January to April 2012

Who is funding the study?
1. Science and Technical Bureau of Jinan (China)
2. Health Department of Shandong (China)

Who is the main contact?
Dr Xiao Yin

Contact information

Type(s)
Scientific

Contact name
Dr Xiao Yin

Contact details
Shandong University
27 Shanda Nanlu
Shandong
Jinan
China
250100

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
NCT

Study information

Scientific Title
Effect of vitamin D treatment on the improvement of metabolic syndrome: a randomized single-blind trial

Study objectives
1. Are the vitamin D levels associated with indices of adiposity and metabolic risk factors in a representative sample of the urban young and middle-aged non-diabetic adults residing in northern China?
2. Evaluate the prevalence of subclinical vitamin D deficiency in this cohort
3. Does vitamin D supplementation, in a randomized double-blind intervention trial, improve metabolic disorders in metabolic syndrome individuals with hypovitaminosis D.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics Committee of Shandong University Affiliated Jinan Central Hospital, China, 14/12/2011
ref: 2011026

Study design

Cross-sectional cohort single-center interventional randomised double blind placebo-controlled crossover study

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Metabolic syndrome

Interventions

Anthropometric measures (weight, height, waist circumference) and blood pressure will be measured on all participants. A fasting blood sample will be collected for measurement of serum 25-hydroxy vitamin D, plasma glucose, insulin, triglyceride, low density lipoprotein (LDL) cholesterol and high density lipoprotein (HDL) cholesterol concentrations.

For the randomized treatment portion of the study, 40-50 metabolic syndrome patients with hypovitaminosis D will be assigned, in a random double-blind manner, to receive either vitamin D treatment (vitamin D treatment group) or placebo (control group). Those in the vitamin D treatment group receive an oral dose of 500 IU vitamin D3 (cholecalciferol) and 1200mg calcium daily for 12 weeks. Both groups will be provided lifestyle intervention by a dietitian, At the end of the 12 weeks, subjects in the two groups will be re-evaluated for the same parameters measured at baseline.

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

1. Weight, height, waist circumference and blood pressure
2. Body mass index (BMI)
3. Serum 25(OH)D and insulin, measured by double antibody radioimmunoassay
4. Plasma glucose, triglycerides, and HDL cholesterol, measured by enzymatic colorimetric assay

Secondary outcome measures

LDL cholesterol, calculated using the Friedwald equation

Overall study start date

01/01/2012

Completion date

01/04/2012

Eligibility

Key inclusion criteria

1. Male and female participants
2. Aged 35-60 years old
3. Living in Jinan, China for more than 5 years
4. Employed in an office setting
5. Has had more than 13 years of education

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

500-600 participants will be enrolled in the observation study, then from the same cohort, 40-50 participants will be enrolled in interventional trial.

Key exclusion criteria

1. Use of vitamin D and calcium supplementation within 60 days of screening
2. Current use of cigarettes (self-report)
3. Alcohol abuse (defined as >14 drinks/week for men, >7 drinks/week for women)
4. Diagnosis of overt diabetes, cardiovascular disease or other systematic disease
5. Use of medications that influence vitamin D, glucose, lipid profiles or blood pressure
6. Engaging in more than 20 minutes of strenuous physical activity or exercise that causes excessive breathing and sweating more than once per week

Date of first enrolment

01/01/2012

Date of final enrolment

01/04/2012

Locations

Countries of recruitment

China

Study participating centre

Shandong University

Jinan

China

250100

Sponsor information

Organisation

Shandong University (China)

Sponsor details

Jinan Central Hospital

Jiefang road 105

Jinan

China

250013

Sponsor type

University/education

Website

<http://www.sdu.edu.cn/english/>

ROR

<https://ror.org/0207yh398>

Funder(s)

Funder type

Government

Funder Name

Jinan Technology Star Program, Science and Technical Bureau of Jinan (China)

Funder Name

Shandong Province Medical and Health Development Program (China)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	09/09/2012		Yes	No