

# Can we use virtual reality-assisted cognitive behavioral therapy with Inuit in Quebec?

<b>Submission date</b> 26/04/2022	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
		<input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 29/04/2022	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 08/04/2024	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Virtual reality (VR) is an interactive, computer-generated three-dimensional world of images, videos and sounds accessed through a VR headset/system. VR-assisted interventions effectively increase mental well-being, such as building the ability to regulate emotions. In a VR environment, an individual can learn skills for healthy control of emotions either as self-management with a recorded guided relaxation or with a psychotherapist being present. In the current study, we will compare home-environment self-management to at-clinic therapist-guided psychotherapy.

### Who can participate?

The treatment is provided for Inuit living in the Greater Montreal Area, between the ages of 14 and 60. If successful, this project will improve access to culturally safe and validated psychotherapy for Inuit living in Quebec, independent of their geographical location.

### What does the study involve?

The study involves doing one of two mental health programs for 10 weeks and doing some tests and questionnaires. Both programs involve mental health resources given, in part, with virtual reality (VR).

### What are the possible benefits and risks of participating?

When filling out the questionnaires and during and after the psychotherapy session, possible disadvantages include fatigue, discomfort, anxiety, stress or frustration. The questionnaires include questions that can cause mild psychological stress or anxiety. Wearing the VR headset can cause nausea and dizziness. It is temporary and its use will be interrupted immediately. The time the study takes, including travel may be inconvenient.

The research team believes that participating in this research project carries little risk to you. Some people may experience increases in anxiety, unhealthy coping or suicidal ideation through the course of the research project. Wearing the VR headset can sometimes cause epileptic seizures. This risk is minimized using the exclusion criteria for those factors that could predict severe risk.

You may be getting a personal benefit from your participation in this research project, but we cannot assure you of that. Furthermore, we hope the results obtained will contribute to the advancement of scientific knowledge in this area of research, as well as validate new treatments that are culturally safe.

Where is the study run from?

Douglas Mental Health University Institute, Verdun, Quebec (Canada)

When is the study starting and how long is it expected to run for?

January 2019 to December 2024

Who is funding the study?

The study is funded by MEDTEQ FSISSS and Health Brains Healthy Lives (HBHL) grants (Canada)

Who is the main contact?

Outi Linnaranta, outi.linnaranta at thl.fi

## Contact information

### Type(s)

Principal investigator

### Contact name

Dr Outi Linnaranta

### ORCID ID

<https://orcid.org/0000-0002-0383-7215>

### Contact details

Mannerheimintie 166

Helsinki

Finland

00300

+358-29-5247517

outi.linnaranta@thl.fi

### Type(s)

Public

### Contact name

Ms Quinta Seon

### ORCID ID

<https://orcid.org/0000-0001-9542-1884>

### Contact details

6875 Boulevard Lasalle

Montreal

Canada

h4h1r3  
+1 514-761-6131 ext 3009  
quinta.seon@mail.mcgill.ca

**Type(s)**  
Scientific

**Contact name**  
Dr Stéphane Bouchard

**ORCID ID**  
<https://orcid.org/0000-0002-5995-340X>

**Contact details**  
CP 1250 Succ Hull  
Gatineau  
Canada  
J8X 3X7  
+1 819-595-3900-2360  
Stephane.bouchard@uqo.ca

## Additional identifiers

**Clinical Trials Information System (CTIS)**  
Nil known

**ClinicalTrials.gov (NCT)**  
NCT05631743

**Protocol serial number**  
IUSMD 21-52

## Study information

**Scientific Title**  
A virtual reality-assisted cognitive behavioral therapy (VR-CBT) for and with Inuit in Quebec - a proof-of-concept randomized controlled trial

**Study objectives**  
We expect to see preliminary evidence that our VR-CBT can be more successful than guided VR relaxation with Calm Place (self-management) decreasing difficulties in emotion regulation, psychiatry symptoms, increasing well-being, and normalizing responses to stressful stimuli (reactivity).

**Ethics approval required**  
Old ethics approval format

**Ethics approval(s)**

Approved 22/10/2021, CIUSSS de l'Ouest-de-l'Île-de-Montréal Research Ethics Board (Biomedical subcommittee, 6875, boulevard LaSalle, FBC 1116, Montréal, Québec, H4H 1R3, Canada; +1 514 761-6131 poste 2708; cer.reb@douglas.mcgill.ca), ref: IUSMD 21-52

## **Study design**

Single centre proof-of-concept interventional randomized controlled trial

## **Primary study design**

Interventional

## **Study type(s)**

Treatment

## **Health condition(s) or problem(s) studied**

Emotion regulation/dysregulation

## **Interventions**

The study design is a two-arm randomized controlled pilot trial (simple 1:1 randomization using a random number generator, unblinded).

We will recruit Inuit in Quebec and randomly assign them to two treatment groups (n=20 each). The active psychotherapy group will receive a ten-week manualized virtual reality (VR) assisted cognitive-behavioral psychotherapy (VR-CBT) at the clinic and guided by a psychotherapist. The VR-CBT will aim at improving emotion regulation.

The comparison group will use a VR self-management program, Calm Place, for building emotion regulation through guided relaxation during ten weeks at home. To evaluate outcome in both groups, we will measure self-reports of emotion regulation, affect, distress and well-being throughout, as well as a psychophysiological reactivity paradigm pre-post treatment.

## **Intervention Type**

Behavioural

## **Primary outcome(s)**

Emotion regulation is measured using the Difficulties in Emotion Regulation Scale-16 item (a short, valid measure of emotion regulation) at pre-intervention, during (every two weeks) and post-intervention.

## **Key secondary outcome(s)**

1. Reactivity to stress via subjective and objective markers is measured during a psychophysiological reactivity testing paradigm. We measure psychophysiology, such as heart rate, heart rate variability, and skin conductance during a baseline and height exposure in VR. The paradigm testing will be done during the initial visit and the last visit after the end of the VR intervention (minimum of seven and maximum of ten weeks). Visual analogue scales for anxiety, emotional arousal, and emotional valence (VAS-A, EA, EV) are given during each segment of this test as well. We measure changes in reactivity and resting level responses as compared from relaxed (forest walk) to height exposure, expecting lower resting levels of heart rate and increased heart rate variability and decreased skin conductance response. Time Frame: Approximately 1-hour testing session, administered twice.

2. Psychiatric Symptoms (anxiety, depression, PTSD, substance use disorders) will be monitored for change in symptom severity and any loss/gain of probable psychiatric diagnosis (for screening measures). The measures are Generalized Anxiety Disorder Scale-7 item, Patient

Health Questionnaire - 9 item, Primary Care Screen for PTSD DSM-5 item (PC-PTSD-5), Alcohol Use Disorders Identification Test- version C, and Drug Abuse Screening Test-10 item, given on at both baselines (pre-post) and every 2-4 weeks during the intervention.

3. We will monitor any change in psychological distress and well-being, Clinical outcome in routine evaluation outcome measure and 10 item (CORE- OM/10) and Short/ Warwick Edinburgh Mental Wellbeing Scale (SWEMWBS/WEMWBS) at baselines (pre-post) and every 2-4 weeks during the intervention.

4. Feasibility of interventions is assessed by the number (percentages) of sessions attended (or completed at home), treatment completion/drop-out, use of the at-home VR program over 10 weeks of the intervention period (researcher recorded)]

### **Completion date**

31/12/2024

## **Eligibility**

### **Key inclusion criteria**

1. Self-identify as Inuk
2. Live in Montreal
3. Between 14 to 60 years of age
4. Proficient in English or French
5. No history of cardiac conditions
6. No history of epilepsy
7. Can provide an emergency contact
8. Tolerance of VR headset
9. Tolerance of sensors
10. Has no current suicidal or homicidal risk
11. No history of psychosis or schizophrenia
12. Current stable mood
13. Is generally mentally stable (no current suicidality, need for hospitalization, etc)
14. Score less than 8 on the Alcohol Use Disorders Identification Test C
15. Score less than 3 on the Drug Abuse Screen Test (10 item version)
16. Not have had any change in psychoactive medications during 4 weeks preceding screening and inclusion in the study

### **Participant type(s)**

Patient

### **Healthy volunteers allowed**

No

### **Age group**

Mixed

### **Lower age limit**

14 years

### **Upper age limit**

60 years

### **Sex**

All

### **Key exclusion criteria**

1. Does not identify as Inuk
2. Youth below the age of 14 and adults above the age of 60.
3. Self-reported history of psychosis or schizophrenia
4. Current substance abuse, as measured by two screens (AUDIT-C, DAST-10)
5. Other mental or physical condition that might preclude them from the trial (i.e. pre-existing heart conditions, convulsions, acute mental health risk).

### **Date of first enrolment**

30/06/2022

### **Date of final enrolment**

01/09/2024

## **Locations**

### **Countries of recruitment**

Canada

### **Study participating centre**

**Douglas Mental Health University Institute**

6875 boulevard Lasalle

Verdun

Montreal

Canada

H4H 1R3

## **Sponsor information**

### **Organisation**

Douglas Mental Health University Institute

### **ROR**

<https://ror.org/05dk2r620>

## **Funder(s)**

### **Funder type**

Charity

**Funder Name**

MEDTEQ

**Funder Name**

McGill University

**Alternative Name(s)**

McGill, Université McGill, Universitas McGill, MGU

**Funding Body Type**

Government organisation

**Funding Body Subtype**

Universities (academic only)

**Location**

Canada

## Results and Publications

**Individual participant data (IPD) sharing plan**

The datasets generated during and/or analysed during the current study are not expected to be made available due to confidentiality of participants and cultural sensitivity.

**IPD sharing plan summary**

Not expected to be made available

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Protocol article</a>		24/05/2023	25/05/2023	Yes	No