Role of gratitude in reducing psychological distress and perceived stigma in persons with alcohol use disorder

Submission date	Recruitment status	Prospectively registered
27/03/2024	No longer recruiting	∐ Protocol
Registration date	Overall study status	Statistical analysis plan
15/04/2024	Completed	Results
Last Edited	Condition category	Individual participant data
02/04/2024	Mental and Behavioural Disorders	Record updated in last year

Plain English summary of protocol

Background and study aims

Alcohol use disorder is a cluster of behavioral and physical problems that can include withdrawal, tolerance and craving. The health burden associated with the consumption of alcohol both in terms of illness and death is enormous. However, alcohol use is pervasive in many parts of the world and remains a major health as well as social issue.

AUD is often associated with psychological distress, a broad term that describes mental and emotional states involving anxiety and depression. Moreover, AUD is considered to be one of the most stigmatized mental health conditions. Perceived stigma refers to the extent to which individuals with AUD believe that others hold negative stereotypes about the condition. Such perceptions often act as barriers to help-seeking among persons with AUD. It is important to research treatment approaches that will effectively help persons with AUD tackle issues such as psychological distress and perceived stigma.

Gratitude is a positive psychological factor that is increasingly being recommended for the promotion of well-being. Studies using gratitude interventions in alcohol recovery programs are sparse. More specifically, the use of gratitude interventions in reducing perceived stigma and psychological distress among people with AUD is not researched. The study, therefore, examines the role of a gratitude intervention in reducing perceived stigma and psychological distress among people with AUD.

Who can participate?

People with AUD newly admitted into a residential rehabilitation center for treatment

What does the study involve?

The study involves participants responding to standardized psychological scales for the assessment of psychological distress and perceived stigma. Following this, half of the participants in each study center are assigned to the experimental group and are given the gratitude intervention which involves listing things that they are grateful for three times a week for 3 months. The remaining half of the participants in each study center are not given the intervention.

What are the possible benefits and risks of participating? Because gratitude has been found to have a number of benefits, it is expected that it will reduce psychological distress and perceived stigma which is believed to contribute to the recovery process. The study does not involve the use of any procedure that has any foreseeable risks.

Where is the study run from? Nagaland University (India)

When is the study starting and how long is it expected to run for? October 2022 to December 2023

Who is funding the study?
The Indian Council of Social Science Research (India)

Who is the main contact?

Dr Imlisongla Longkumer, imlisongla@nagalanduniversity.ac.in

Contact information

Type(s)

Public, Scientific, Principal investigator

Contact name

Dr Imlisongla Longkumer

ORCID ID

https://orcid.org/0009-0006-8606-9368

Contact details

Department of Psychology
Nagaland University
Kohima Campus
Meriema-797004
Nagaland
Kohima
India
797004
+91 (0)9402697023
imlisongla@nagalanduniversity.ac.in

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

Nil known

Study information

Scientific Title

Psychological distress and perceived stigma in persons with alcohol use disorders: Role of gratitude intervention

Acronym

PDPS:GI

Study objectives

Hypothesis 1: Psychological distress in persons with alcohol use disorder will be lesser in the experimental group than in the control group following gratitude intervention. Hypothesis 2: Perceived stigma in persons with alcohol use disorder will be lesser in the experimental group than in the control group following gratitude intervention.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 02/03/2023, Department Ethics Committee, Department of Psychology, Nagaland University (Kohima Campus, Meriema, Kohima, 797004, India; +91 (0)9856648055; psychology@nagalanduniversity.ac.in), ref: No.NU/PSY/ETHICS-23/04

Study design

Interventional randomized controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Psychological distress and perceived stigma of persons with alcohol use disorder

Interventions

The study uses an experimental group-control group pre-test post-test design.

Participants are recruited from five rehabilitation centers. At each center, individuals who meet the inclusion criteria are recruited. A baseline measure is obtained. Participants are then randomly assigned to the two treatment conditions at random. The intervention period is for 3 months.

Participants in the experimental group receive the gratitude intervention. Those in the control group are not given the intervention. The gratitude intervention used in the study involves participants listing things that they are grateful for (any number) three times (days) in a week.

Intervention Type

Behavioural

Primary outcome(s)

- 1. Psychological distress is measured using the Kessler Psychological Distress Scale (K-10) at baseline (pre-test) and 3 months (post-test)
- 2. Perceived stigma is measured using the Perceived Stigma of Substance Abuse Scale (PSAS) at baseline (pre-test) and 3 months (post-test)

Key secondary outcome(s))

Demographic variables assessed using the participant information sheet at baseline:

- 1. Years of initiation of alcohol use
- 2. Age
- 3. Religious activity
- 4. Marital status
- 5. Employment status

Completion date

15/12/2023

Eligibility

Key inclusion criteria

- 1. A diagnosis of alcohol use disorder
- 2. Consents to participate
- 3. Newly admitted to the facility

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

60 years

Sex

All

Total final enrolment

37

Key exclusion criteria

Presence of psychiatric comorbidity

Date of first enrolment

01/07/2023

Date of final enrolment 31/08/2023

Locations

Countries of recruitment

India

Study participating centre Youth Mission, Kohima

Kohima Kohima India 797001

Study participating centre Kripa Foundation

Kohima Kohima India 797001

Study participating centre Shalom Rehabilitation Center

Chumukedima Dimapur India 797112

Study participating centre Bethesda Center

Dimapur Dimapur India 797112

Study participating centre Silas Center

Dimapur Dimapur

Sponsor information

Organisation

Indian Council of Social Science Research

ROR

https://ror.org/009axkg17

Funder(s)

Funder type

Research council

Funder Name

Indian Council of Social Science Research

Alternative Name(s)

, Bharatiya Samajik Vigyan Anusandhan Parishad, Indian Council of Social Science Research (ICSSR), ICSSR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

India

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from Imlisongla Longkumer (imlisongla@nagalanduniversity.ac.in). A scanned sample copy of a few completed questionnaires (with names hidden) can be shared upon request. The researcher has obtained written consent from all participants. Participants were assured of anonymity and confidentiality.

IPD sharing plan summary

Available on request

Study outputs

Output type Details Date created Date added Peer reviewed? Patient-facing?

Participant information sheet 11/11/2025 No Yes