A pilot study to investigate the effect of reactivity to brief alcohol assessment on subsequent consumption, problems and dependence

Submission date	Recruitment status No longer recruiting	Prospectively registered	
12/02/2007		☐ Protocol	
Registration date 16/02/2007	Overall study status Completed	Statistical analysis plan	
		[X] Results	
Last Edited	Condition category	Individual participant data	
03/05/2011	Mental and Behavioural Disorders		

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Jim McCambridge

Contact details

Centre for Research on Drugs & Health Behaviour Department of Public Health & Policy London School of Hygiene & Tropical Medicine Keppel Street London United Kingdom WC1E 7HT

Additional identifiers

Protocol serial number

1

Study information

Scientific Title

Acronym

AUDIT

Study objectives

The primary hypothesis of this pilot study is that participants who complete the AUDIT assessment measure (Saunders et al, 1993) at the time of study entry, will report lower levels of hazardous drinking (AUDIT score) at follow up, compared to the control group. The secondary hypotheses are that participants who complete the AUDIT assessment measure at study entry, will report lower levels of alcohol consumption, problems and dependence at follow up, compared to the control group. In combination with the specific effects of reactivity to a brief measure, we will also evaluate the more general impact of participating in a study of alcohol consumption.

Saunders JB. Aasland OG. Babor TF. de la Fuente JR. Grant M. (1993) Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption--II. Addiction 88(6):791-804.

Ethics approval required

Old ethics approval format

Ethics approval(s)

King's College London

Study design

Trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Hazardous drinking

Interventions

AUDIT 10-item screening questionnaire

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

AUDIT score

Key secondary outcome(s))

- 1. Hazardous drinking (as measured by) AUDIT score greater than or equal to 8
- 2. Hazardous drinking 10 or more units on any day within the past week regardless of gender
- 3. Hazardous drinking at or above 14 units past week for women or 21 units for men
- 4. Total number of units consumed in past week
- 5. Total number of days alcohol was drunk in the past month
- 6. Dependence (as measured by Leeds Dependence Questionnaire[LDQ])
- 7. General Problems (as measured by Alcohol Problems Scale [APS])
- 8. Academic Problems (as measured by Academic Role Expectations and Alcohol Scale[AREAS])

Completion date

01/09/2006

Eligibility

Key inclusion criteria

University students aged 18-24

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

24 years

Sex

All

Key exclusion criteria

None

Date of first enrolment

01/02/2006

Date of final enrolment

01/09/2006

Locations

Countries of recruitment

United Kingdom

England

Study participating centre
Centre for Research on Drugs & Health Behaviour
London
United Kingdom
WC1E 7HT

Sponsor information

Organisation

King's College London (UK)

ROR

https://ror.org/0220mzb33

Funder(s)

Funder type

Other

Funder Name

Investigator-funded

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/02/2008		Yes	No