

# An investigation into the performance of the pacing mode AA1R (R) with respect to the percentage ventricular pacing and the evolution of atrial fibrillation when compared to the mode DDD (R) in patients with Sick Sinus Syndrome (SAFE PACE)

<b>Submission date</b> 29/09/2006	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 29/09/2006	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 28/09/2011	<b>Condition category</b> Circulatory System	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Mrs Jane Eldridge

**Contact details**  
Cardiac Catheter Lab  
Hemel Hempstead General Hospital  
Hillfield Road  
Hemel Hempstead  
United Kingdom  
HP2 4AD  
+44 01442 287364  
jane.eldridge@whht.nhs.uk

## Additional identifiers

**Protocol serial number**

N0143162643

## Study information

### Scientific Title

### Study objectives

Comparison of pacing modes AA1safe(R) R and DDD(R) in patients with Sick Sinus Syndrome.

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Ethics approval was received from the local medical ethics committee before trial recruitment began.

### Study design

Randomised controlled trial

### Primary study design

Interventional

### Study type(s)

Treatment

### Health condition(s) or problem(s) studied

Cardiovascular: Sick Sinus Syndrome

### Interventions

Retrospective, randomised, longitudinal study of the percentage ventricular pacing and the evolution of atrial fibrillation when compared to the mode DDD (R) in patients with Sick Sinus Syndrome

### Intervention Type

Other

### Phase

Not Specified

### Primary outcome(s)

Lower percentage of ventricular pacing and the amount of time spent in atrial fibrillation that occurs with each pacing mode

### Key secondary outcome(s))

Not provided at time of registration

### Completion date

31/12/2005

# Eligibility

## Key inclusion criteria

100 patients with Sick Sinus Syndrome

## Participant type(s)

Patient

## Healthy volunteers allowed

No

## Age group

Adult

## Sex

Not Specified

## Key exclusion criteria

Not provided at time of registration

## Date of first enrolment

15/04/2005

## Date of final enrolment

31/12/2005

# Locations

## Countries of recruitment

United Kingdom

England

## Study participating centre

Cardiac Catheter Lab

Hemel Hempstead

United Kingdom

HP2 4AD

# Sponsor information

## Organisation

Record Provided by the NHSTCT Register - 2006 Update - Department of Health

# Funder(s)

## Funder type

Government

## Funder Name

Hertfordshire Hospitals Research and Development Consortium (UK), NHS R&D Support Funding

# Results and Publications

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration