Effectiveness of ovarian suspension in preventing post-operative ovarian adhesions in women with pelvic endometriosis

Submission date

Recruitment status

[X] Prospectively registered

30/09/2004

No longer recruiting

[X] Protocol

Registration date

Overall study status

Statistical analysis plan

30/09/2004

Completed

[X] Results

Last Edited

Condition category

01/09/2014 Surgery

Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr William Hoo

Contact details

Clinic 3
Gynaecology Diagnostic Ultrasound Unit
Elizabeth Garrett Anderson Wing
University College London Hospital
235 Euston Road
London
United Kingdom
NW1 2BU
+44 (0)20 7380 9411

Additional identifiers

Protocol serial number

N0263139724

Study information

Scientific Title

Effectiveness of ovarian suspension in preventing post-operative ovarian adhesions in women with pelvic endometriosis: a randomised controlled trial

Study objectives

Added 03/11/2010:

Suspending the ovaries to the anterior abdominal wall (ovarian suspension) after laparoscopic surgery for severe pelvic endometriosis for 36 to 48 hours will reduce the incidence of post-operative ovarian adhesion.

No information provided at time of registration.

Please note that as of 03/11/2010 this record has been extensively updated, with further revisions and clarifications to the record on 12/11/2010. Due to issues with recruitment the trial, originally planned for 19/11/2003 to 01/11/2008, was stopped and underwent protocol and ethics amendments. Details of these amendments can be found in the relevant field with one of the above update dates.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The Medical Ethical Committees of the University College Hospital, London approved amendments to the protocol on 08/04/2009 and 29/04/2010, ref: 03/0279

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Endometriosis; Laparoscopic surgery

Interventions

Current information as of 12/11/2010:

Ovarian suspension following laparoscopic excision of severe pelvic endometriosis: Patients will be randomised at the time of surgery to have either their left or right ovary suspended. The other ovary will be allowed to fall back into the pelvis, therefore acting as a control within the same patient.

Ovarian suspension will be for at least 36 hours. An extra 12 hours is allowed for practical reasons in situations where sutures may needs to be removed in the middle of the night. There will be no comparision between variations in the duration of suspension.

Initial information at time of registration:

- 1. Ovary suspension
- 2. Non ovary suspension

Intervention Type

Procedure/Surgery

Phase

Not Applicable

Primary outcome(s)

Current information as of 03/11/2010:

Presence of ovarian adhesions as assessed by pelvic ultrasound scan, 3 months post-operatively.

Initial information at time of registration:

The grade of peri-ovarian adhesion with and without ovarian suspension.

Key secondary outcome(s))

Current information as of 03/11/2010:

Presence, intensity and site of postoperative pain

Initial information at time of registration:

Difference in pain between the two sides of the abdomen in the first three post-operative days.

Completion date

01/06/2011

Eligibility

Key inclusion criteria

Added 03/11/2010:

- 1. Age 19 or older
- 2. Internal scan not contraindicated
- 3. Severe pelvic endometriosis involving rectovaginal space and/or both ovaries
- 4. Fertility preserving surgery

Information not provided at time of registration

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Female

Key exclusion criteria

Added 03/11/2010:

- 1. Mild or moderate endometriosis
- 2. Incomplete resection of pelvic endometriosis (cyst drainage pre-IVF treatment or planned two-

stage operations)

- 3. Patients undergoing radical surgery for endometriosis including oophrectomies or hysterectomies
- 4. Complications requiring ileostomies or open surgery

Information not provided at time of registration

Date of first enrolment

01/10/2008

Date of final enrolment

01/06/2011

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Clinic 3

London United Kingdom NW1 2BU

Sponsor information

Organisation

Department of Health

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

University College London Hospitals NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summaryNot provided at time of registration

Study outputs

Output type		Details	Date created Date added	Peer reviewed?	Patient-facing?
Res	sults article	results	01/04/2014	Yes	No
Pro	otocol article	protocol	11/05/2011	Yes	No
<u>Par</u>	ticipant information sheet	Participant information sheet	11/11/2025 11/11/2025	No	Yes