

The effectiveness of electroacupuncture for Parkinson's disease pain

Submission date 07/03/2021	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 24/04/2021	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 04/05/2021	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Parkinson's disease (PD) is a common chronic progressive neurological disease in middle-aged and elderly people, accompanied by various movement and non-movement symptoms. Skeletal muscle pain is one of the most common PD symptoms, and has often been neglected and has not been properly managed. Electroacupuncture (EA) has received attention as a promising intervention for pain, and some previous studies have reported that this intervention may be beneficial for treating PD patients with skeletal muscle pain. This study aims to explore how practical and effective EA is for PD patients with skeletal muscle pain.

Who can participate?

Adults aged between 30 and 80 years with a diagnosis of Parkinson's disease and chronic musculoskeletal pain.

What does the study involve?

Parkinson's disease patients will be asked to join this study while they visit Beijing TCM hospital's acupuncture department. The trial will be explained to participants and will be asked to sign an informed consent form. Participants will be allocated to one of two groups, with an equal chance of being in either group (like tossing a coin). One group will receive 20 sessions of electroacupuncture treatment over 4 weeks. The other group will receive 20 sessions of mock electroacupuncture treatment over 4 weeks using non-penetrating flat needles. The study lasts one month in total. Participants also complete online questionnaires and assessments before receiving treatment and after 2 and 4 weeks. The muscle tension of participants will be measured by ultrasound elastography scan before and after the treatment.

What are the possible benefits and risks of participating?

Relief of pain in PD patients may be a possible benefit while participating in this study. Improvements to the patient's Parkinson skeletal muscle pain are not guaranteed in the controlled group. If the symptoms are not improved due to the control group treatment, normal acupuncture treatment can be provided after the test is completed. The information obtained from this study could possibly benefit patients with the same condition in the future.

The main risk of acupuncture would be temporary pain, a sense of itching or swelling, and other possible side effects such as slight bleeding, bruising, or fainting. Patients with any of these side effects will receive immediate medical care, and the study team will reassess whether they can continue to accept treatment.

Where is the study run from?

Beijing Traditional Chinese Medicine Hospital acupuncture department (China)

When is the study starting and how long is it expected to run for?

February 2021 to February 2022

Who is funding the study?

Beijing Traditional Chinese Medicine Hospital (China)

Who is the main contact?

Dr. Shaosong Wang

wangshaosong@bjzhongyi.com

Contact information

Type(s)

Scientific

Contact name

Ms Ching Yan Lilian Fung

Contact details

Beijing Traditional Chinese Medicine Hospital

No. 23, Art Museum Back Street

Dongcheng District

Beijing

China

100010

+86 (0)17812096297

wangshaosong@bjzhongyi.com

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

Nil known

Study information

Scientific Title

A clinical randomized controlled study of electroacupuncture for Parkinson's skeletal muscle pain

Study objectives

Electroacupuncture can relieve Parkinson's skeletal and muscle pain.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 21/02/2021, Beijing Traditional Chinese Medical Hospital Ethics Committee (Beijing Traditional Chinese Medicine Hospital, No. 23, Art Museum Back Street, Dongcheng District, Beijing; +82 010 8970 6734; no email address available), ref: 2020BL02-072-02

Study design

Single-center interventional randomized single-blinded parallel controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Skeletal muscle pain in patients with Parkinson's disease

Interventions

Participants will be randomly allocated (1:1) to either the treatment or the control group. Treatment duration is 1 month with assessments at baseline (before the intervention), 2, and 4 weeks.

Treatment group:

20 sessions of electroacupuncture treatment over 4 weeks. Acupoints are selected according to TCM master He Puren's experience in treating Parkinson's disease, including acupoints: Baihui (GV20), Qihai (CV6), Lieque (LU7), Tinggong (SI19), upper limb pain: Jianyu (LI15), Quchi (LI11) + Ashi point; lower limb pain: Futu (ST32), Yanglingquan (SP9) + Ashi point; pierce 10-30 mm with stainless steel needles (1.5 inches of Huatuo brand), and when the patient has the feeling of "Deqi", apply Huatuo brand SDZ-V EA apparatus (upper limbs: take Jianyu (LI15), Quchi (LI11); lower limbs: take Futu (ST32), Yanglingquan (SP9), choose the density wave, the frequency is 2 Hz Qod /100 Hz Qod, the needle is retained for 30 minutes.

Control group:

20 sessions of mock electroacupuncture treatment over 4 weeks using sham needles (Park needle). The acupoints selection is the same as the treatment group. The flat-head needle is inserted into a Park needle tube, and the needle body is tapped to the needle, which creates a feeling of acupuncture, but the flat-head needle does not puncture the skin. Electrodes are applied but not energized, and the needle is retained for 30 minutes.

Intervention Type

Procedure/Surgery

Primary outcome measure

Pain measured using King's Parkinson's Disease Pain Scale at baseline, 2, and 4 weeks

Secondary outcome measures

1. Pain measured using visual analogue scoring at baseline, 2, and 4 weeks
2. Daily life ability measured using Parkinson's composite score sheet at baseline, 2, and 4 weeks
3. Muscle tension measured using Modified Ashworth score at baseline, 2, and 4 weeks
4. Depression measured using Hamilton Depression Scale at baseline, 2, and 4 weeks
5. Muscle tension measured using real-time shear wave ultrasound elastography at baseline and 4 weeks

Overall study start date

21/02/2021

Completion date

28/02/2022

Eligibility

Key inclusion criteria

1. Diagnosis of Parkinson's disease and chronic musculoskeletal pain
2. Agrees to participate in the trial and signs an informed consent form
3. Aged between 30 and 80 years

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

60

Key exclusion criteria

1. Severe heart, liver, kidney, or other organ dysfunction
2. Schizophrenia, malignant tumors, blood system, immune system, or metabolic dysfunction
3. Combined with other types of dementia (such as vascular dementia, frontotemporal

dementia, or Alzheimer's disease)

4. Severe cognitive impairment and language impairment
5. Diagnosed with Parkinson's syndrome or Parkinson's superimposed syndrome
6. Poor treatment compliance or unable to cooperate with treatment
7. Do not agree to participate in this research
8. Physical pain caused by other diseases

Date of first enrolment

01/03/2021

Date of final enrolment

01/01/2022

Locations

Countries of recruitment

China

Study participating centre

Beijing Traditional Chinese Medicine Hospital

Beijing Traditional Chinese Medicine Hospital

No. 23, Art Museum Back Street

Dongcheng District

Beijing

China

100010

Sponsor information

Organisation

Beijing Hospital of Traditional Chinese Medicine

Sponsor details

Beijing Traditional Chinese Medicine Hospital

No. 23, Art Museum Back Street

Dongcheng District

Beijing

China

100010

+86 (0)10 52176677

website@bjzhongyi.com

Sponsor type

Hospital/treatment centre

Website

<http://www.bjzhongyi.com/english/article/8602.html>

ROR

<https://ror.org/057vq6e26>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Beijing Traditional Chinese Medicine Hospital

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal

Intention to publish date

20/02/2023

Individual participant data (IPD) sharing plan

The datasets generated and/or analysed during the current study during this study will be included in the subsequent results publication

IPD sharing plan summary

Other

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol file	version V2.0	08/02/2021	04/05/2021	No	No