# Activity Increase Despite Arthritis: developing and evaluating an active management booklet for hip and knee pain

Submission date	Recruitment status  No longer recruiting	Prospectively registered	
18/05/2009		[X] Protocol	
Registration date	Overall study status	Statistical analysis plan	
02/07/2009	Completed	[X] Results	
<b>Last Edited</b> 19/10/2011	Condition category  Musculoskeletal Diseases	Individual participant data	
19/10//011	wiusculoskeielai Diseases		

## Plain English summary of protocol

Not provided at time of registration

## Contact information

## Type(s)

Scientific

#### Contact name

Dr Nefyn Williams

#### Contact details

Department of Primary Care and Public Health Cardiff University School of Medicine North Wales Clinical School Gwenfro Unit 6/7 Wrexham Technology Park Wrexham United Kingdom LL13 7YP +44(0)1978 727 430 williamsnh@cf.ac.uk

## Additional identifiers

## Protocol serial number

SPON381-07

# Study information

#### Scientific Title

Developing an active management booklet for hip and knee pain: an interventional single centre randomised controlled trial

## Acronym

**AIDA** 

## **Study objectives**

Evidence-based booklet for older patients with hip or knee pain encourages physical activity and promoting autonomy.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

North East Wales Research Ethics Committee approved on 28th February 2008 (ref: 08/WNo03/5)

## Study design

Interventional randomised controlled single-centre study

## Primary study design

Interventional

## Study type(s)

Prevention

## Health condition(s) or problem(s) studied

Osteoarthritis of hip and knee

#### **Interventions**

Participants randomised to the intervention arm will receive new educational booklet. Participants randomised to the control arm will receive a patient information booklet about osteoarthritis produced by the Arthritis Research Campaign (ARC) at 1 month and 3 months follow-up.

## Intervention Type

Other

#### Phase

Not Applicable

## Primary outcome(s)

- 1. Illness beliefs will be measured with the hip and knee pain beliefs questionnaire (HKBQ) measuring illness beliefs; score (1 = strongly disagree, 5 = strongly agree) at baseline, 1 month and 3 months follow-up
- 2. Treatment beliefs will be measured with a modified Exercise Attitude Questionnaire-18 (EAQ-18); score (1 = strongly disagree, 5 = strongly agree) at baseline, 1 month and 3 months follow-up

## Key secondary outcome(s))

- 1. Western Ontario McMaster University Arthritis Index (WOMAC) measuring pain, stiffness and difficulty performing daily activities; score (0 = no pain, no stiffness, no difficulty; 10 = extreme pain, extreme stiffness, extreme difficulty) at baseline, 1 month and 3 months follow up
- 2. Tampa Scale for Kinesiophobia measuring fear of movement/re-injury; score on 4 point likert scale from strongly disagree to strongly agree at baseline, 1 month and 3 months follow-up
- 3. 12-item short form health survey (SF-12) measuring health and well-being by indicating which statement best describes your health at baseline, 1 month and 3 month follow-up
- 4. EQ-5D, a measure of health utility by indicating which statement describe health state at baseline, 1 month and 3 months follow-up
- 5. Client Service Inventory (CSRI) asking about contact with health care services at 3 months follow-up
- 6. International Physical Activity Questionnaire (IPAQ), a measure of physical activity at baseline, 1 month and 3 months follow up

## Completion date

30/06/2009

# **Eligibility**

## Key inclusion criteria

- 1. Patients over 50 years old, either sex
- 2. Presenting in primary care with hip or knee pain within the last 12 months

Inclusion will not be dependent upon any diagnostic criteria for osteoarthritis, as these are inconsistently applied in primary care populations.

## Participant type(s)

Patient

## Healthy volunteers allowed

No

## Age group

Adult

#### Sex

All

## Key exclusion criteria

- 1. Inflammatory joint disease
- 2. Fractures
- 3. Arthroplasty referral
- 4. Prescription of potent opioid analgesia

Patients who have already participated in the focus groups and cognitive debriefing interviews will be excluded from the trial.

#### Date of first enrolment

20/01/2009

# Date of final enrolment 30/06/2009

## Locations

## Countries of recruitment

**United Kingdom** 

Wales

Study participating centre

Department of Primary Care and Public Health
Wrexham
United Kingdom
LL13 7YP

# Sponsor information

## Organisation

Cardiff University (UK)

#### **ROR**

https://ror.org/03kk7td41

# Funder(s)

## Funder type

Government

#### **Funder Name**

Wales Office of Research and Development for Health and Social Care (WORD) (UK) (ref: 06/2 /234)

# **Results and Publications**

Individual participant data (IPD) sharing plan

IPD sharing plan summary

# Not provided at time of registration

# Study outputs

Output type	Details	Date created Date added	Peer reviewed?	Patient-facing?
Results article	feasibility study results	01/08/2011	Yes	No
Protocol article	protocol	04/09/2009	Yes	No
Participant information sheet	Participant information sheet	11/11/2025 11/11/2025	No	Yes