

Quality of life in patients undergoing tracheostomy

Submission date 23/04/2019	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 02/05/2019	Overall study status Completed	<input checked="" type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 09/01/2023	Condition category Surgery	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Tracheostomy is a commonly performed procedure and is intended to provide a long-term surgical airway for patients who are dependent on mechanical ventilation. Due to its invasive and physiologically critical nature, tracheostomy can be associated with morbidity and have significant effects on patients' quality of life. The aim of this study is to assess the quality of life of patients undergoing an elective tracheostomy in Intensive Care Units (ICU), revealing late tracheostomy-related complications and conditions for further improving health.

Who can participate?

Patients who were on mechanical ventilation in the ICU and underwent elective tracheostomy, who had the tracheostomy tube removed more than four months ago

What does the study involve?

Participants' quality of life is assessed using questionnaires. A CT scan and spirometry (breathing) test are performed if needed.

What are the possible benefits and risks of participating?

The benefits of participating are measuring disease impact and assessing quality of life in people undergoing tracheostomy, finding out late tracheostomy-related complications for improving quality of life. A neck CT scan is a convenient and noninvasive way of evaluating problems in the neck. The scan takes little time and is painless. No radiation remains in a patient's body after a CT scan. The x-rays used in standard CT scans have no immediate side effects. There is always a slight chance of cancer from excessive exposure to radiation. However, the benefit of an accurate diagnosis will generally outweigh the risk. The effective radiation dose for this procedure varies. Women should always inform staff if there is any possibility that they are pregnant. CT scanning is, in general, not recommended for pregnant women unless medically necessary because of the potential risk to the baby. Generally, a spirometry procedure is very safe. Some patients report brief shortness of breath or dizziness after the test has been performed, but these will go away after a moment or two. Patients who have recently suffered from a heart attack or any heart-related condition are not ideal candidates for spirometry because the test requires some effort on the patient's part. In very rare cases, spirometry is known to trigger breathing problems in patients.

Where is the study run from?
Yerevan State Medical University (Armenia)

When is the study starting and how long is it expected to run for?
May 2019 to December 2019

Who is funding the study?
Asmida Ltd

Who is the main contact?
Prof. Anna Poghosyan
anna.yu.poghosyan@gmail.com

Contact information

Type(s)
Scientific

Contact name
Prof Anna Poghosyan

ORCID ID
<http://orcid.org/0000-0002-5116-5644>

Contact details
25/14 Nalbandyan str., apt.100
Yerevan
Armenia
0001
+374 (0)91474169
anna.yu.poghosyan@gmail.com

Type(s)
Public

Contact name
Dr Manush Hovhannisyan

Contact details
32/4 Moldovakan str. apt.6
Yerevan
Armenia
0062
+374 (0)55 103055
mashmedic77@gmail.com

Type(s)
Public

Contact name

Dr Silva Avetisyan

ORCID ID

<http://orcid.org/0000-0003-0860-1305>

Contact details

4/3 Nar-Dos str. apt.5

Yerevan

Armenia

0018

+374 (0)93838588

silva.avetisyan.95@gmail.com

Type(s)

Scientific

Contact name

Prof Irina Malkhasyan

ORCID ID

<http://orcid.org/0000-0001-6157-6714>

Contact details

4 Eznik Koghbaci str. apt.31

Yerevan

Armenia

0001

+374 (0)91456275

imalkhas@mail.ru

Type(s)

Scientific

Contact name

Prof Armen Minasyan

ORCID ID

<http://orcid.org/0000-0002-6241-4159>

Contact details

2 Koryun str.

Yerevan

Armenia

0025

+374 (0)91415491

proclinics@ysmu.am

Type(s)

Scientific

Contact name

Dr Rafik Shahparonyan

ORCID ID

<http://orcid.org/0000-0002-8436-2839>

Contact details

10 Kievyan str. apt.10

Yerevan

Armenia

0033

+374 (0)93221929

dr.shahparonyan@mail.ru

Type(s)

Scientific

Contact name

Prof Harutyun Mangoyan

ORCID ID

<http://orcid.org/0000-0001-7100-5106>

Contact details

18 Vardanants str.

Yerevan

Armenia

0010

+374 (0)91405651

info@vardanants.am

Type(s)

Scientific

Contact name

Prof Aren Bablumyan

ORCID ID

<http://orcid.org/0000-0001-8627-5942>

Contact details

60 Abovyan str.

Yerevan

Armenia

0025

+374 (0)91408339

heratsi.university.hospital@gmail.com

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

Nil known

Study information

Scientific Title

Quality of life and late complications in patients undergoing tracheostomy in the ICU

Acronym

QOL after tracheostomy

Study objectives

The study is taking place for assessment of QOL and revealing late complications in patients who underwent tracheostomy. The SRI questionnaire can reliably measure QOL in mechanically ventilated ICU patients who underwent tracheostomy. It may provide clinicians with an accurate assessment of patients' quality of life.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 21/02/2019, YSMU Ethics Board (2 Koryun str. Yerevan, Armenia 0025; Tel: +374 (0)60 621-307, 3-07; Email: ec@ysmu.am), ref: YSMU №7/18-19

Study design

Observational retrospective cohort study

Primary study design

Observational

Secondary study design

Cohort study

Study setting(s)

Hospital

Study type(s)

Quality of life

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Condition after mechanical ventilation and tracheostomy performed in the ICU

Interventions

Observation of QOL in persons who underwent tracheostomy by filling in the SRI questionnaire. In case of complaints, the cause of the complaints is examined (if needed a tracheal CT scan and spirometry are performed).

Intervention Type

Other

Primary outcome measure

1. Airway comfort measured using spirometry at baseline from the fourth month after decannulation
2. Dyspnea measured using the Medical Research Council (MRC) scale at baseline from the fourth month after decannulation
3. Wheezing and whistling while breathing measured using the acoustic value at baseline from the fourth month after decannulation
4. Pain measured using numerical rating scale (NRS) requires the patient to rate their pain on a defined scale from 0–10 where 0 is no pain and 10 is the worst pain imaginable, at baseline from the fourth month after decannulation
5. Scar comfort and scar aesthetic measured using Patient and Observer Scar Assessment Scale (POSAS) at baseline from the fourth month after decannulation
6. Neck mobility restriction measured using the range of back bend neck flexion at baseline from the fourth month after decannulation
7. Voice/speech disorders measured using Individual's Self Assessment of how voice problem affects emotions and self-image and ability to communicate effectively in everyday activities and in social and work settings at baseline from the fourth month after decannulation
8. Sleep disturbance measured using Subjective Assessment Measures by FOSQ-10 at baseline from the fourth month after decannulation
9. Swallowing disorders measured using a simple water swallowing test using standard 150 ml of water. Swallowing process assessed under three categories - swallowing speed (ml/s), swallowing volume (ml/swallow) and swallowing duration (s/swallow) at baseline from the fourth month after decannulation
10. Tracheostomy-related operations measured using anamnesis data: yes/no, if yes which kind of operation
11. Feeling of illness measured using standardized Acceptance of Illness Scale (AIS) at baseline from the fourth month after decannulation
12. Quality of life measured using the Severe Respiratory Insufficiency Questionnaire (SRI) at baseline from the fourth month after decannulation

Secondary outcome measures

1. Tracheal stenosis measured using CT scan, differentiated as mild, moderate and severe stenosis, at baseline from the fourth month after decannulation
2. Granulation tissue formation measured using clinical assessment at baseline from the fourth month after decannulation
3. Tracheocutaneous fistula measured using clinical assessment at baseline from the fourth month after decannulation
4. Tracheomalacia measured using CT scan at baseline from the fourth month after decannulation

Overall study start date

01/05/2019

Completion date

15/03/2020

Eligibility

Key inclusion criteria

Patients who underwent tracheostomy in Intensive Care Units (ICU) on mechanical ventilation

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

240

Total final enrolment

156

Key exclusion criteria

1. Does not want to participate in trial
2. Unable to participate due to general health reasons
3. Non tracheostomy related diseases of head and neck

Date of first enrolment

15/05/2019

Date of final enrolment

15/01/2020

Locations

Countries of recruitment

Armenia

Study participating centre

Yerevan State Medical University after Mkhitar Heratsi

2 Koryun str.

Yerevan

Armenia

0025

Sponsor information

Organisation

Yerevan State Medical University Heratsi Clinic

Sponsor details

60 Abovyan str.

Yerevan

Armenia

0001

+374 (0)91474169

anna.yu.poghosyan@gmail.com

Sponsor type

Hospital/treatment centre

Website

hcplasticsurgery.com

ROR

<https://ror.org/01vkzj587>

Funder(s)

Funder type

Industry

Funder Name

Asmida Ltd

Funder Name

Investigator initiated and funded

Results and Publications

Publication and dissemination plan

The publication of trial results is planned in December 2019. The researchers will publish the data regarding the main late complications of tracheostomy affecting patients' quality of life.

Intention to publish date

15/03/2021

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from Anna Poghosyan (anna.yu.poghosyan@gmail.com). Final data regarding QoL assessment results will be available from 01/12/2019. Intermediate data regarding any tools and trial data could be requested any time from 01/06/2019 by email.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Preprint results	non-peer-reviewed results in preprint version 0.3	20/08/2020	06/04/2021	No	No
Results article		07/07/2022	18/08/2022	Yes	No
Statistical Analysis Plan			22/08/2022	No	No