

# A clinical study of using copper intrauterine devices (IUDs) in emergency contraception

<b>Submission date</b> 14/01/2010	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 19/01/2010	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 19/01/2010	<b>Condition category</b> Pregnancy and Childbirth	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Shangchun Wu

**Contact details**  
National Research Institute for Family Planning  
12 Da Hui Si, Hai Dian Qu  
Beijing  
China  
100081

## Additional identifiers

**EudraCT/CTIS number**

**IRAS number**

**ClinicalTrials.gov number**

**Secondary identifying numbers**  
A15046/96506

## Study information

**Scientific Title**

Copper intrauterine contraception for emergency contraception: a prospective multicentre study

### **Study objectives**

The TCU380A IUD is highly effective as an emergency contraceptive.

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

1. China: Institutional Review Board of National Research Institute for Family Planning approved on the 20th September 2005 (ref: A15046; Protocol: 96506)
2. WHO Secretariat Committee on Research Involving Human Subjects

All other centres will seek ethics approval before recruiting participants.

### **Study design**

Prospective multicentre efficacy trial

### **Primary study design**

Interventional

### **Secondary study design**

Cohort study

### **Study setting(s)**

Other

### **Study type(s)**

Prevention

### **Participant information sheet**

Not available in web format, please use the contact details below to request a patient information sheet

### **Health condition(s) or problem(s) studied**

Contraception

### **Interventions**

Eligible participants requesting EC up to 120 hours after unprotected intercourse and desiring long-term contraception with IUD, were given TCU380A IUD and followed for 12 months, including follow-up visits 1 and 3 months after the IUD insertion.

### **Intervention Type**

Device

### **Phase**

Not Applicable

### **Primary outcome measure**

Efficacy of the TCU380A in parous and nulliparous Chinese women

**Secondary outcome measures**

1. Side effects of the TCU380A in parous and nulliparous Chinese women
2. Complications (such as upper genital tract infection) in the women who have IUD insertion for the purpose of emergency contraception
3. Continuation rate at one year of use

**Overall study start date**

01/07/1997

**Completion date**

15/01/2000

**Eligibility****Key inclusion criteria**

1. Requesting emergency contraception within 120 hour of unprotected intercourse
2. Regular menstrual cycles (24 to 42 days with no more than 5 days variation)
3. Having at least one spontaneous cycle before current cycle after recent discontinued hormonal contraception, abortion or delivery
4. Desire to use IUD as long term contraceptive
5. Available for follow up in one month, three months and 12 months
6. Negative pregnancy test
7. Aged 18 - 44 years

**Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Female

**Target number of participants**

2000

**Key exclusion criteria**

1. Suspected or confirmed pregnancy
2. Any episode of pelvic inflammatory disease (PID) or pelvic abscess in the 12 months preceding trial admission
3. Sexually transmitted infection (STI) within the past six months
4. Any evidence of STI in clinical or laboratory examination during screening
5. Multiple sexual partners
6. Known or suspected genital tract malignancy
7. Cervical or uterine malformations
8. Vaginal bleeding of unknown aetiology
9. Multiple uterine fibroids associated with previous menstrual anomalies

10. Clinical or laboratory evidence of anaemia (haemoglobin less than 9 g/l)  
11. Unsure about the date of their last menstrual period (LMP needed for pregnancy risk assessment)

**Date of first enrolment**

01/07/1997

**Date of final enrolment**

15/01/2000

## **Locations**

**Countries of recruitment**

China

**Study participating centre**

National Research Institute for Family Planning

Beijing

China

100081

## **Sponsor information**

**Organisation**

World Health Organization (WHO) (Switzerland)

**Sponsor details**

20 Avenue Appia

Geneva

Switzerland

CH-1211

info@who.int

**Sponsor type**

Research organisation

**Website**

<http://www.who.int/en/>

**ROR**

<https://ror.org/01f80g185>

## **Funder(s)**

**Funder type**

Research organisation

**Funder Name**

World Health Organization (WHO) (Switzerland)

**Alternative Name(s)**

, , Всемирная организация здравоохранения, Organisation mondiale de la Santé, Organización Mundial de la Salud, WHO, , ВОЗ, OMS

**Funding Body Type**

Private sector organisation

**Funding Body Subtype**

International organizations

**Location**

Switzerland

## **Results and Publications**

**Publication and dissemination plan**

Not provided at time of registration

**Intention to publish date****Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration