A feasibility study of different types of laser to treat glaucoma in Nigeria

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
05/03/2021		<pre>Protocol</pre>		
Registration date	Overall study status	Statistical analysis plan		
11/03/2021 Last Edited	Completed Condition category	Results		
		Individual participant data		
08/10/2024	Eye Diseases	Record updated in last year		

Plain English summary of protocol

Background and study aims

Glaucoma is a group of eye diseases that result in damage to the optic nerve and cause vision loss. Laser treatment has become one of the first-line treatments for patients with glaucoma around the world. Selective laser trabeculoplasty (SLT) has been found to be effective in reducing intraocular pressure (fluid pressure inside the eye) around the world and in a few studies in Africa, but it is relatively expensive. The aim of this study is to assess the effectiveness of SLT and other types of laser treatment, namely micropulse trabeculoplasty (MLT) and micropulse transcleral laser treatment (mTLT), in patients in Nigeria. This is a feasibility study and may lead to the design of a larger trial if the effectiveness of the lasers is established.

Who can participate?

Patients aged 18 and over with uncomplicated open-angle glaucoma and residual vision, living within 200 km of the study centre

What does the study involve?

Participants are randomly allocated to one of three treatment options where the ophthalmologist decides that laser is the treatment indicated for that patient. Treatment success is measured after 1 year.

What are the possible benefits or risks of participating?

The benefit will be the preservation of vision by reducing intraocular pressure, avoiding the need for topical medication which is often unavailable or non-affordable and has low compliance. Risks are minimal as the laser doesn't cause destructive tissue damage. There may be some pain or mild inflammation which is routinely treated. In rare cases there may be complications leading to reduction or loss of vision.

Where is the study run from?

Abubakar Tafawa Balewa University (ATBU) Teaching Hospital (Nigeria)

When is the study starting and how long is it expected to last? December 2018 to October 2025

Who is funding the study? Velux Foundation (Switzerland)

Who is the main contact? Dr Mohammed Abdull abdullmm@atbu.edu.ng

Contact information

Type(s)

Scientific

Contact name

Dr Mohammed Abdull

ORCID ID

https://orcid.org/0000-0003-1577-9291

Contact details

ATBU Teaching Hospital Bauchi Nigeria PMB 0117 +234 (0)8037420779 abdullmm@atbu.edu.ng

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

Proj. No. 1373

Study information

Scientific Title

Laser treatment for glaucoma in Nigeria: a feasibility study of four different treatment modalities to provide data to design randomised controlled trials

Study objectives

In Nigeria, where there are estimated to be 1.2 million adults aged ≥40 years with glaucoma, there is a considerable body of evidence which suggests that a high proportion of patients with glaucoma present with very advanced disease, but acceptance of trabeculectomy and compliance with topical medication are very low. Patients are, however, more likely to accept laser treatment. There is, therefore, an urgent need to identify which is the most cost-effective

form of laser treatment in this setting. The results of this evaluation will provide data that can help guide the design of randomized controlled trials comparing interventions for glaucoma in Sub-Saharan Africa.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 15/02/2021, London School of Hygiene and Tropical Medicine (LSHTM) ethics and research committee (London School of Hygiene and Tropical Medicine, Keppel Street, London, WC1E7HT, UK; tel not known; ethics@lshtm.ac.uk), ref: 22040

Approved 09/12/2020, Abubakar Tafawa Balewa University Teaching Hospital Bauchi research and ethics committee (Abubakar Tafawa Balewa University Teaching Hospital, Hospital Road, Bauchi, Nigeria; +234 (0)8035044243; cchama1960@gmail.com), ref: 0048/2020

Study design

Randomized parallel trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Glaucoma

Interventions

The researcher plan to use an online website to perform the randomisation (Sealedenvelope, https://www.sealedenvelope.com) in real time for each patient.

All patients recruited to the study will be randomised to either of the following three interventions in one or both eyes:

- 1. Selective laser trabeculoplasty (SLT)
- 2. Micropulse laser trabeculoplasty (MLT)
- 3. Micropulse transscleral laser treatment (mTLT)

If after a repeat treatment the IOP is not controlled they will be treated with transcleral diode laser cyclophotocoagulation (TDLC)

Intervention Type

Procedure/Surgery

Primary outcome(s)

Success defined as intraocular pressure (IOP) at or below target (21 mmHg) on no IOP-lowering medication (complete success) or IOP at target on one or more medication (qualified success), measured at 1 year

Key secondary outcome(s))

Clinical:

1. Change in IOP (mmHg) at 12 months as a percentage of baseline IOP levels, measured using

an Icare tonometer

- 2. Complications following the first, and subsequent laser treatment if needed, measured by a list and frequency of complications for each laser type after treatment or at follow up points: 1 week, 1, 2, 6 and 12 months
- 3. Number of individuals requiring repeat laser for each laser type expressed as a percentage, measured using records of repeat treatments at the end of the study
- 4. Pain score subjectively measured on a scale of 1-5 where 1 = pain and 5 = extreme pain, recorded immediately after each treatment
- 5. Visual loss (reduction of VA to <3/60 Snellen equivalent), attributable to glaucoma progression or other causes measured at 12 months

Non-clinical:

- 1. Recruitment rates: the proportion of eligible patients who consent to take part measured at the end of the study
- 2. Uptake of first and (where indicated) second or third laser treatments: the proportion of eligible patients who agreed to have the laser treatment measured at the end of the study
- 3. Follow up rates: the proportion of patients who return for follow up at 12 months
- 4. Patient-reported outcome measures (POEM) measured using a standard POEM questionnaire at 1 week after the first treatment

Completion date

31/10/2025

Eligibility

Key inclusion criteria

- 1. Age ≥18 years
- 2. Diagnosis of primary open-angle glaucoma (ISGEO category 1 & 2)(41) or Disc Damage Likelihood Scale (DDLS) grades 5-10
- 3. IOP >21 mmHg with or without glaucoma medication
- 4. Visual acuity better than 3/60 in eye(s) to be treated
- 5. Patient lives within 200 km of the hospital, for ease of follow up

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. Visual acuity $\leq 3/60$ due to glaucoma or other ocular pathology
- 2. DDLS < 5
- 3. History of glaucoma surgery or laser
- 4. Evidence or history of uveitis, trauma or neovascularisation, aphakia
- 5. Opaque cornea
- 6. Angle grading <Shaffer 2
- 7. Patient unable to give informed consent

Date of first enrolment

14/04/2021

Date of final enrolment

30/04/2025

Locations

Countries of recruitment

Nigeria

Study participating centre

Abubakar Tafawa Balewa University (ATBU) Teaching Hospital

Ophthalmology Department Hospital Road Off Yandoka Street Bauchi Nigeria PMB 0117

Sponsor information

Organisation

London School of Hygiene & Tropical Medicine

ROR

https://ror.org/00a0jsq62

Funder(s)

Funder type

Charity

Funder Name

Velux Stiftung

Alternative Name(s)

Velux Foundation

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

Switzerland

Results and Publications

Individual participant data (IPD) sharing plan

Anonymised data collected can be shared with the consent of Dr Abdull Mohammed Mahdi, Professor Clare Gilbert and Dr Winnie Nolan. The full extent of what can be shared and for what will be determined by the group upon request. Dr Abdull Mohammed Mahdi will be the contact person at abdullmm@atbu.edu.ng.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet			01/04/2021	No	Yes
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes