A study examining whether a new radiotherapy technique ("dysphagia optimised intensity modulated radiotherapy") will improve swallowing function after treatment in head and neck cancer patients

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
23/12/2015		[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
23/12/2015	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
06/09/2024	Cancer			

Plain English summary of protocol

https://www.cancerresearchuk.org/about-cancer/find-a-clinical-trial/a-study-looking-at-whether-changing-dose-radiotherapy-improves-swallowing-people-head-neck-cancer-dars

Study website

http://www.icr.ac.uk/our-research/our-research-centres/clinical-trials-and-statistics-unit/clinical-trials/dars

Contact information

Type(s)

Scientific

Contact name

Mr Mark Sydenham

Contact details

DARS Trial Manager
ICR-Clinical Trials and Statistics Unit
Division of Clinical Studies
Institute of Cancer Research
Cotswold Road
Sutton
United Kingdom

SM2 4NG +44 (0)208 722 4104 DARS-icrctsu@icr.ac.uk

Type(s)

Public

Contact name

Mr Mark Sydenham

Contact details

DARS Trial Manager
ICR-Clinical Trials and Statistics Unit
Division of Clinical Studies
Institute of Cancer Research
Cotswold Road
Sutton
United Kingdom
SM2 4NG
+44 (0)208 722 4104
DARS-icrctsu@icr.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers 19934

Study information

Scientific Title

A phase III randomised multicentre study of dysphagia optimised intensity modulated radiotherapy (Do-IMRT) versus standard intensity modulated radiotherapy (S-IMRT) in head and neck cancer

Acronym

DARS

Study objectives

The aim of this study is to investigate whether dysphagia optimised intensity modulated radiotherapy (Do-IMRT) compared to standard IMRT (S-IMRT) improves post radiotherapy swallowing difficulties in patients with head and neck cancer.

Ethics approval required

Old ethics approval format

Ethics approval(s)

First MREC, 16/11/2015, ref: 15/LO/1464

Study design

Parallel group phase III multi-centre randomized controlled trial

Primary study design

Interventional

Secondary study design

Randomised parallel trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Topic: Cancer; Subtopic: Head and Neck Cancer; Disease: Head and Neck

Interventions

Participants are randomly allocated to one of two groups:

Group 1: Participants receive dysphagia optimised intensity modulated radiotherapy (Do-IMRT)

Group 2: Participants receive standard intensity modulated radiotherapy (S-IMRT)

Radiotherapy doses will be the same in both groups; however, in Do-IMRT patients, the irradiation of the pharyngeal muscles will be reduced by delivering inverse planned IMRT identifying these as organs at risk. Patients in both treatment groups will receive 65 Gy in 30 fractions (2.167 Gy per fraction) to primary and nodal tumour (PTV_6500) and 54 Gy in 30 fractions (1.8 Gy per fraction) to remaining pharyngeal subsites and nodal areas at risk of harbouring microscopic disease (PTV_5400).

Unless contraindicated, patients will receive concomitant chemotherapy. Participants will be followed up after radiotherapy treatment at regular intervals for 24 months, and then annually for up to 5 years.

Intervention Type

Other

Primary outcome measure

Swallowing function, measured using the MD Anderson Dysphagia Inventory (MDADI) composite score at 12 months after treatment completion

Secondary outcome measures

- 1. Longitudinal pattern of patient-reported swallowing function, assessed by using the MDADI at baseline, 3, 6, 12, 18 and 24 months post treatment
- 2. Diet and eating habits, assessed by using the Performance Status Scale for Head and Neck Cancer (PSS-HN) at baseline, 3, 6, 12, 18 and 24 months post treatment
- 3. Swallowing function, assessed using the 100mL water swallow test and videofluoroscopic examination at baseline, 3, 6, 12, 18 and 24 months post treatment
- 4. Acute and late toxicity and use of feeding tube, assessed at baseline, weekly during radiotherapy at 1, 2, 3, 4 and 8 weeks post radiotherapy and then at 3, 6, 12, 18 and 24 months post treatment
- 5. Cancer-related outcomes, including resection rates, location and timing of loco-regional tumour recurrence and overall survival, assessed at follow-up visits 3, 6, 12, 18 and 24 months post treatment and then annually until 5 years post treatment

Overall study start date

18/12/2013

Completion date

31/07/2023

Eligibility

Key inclusion criteria

Current inclusion criteria as of 29/08/2017:

- 1. Aged 18 years or above
- 2. Any patient undergoing radiotherapy for head and neck cancer in the oropharynx or hypopharynx. Patients with tumour at other sites (*1) where the radical radiotherapy dose is to be delivered to the pharyngeal constrictors may also be eligible
- 3. Stage T1-4, N0-3, M0 disease; this will be mostly histologically confirmed squamous cell carcinoma (SCC) but other histological types (*1) may be eligible
- 4. Radiotherapy with concomitant chemotherapy (unless conta -indicated) is the planned treatment
- 5. WHO performance status 0 or 1
- 6. Must be available to attend long term follow up
- 7. Adequate cognitive ability to complete the MDADI, UWQoL and PSSHN assessments
- 8. Written informed consent
- *1 Sites are requested to confirm eligibility with ICR-CTSU prior to registration.

Previous inclusion criteria:

- 1. Aged 18 years or above
- 2. Any patient undergoing radiotherapy for head and neck cancer in the oropharynx or hypopharynx. Patients with tumour at other sites (*1) where the radical radiotherapy dose is to be delivered to the pharyngeal constrictors may also be eligible
- 3. Stage T1-4, N0-3, M0 disease; this will be mostly histologically confirmed squamous cell carcinoma (SCC) but other histological types (*2) may be eligible
- 4. Radiotherapy with concomitant chemotherapy (unless conta -indicated) is the planned treatment
- 5. Creatinine clearance (=50mL/min prior to starting chemotherapy) (*2)
- 6. WHO performance status 0 or 1

- 7. Must be available to attend long term follow up
- 8. Adequate cognitive ability to complete the MDADI, UWQoL and PSSHN assessments
- 9. Written informed consent
- *1 Sites are requested to confirm eligibility with ICRCTSU prior to registration
- *2 Not applicable for patients receiving radiotherapy only

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

Planned Sample Size: 102; UK Sample Size: 102

Total final enrolment

112

Key exclusion criteria

Current exclusion criteria as of 29/08/2017:

- 1. Documented evidence of pre-existing swallowing dysfunction (not related to head and neck cancer)
- 2. Previous radiotherapy to the head and neck region
- 3. Posterior pharyngeal wall, post cricoid or retropharyngeal lymph node involvement
- 4. Lateralised tumours, requiring unilateral neck irradiation
- 5. Major head and neck surgery (excluding biopsies/tonsillectomy)
- 6. Current/previous tracheostomy placement
- 7. Previous or concurrent illness, which in the investigator's opinion would interfere with completion of therapy, trial assessments or follow up
- 8. Any invasive malignancy within previous 2 years (other than non melanomatous skin carcinoma or cervical carcinoma)

Previous exclusion criteria:

- 1. Documented evidence of pre-existing swallowing dysfunction (not related to head and neck cancer)
- 2. Previous radiotherapy to the head and neck region
- 3. Posterior pharyngeal wall, post cricoid and retropharyngeal lymph node involvement
- 4. Major head and neck surgery (excluding biopsies/tonsillectomy/neck dissection)
- 5. Current/previous tracheostomy placement
- 6. Previous or concurrent illness, which in the investigator's opinion would interfere with completion of therapy, trial assessments or follow up
- 7. Any invasive malignancy within previous 2 years (other than non melanomatous skin carcinoma or cervical carcinoma)

Date of first enrolment 20/05/2016

Date of final enrolment 27/04/2018

Locations

Countries of recruitment

England

Ireland

Northern Ireland

Scotland

Syria

United Kingdom

Wales

Study participating centre Royal Marsden Hospital, Chelsea

Fulham Road London United Kingdom SW3 6JJ

Study participating centre Royal Marsden Hospital, Sutton

Downs Road Sutton United Kingdom SM2 5PT

Study participating centre Belfast City Centre Hospital

Lisburn Road Belfast United Kingdom BT9 7AB

Study participating centre Bristol Haematology and Oncology Centre

Horfield Road Bristol United Kingdom BS2 8ED

Study participating centre Guy's and St Thomas' Hospital

Westminster Bridge Road London United Kingdom SE1 7EH

Study participating centre Weston Park Hospital

Whitham Road Sheffield United Kingdom S5 7AU

Study participating centre The Churchill Hospital, Oxford

Old Road Headington Oxford Oxford United Kingdom OX3 7LE

Study participating centre Royal Shrewsbury Hospital

Mytton Oak Road Shrewsbury United Kingdom SY3 8XQ

Study participating centre Worcester Royal Hospital

Charles Hastings Way

Worcester Syria WR5 1DD

Study participating centre Norfolk & Norwich University Hospital

Colney Lane Norwich United Kingdom NR4 7UY

Study participating centre Cheltenham General Hospital

Sandford Road Cheltenham United Kingdom GL53 7AN

Study participating centre Gloucestershire Royal Hospital

Great Western Road Gloucester United Kingdom GL1 3NN

Study participating centre Royal United Hospitals Bath

Combe Park Avon United Kingdom BA1 3NG

Study participating centre Velindre Cancer Centre

Velindre Road Cardiff United Kingdom CF14 2TL

Study participating centre Royal Devon & Exeter Hospital

Barrack Road Exeter United Kingdom EX2 5DW

Study participating centre Nottingham University Hospital

Derby Road Nottingham United Kingdom NG7 2UH

Study participating centre Western General Hospital

Crewe Road S Edinburgh United Kingdom EH4 2XU

Study participating centre University Hospital Southampton

Tremona Road Southampton United Kingdom SO16 6YD

Study participating centre Derriford Hospital, Plymouth

Derriford Road Crownhill Plymouth United Kingdom PL6 8DH

Study participating centre
Beatson West of Scotland Cancer Centre,

1053 Great Western Road

Glasgow United Kingdom G12 0YN

Study participating centre Riagmore Hospital Old Perth Road Inverness

United Kingdom IV2 3UJ

Study participating centre Torbay Hospital

Lowes Bridge Torquay United Kingdom TQ2 7AA

Study participating centre St Luke's Hospital

St Luke's Radiation Oncology Network Dublin Ireland

Sponsor information

Organisation

Royal Marsden NHS Foundation Trust

Sponsor details

Fulham Road London London England United Kingdom SW3 6JJ

Sponsor type

Hospital/treatment centre

Website

http://www.royalmarsden.nhs.uk/pages/home.aspx

ROR

https://ror.org/0008wzh48

Organisation

Cancer Trials Ireland

Sponsor details

Innovation House Old Finglas Road Dublin Ireland

Sponsor type

Research organisation

Funder(s)

Funder type

Charity

Funder Name

Cancer Research UK

Alternative Name(s)

CR UK, Cancer Research UK - London, CRUK

Funding Body Type

Private sector organisation

Funding Body Subtype

Other non-profit organizations

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Planned publication of trial results in a peer-reviewed journal.

Intention to publish date 31/12/2021

Individual participant data (IPD) sharing plan

IPD sharing plan summaryNot provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	protocol	06/10/2016		Yes	No
Abstract results	results presented at ASCO	20/05/2020		No	No
HRA research summary			28/06/2023	No	No
Results article		06/07/2023	10/07/2023	Yes	No
Plain English results			06/09/2024	No	Yes