

Physiological diurnal variability and characteristics of the ocular pulse amplitude with the dynamic contour tonometer

Submission date 01/02/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 01/02/2007	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 15/01/2021	Condition category Eye Diseases	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr S Pourjavan

Contact details
Department of Ophthalmology
Clinique Université St. Luc (UCL)
Ave. Hippocrate 10
Brussels
Belgium
1100
+32 (0)2 721 1952
sayehpourjavan@yahoo.com

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

Study information

Scientific Title

Physiological diurnal variability and characteristics of the ocular pulse amplitude with the dynamic contour tonometer

Study objectives

To study the physiological diurnal variability of the Ocular Pulse Amplitude (OPA) and its correlations with other biophysical parameters.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Prospective randomised study

Primary study design

Interventional

Secondary study design

Single-centre

Study setting(s)

Not specified

Study type(s)

Screening

Participant information sheet

Health condition(s) or problem(s) studied

Intraocular measurements, no condition, healthy person

Interventions

A prospective study including fifty-two eyes of twenty-eight healthy subjects (15 female, 13 male) with GAT IntraOcular Pressure (IOP) measurements lower than 22 mmHg. The oral consent was obtained from each patient. The IOP measurements by dynamic contour tonometer (SMT Swiss MicroTechnology, Switzerland) were performed under topical anaesthesia (oxybuprocaine hydrochloride 0.4 mg/ml, Thea Pharma).

The same experienced ophthalmologist performed all the examinations in a non-masked fashion. The measurements were taken on the same day at 9:00 am, 1:00 pm and 4:00 pm. To reduce biases due to prior knowledge of the IOP, the examinations were performed as per this following pattern: two consecutive GAT followed by three consecutive Dynamic Contour Tonometer (DCT) IOP measurements (results are digitally shown).

A ten-minute break was taken between GAT and DCT to minimise a tonographic effect. Only the DCT measurements with quality one and two were taken into account.

The Central Corneal Thickness (CCT), the Blood Pressure (BP) and pulse rate were recorded at 4:00 pm after the last IOP measurements with Tensoval® blood pressure meter (Hartmann AG, Heidenheim, Germany).

The CCT was measured by ultrasound pachymetry Pachette™ (DGH 500 Technology, Inc, Philadelphia, PA). The mean of five readings was considered for the measurement of CCT. Mean IOP and OPA values were calculated for each time session.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

We found that the OPA remained constant during the usual outpatient office hours with a negligible inter-measurement variability.

Secondary outcome measures

OPA was significantly correlated with IOP values.

Overall study start date

05/01/2006

Completion date

09/01/2006

Eligibility

Key inclusion criteria

Healthy participants with intraocular pressure lower than 22 mmHg measured by Goldmann Applanation Tonometry (GAT).

Participant type(s)

Patient

Age group

Not Specified

Sex

Both

Target number of participants

28

Total final enrolment

28

Key exclusion criteria

1. History of previous ocular trauma, refractive or intraocular surgery and corneal surface diseases as well as contact lens wearers
2. Corneal astigmatism higher than 3.00 diopters and/or ametropia higher than 6.00 diopters
3. Use of systemic medications which could interfere with blood pressure or pulse rate

Date of first enrolment

05/01/2006

Date of final enrolment

09/01/2006

Locations**Countries of recruitment**

Belgium

Netherlands

Study participating centre**Department of Ophthalmology**

Brussels

Belgium

1100

Sponsor information**Organisation**

Clinique Université St. Luc (UCL) (Belgium)

Sponsor details

Department of Ophthalmology

Ave. Hippocrate 10

Brussels

Belgium

1100

Sponsor type

Hospital/treatment centre

Website

<http://www.saintluc.be/>

ROR

<https://ror.org/03s4khd80>

Funder(s)

Funder type

Other

Funder Name

Not provided at time of registration

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/12/2007	15/01/2021	Yes	No