

The effects of Nocturnal Haemodialysis (NHD) compared to conventional haemodialysis on progression of Left Ventricular (LV) mass: a randomised controlled pilot study

Submission date 08/09/2004	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 19/10/2004	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 20/09/2007	Condition category Urological and Genital Diseases	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Bruce Culleton

Contact details

Foothills Hospital
1403-29th ST NW
Calgary
Canada
T2N 2T9
+1 403 944 8166
bruce.culleton@calgaryhealthregion.ca

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

Study information

Scientific Title

Study objectives

Nocturnal haemodialysis and conventional three times per week haemodialysis will not differ with respect to progression of LV mass (measured using Cardiac Magnetic Resonance [CMR]) at 6 months.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration.

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

End-stage kidney disease

Interventions

Subjects are randomised to nocturnal haemodialysis or conventional three times per week haemodialysis (controls).

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

Change in left ventricular mass (measured by CMR) at 6 months.

Secondary outcome measures

1. Mean change in systolic Blood Pressure (BP)
2. Change in HRQOL (Health-Related Quality-Of-Life)
3. Mean change in Haematocrit (Hct)/Erythropoietin (Epo) ratio
4. Mean change in calcium - phosphorus product

Overall study start date

01/08/2004

Completion date

30/06/2006

Eligibility

Key inclusion criteria

All adult haemodialysis patients in Alberta, Canada are eligible.

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

38 subjects

Key exclusion criteria

Patients who are unable to perform NHD due to physical or mental incapacity.

Date of first enrolment

01/08/2004

Date of final enrolment

30/06/2006

Locations

Countries of recruitment

Canada

Study participating centre

Foothills Hospital

Calgary

Canada
T2N 2T9

Sponsor information

Organisation

Kidney Foundation of Canada (Canada)

Sponsor details

300-5165 Sherbrooke ST W
Montreal, Quebec
Canada
H4A 1T6
research@kidney.ca

Sponsor type

Research organisation

Website

<http://www.kidney.ca/>

ROR

<https://ror.org/019a0gk53>

Funder(s)

Funder type

Research organisation

Funder Name

Kidney Foundation of Canada (Canada)

Alternative Name(s)

La Fondation canadienne du rein, KFOC

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

Canada

Results and Publications

Publication and dissemination plan
Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Results	19/09/2007		Yes	No