# Outcome of modified Misgav Ladach (MML) method in first and second time caesarean deliveries

Submission date	Recruitment status	Prospectively registered
31/01/2009	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
19/02/2009	Completed	Results
Last Edited	Condition category	Individual participant data
20/02/2009	Pregnancy and Childbirth	<ul><li>Record updated in last year</li></ul>

#### Plain English summary of protocol

Not provided at time of registration

#### Contact information

#### Type(s)

Scientific

#### Contact name

Dr Ali Gedikbasi

#### Contact details

Istanbul cad no:95
Bakyrkoy
Istanbul Bakirkoy Maternity and Children's Hospital
Department of Obstetrics and Gynaecology
Istanbul
Türkiye
34750

### Additional identifiers

Protocol serial number N/A

# Study information

Scientific Title

Outcome of modified Misgav Ladach (MML) method in first and second time caesarean deliveries: a non-randomised controlled single-centre trial

#### **Study objectives**

Does modified Misgav Ladach (MML) method result in better outcomes in first time caesarean deliveries compared to second time caesarean deliveries?

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Istanbul Bakirkoy Maternity and Children's Hospital Ethical Committee, approved on 07/11/2008.

#### Study design

Non-randomised controlled single-centre trial

#### Primary study design

Interventional

#### Study type(s)

Treatment

#### Health condition(s) or problem(s) studied

Caesarean deliveries

#### **Interventions**

This trial is taking place at the Istanbul Bakirkoy Maternity and Children's Hospital, Department of Obstetrics and Gynaecology.

Approximately 200 patients will be recruited, 50 patients in each of the following four groups:

Patients who have never had a caesarean operation:

Group 1: Caesarean delivery with the Pfannenstiel method

Group 2: Caesarean delivery with the MML method

Patients who have had a caesarean operation in previous pregnancy:

Group 3: Caesarean delivery with the Pfannenstiel method

Group 4: Caesarean delivery with the MML method

Patient allocation will be carried out as follows:

On Mondays: Patients planned for first time caesarean delivery will be operated with the MML method.

On Tuesdays: Patients planed for first time caesarean delivery will be operated by the Pfannenstiel method. Patients planned for second time caesarean delivery will be operated by the MML method.

On Fridays: Patients planned for second caesarean deliveries will be operated by the Pfannenstiel method.

Total duration of follow-up: 4 weeks after operation

#### Intervention Type

Other

#### **Phase**

Not Applicable

#### Primary outcome(s)

Surgical outcomes:

- 1. Operation time
- 2. Time until delivery of neonate
- 3. APGAR score
- 4. Haemoglobin
- 5. Haematocrit
- 6. Surgical complications

#### Key secondary outcome(s))

Post-operative outcomes:

- 1. Hospital stay
- 2. Febrile morbidity
- 3. Scar complications
- 4. Infection
- 5. Post-operative recovery

Secondary outcomes 2 to 5 were assessed 2 and 7 days after caesarean operation. However, patients who experienced any problem were followed-up until resolution of the problem.

#### Completion date

15/02/2009

## **Eligibility**

#### Key inclusion criteria

- 1. Term pregnancies >36 weeks of gestation
- 2. No age limit

#### Participant type(s)

**Patient** 

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Sex

Female

#### Key exclusion criteria

- 1. Intrauterine infection
- 2. Anaemia (<haematocrit [Htc] %28)

- 3. Preoperative transfusion
- 4. Maternal urinary infection
- 5. Maternal fever (>37.5 Celsius)
- 6. Use of antibiotics in the last 7 days
- 7. Placenta previa
- 8. Abruptio placenta
- 9. Severe preeclampsi and Hellp syndrome

#### Date of first enrolment

15/11/2008

#### Date of final enrolment

15/02/2009

#### Locations

#### Countries of recruitment

Türkiye

# Study participating centre Istanbul cad no:95

Istanbul Türkiye 34750

# Sponsor information

#### Organisation

Istanbul Bakirkoy Maternity and Children's Hospital (Turkey)

# Funder(s)

#### Funder type

Hospital/treatment centre

#### **Funder Name**

Istanbul Bakirkoy Maternity and Children's Hospital, Department of Obstetrics and Gynaecology (Turkey)

#### **Results and Publications**

#### Individual participant data (IPD) sharing plan

#### IPD sharing plan summary

Not provided at time of registration

#### **Study outputs**

Output type Details Date created Date added Peer reviewed? Patient-facing?

Participant information sheet 11/11/2025 No Yes