A multicentre, randomised trial of primary chemotherapy in inoperable cervical cancer

Submission date Recruitment status Prospectively registered 01/07/2001 No longer recruiting [] Protocol [] Statistical analysis plan Registration date Overall study status 01/07/2001 Completed [X] Results Individual participant data **Last Edited** Condition category 01/02/2012 Cancer

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr - -

Contact details

UKCCCR Register Co-ordinator MRC Clinical Trials Unit 222 Euston Road London United Kingdom NW1 2DA

Additional identifiers

Protocol serial number CE3003

Study information

Scientific Title

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Cervix

Interventions

- 1. Arm A: Radical pelvic radiotherapy
- 2. Arm B: Primary chemotherapy with bleomycin, ifosfamide and cisplatinum repeated every 28 days for two courses followed by radical pelvic radiotherapy. If after two courses of chemotherapy the measurable disease has not been reduced to <2 cm diameter and if further response is expected, then a third course of chemotherapy may be given followed by radical pelvic radiotherapy.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

bleomycin, ifosfamide, cisplatin

Primary outcome(s)

Not provided at time of registration

Key secondary outcome(s))

Not provided at time of registration

Completion date

31/12/1995

Eligibility

Key inclusion criteria

- 1. Histologically proven invasive squamous cell carcinoma of the cervix uteri
- 2. Inoperable disease, that is stage II, III or IVA. Stage IIA disease may be included if deemed inoperable by the referring gynaecologist

- 3. No previous treatment for invasive cervical cancer
- 4. World Health Organisation (WHO) performance status >2
- 5. Adequate renal hepatic and haematological function
- 6. Adequate pulmonary function
- 7. Patients with a probability of <0.2 of not developing severe encephalopathy with ifosfamide /mensa treatment are excluded
- 8. Expected survival of >3 months
- 9. No second primary tumour other than basal cell carcinoma of the skin
- 10. No other serious medical or psychological condition precluding treatment

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Female

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/01/1988

Date of final enrolment

31/12/1995

Locations

Countries of recruitment

United Kingdom

England

Study participating centre UKCCCR Register Co-ordinator

London United Kingdom NW1 2DA

Sponsor information

Organisation

Cancer Research UK (CRUK) (UK)

ROR

https://ror.org/054225q67

Funder(s)

Funder type

Charity

Funder Name

Cancer Research UK

Alternative Name(s)

CR_UK, Cancer Research UK - London, Cancer Research UK (CRUK), CRUK

Funding Body Type

Private sector organisation

Funding Body Subtype

Other non-profit organizations

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Study outputs

Output type	Details	Date created Date added	Peer reviewed?	Patient-facing?
Results article	results	01/09/2000	Yes	No
Participant information sheet	Participant information sheet	11/11/2025 11/11/2025	No	Yes