

A randomised controlled trial comparing the Gonadotrophin Releasing Hormone agonist long regimen versus the Gonadotrophin Releasing Hormone agonist short regimen versus the Gonadotrophin Releasing Hormone antagonist regimen in poor responders undergoing in vitro fertilisation treatment

Submission date 01/09/2006	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 27/10/2006	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 05/11/2013	Condition category Pregnancy and Childbirth	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr Yakoub Khalaf

Contact details
Assisted Conception Unit
4th Floor Thomas Guy House
Guy's Hospital
London
United Kingdom
SE1 9RT
+44 (0)20 7188 0501
yakoub.khalaf@kcl.ac.uk

Additional identifiers

EudraCT/CTIS number

2006-004460-31

IRAS number**ClinicalTrials.gov number****Secondary identifying numbers**

EudraCT No 2006-004460-31

Study information

Scientific Title**Acronym**

PRINT (Poor Responders INtervention Trial)

Study objectives

Different interventions have been proposed to improve response to ovarian stimulation in poor responders. These include various interventions for downregulation, ovarian stimulation and adjuvant therapies. Following review and analysis of existing evidence for downregulation regimens we were not able to ascertain which the best down regulation regimen is for poor responders in In Vitro Fertilisation (IVF) treatment. We, therefore, propose a randomised trial to answer this question.

There is however lack of evidence to show that any one intervention improves outcome significantly. The purpose of this study is to compare the three most commonly used regimens in IVF treatment and find out whether any one regimen is significantly better.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval pending as of 27/10/2006.

Study design

Prospective, concealed, single-blind, three-arm randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Poor ovarian response in In Vitro Fertilisation (IVF)

Interventions

Each intervention group will be receiving one of the following treatments:

1. The Gonadotrophin Releasing Hormone (GnRH) agonist long regimen
2. The GnRH agonist short regimen
3. The GnRH antagonist regimen

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Gonadotrophin Releasing Hormone (GnRH) agonist long regimen, GnRH agonist short regimen and GnRH antagonist regimen.

Primary outcome measure

Number of oocytes retrieved at egg collection

Secondary outcome measures

1. Total FSH dose used for ovarian stimulation
2. Number of mature oocytes retrieved
3. Number of embryos available for transfer
4. Clinical pregnancies (ultrasound evidence of foetal heart at eight weeks gestation)

Overall study start date

01/11/2006

Completion date

01/05/2008

Eligibility

Key inclusion criteria

Any woman undergoing an IVF treatment cycle with or without Intra Cytoplasmic Sperm Injection (ICSI) who is considered to be a "poor responder" is eligible to participate in the trial.

For this study a "poor responder" is defined as a woman who had a previous IVF treatment cycle in which she was stimulated with a daily dose of Follicle Stimulating Hormone (FSH) of 300 IU or more for at least nine days and:

1. Produced an inadequate number of mature follicles (three or less follicles measuring more than or equal to 17 mm, or
2. Had three or less oocytes retrieved at oocyte retrieval

Participant type(s)

Patient

Age group

Adult

Sex

Female

Target number of participants

34 participants in each arm giving a total of 102 participants

Key exclusion criteria

1. Women aged more than 40 years
2. Women with a single ovary

Date of first enrolment

01/11/2006

Date of final enrolment

01/05/2008

Locations**Countries of recruitment**

England

United Kingdom

Study participating centre

Assisted Conception Unit

London

United Kingdom

SE1 9RT

Sponsor information**Organisation**

Guy's and St Thomas' NHS Foundation Trust and King' s College London (UK)

Sponsor details

Guy's Hospital
St Thomas' Street
London
England
United Kingdom
SE1 9RT

Sponsor type

Hospital/treatment centre

Website

<http://www.guysandstthomas.nhs.uk/home.aspx>

ROR

<https://ror.org/00j161312>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Assisted Conception Unit, Guy's and St Thomas' NHS Foundation Trust (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	28/12/2007		Yes	No