

A randomised study of continuous infusional 5-fluorouracil with or without bolus mitomycin-C in patients with advanced colorectal cancer

Submission date 19/08/2002	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 19/08/2002	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
Last Edited 30/05/2012	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr - -

Contact details

UKCCCR Register Co-ordinator
MRC Clinical Trials Unit
222 Euston Road
London
United Kingdom
NW1 2DA

Additional identifiers

Protocol serial number

COMBAT COIRE

Study information

Scientific Title

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

No ethics approval information required at time of registration.

Study design

Multicentre randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Colon, Rectal cancer

Interventions

1. Regimen one: continuous infusion 5-fluorouracil. The infusion will be given for 12 weeks and for a further 12 weeks in responding patients or patients with stable disease.
2. Regimen two: continuous infusion 5-fluorouracil given as above plus mitomycin-C given every 6 weeks for two courses and to a total of four courses in responding patients or patients with stable disease.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

5-fluorouracil, mitomycin-C

Primary outcome(s)

Added 05/08/09:

1. tumour response
2. survival
3. toxicity
4. quality of life (QoL)

Key secondary outcome(s)

Not provided at time of registration

Completion date

13/03/1996

Eligibility

Key inclusion criteria

1. Histological evidence of metastatic adenocarcinoma of the colon or rectum not amenable to surgery or radiotherapy
2. Patients evaluable for response must have bi-dimensionally measurable disease
3. Patients with no measurable disease
4. Adequate bone marrow function
5. Serum creatinine within normal range
6. Life expectancy of greater than 3 months
7. Eastern Cooperative Oncology Group (ECOG) performance status 0-2

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

1. History of other malignant disease other than non melanotic skin cancer or carcinoma in situ of the cervix
2. Prior treatment with any cytotoxic agent except adjuvant chemotherapy completed more than 12 months from randomisation
3. Intracerebral metastases or meningeal carcinomatosis
4. Medical contraindications to treatment

Date of first enrolment

13/03/1995

Date of final enrolment

13/03/1996

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

UKCCCR Register Co-ordinator

London

United Kingdom
NW1 2DA

Sponsor information

Organisation

The Royal Marsden NHS Foundation Trust (UK)

ROR

<https://ror.org/0008wzh48>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

The Royal Marsden NHS Foundation Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/10/1997		Yes	No