

The clinical management of chemotherapy-induced nausea and vomiting with adjuvant Progressive Muscle Relaxation Training (PMRT) and imagery techniques in breast cancer patients

Submission date 10/10/2002	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 10/10/2002	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 05/10/2007	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr A Molassiotis

Contact details
Nethersole School of Nursing
Chinese University of Hong Kong
-
Hong Kong
-

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

811006

Study information

Scientific Title

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Breast cancer

Interventions

PMRT 1 hour prior to chemotherapy administration and daily thereafter for another 5 days (total of 6 PMRT sessions). Each session lasts for 25 minutes followed by 5 minutes of imagery techniques.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

Not provided at time of registration

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/01/1999

Completion date

01/01/2001

Eligibility

Key inclusion criteria

1. Patients diagnosed with breast cancer and have no exposure to cytotoxic chemotherapeutic agent prior to the study (chemotherapy-naïve)
2. Females between the age of 18 - 70 years
3. Clinical indication to receive adriamycin with cyclophosphamide (AC) as adjuvant or salvage chemotherapy for treatment of breast cancer
4. Able to read and write Chinese
5. Agree to sign the informed consent

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Female

Target number of participants

Not provided at time of registration

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/01/1999

Date of final enrolment

01/01/2001

Locations

Countries of recruitment

Hong Kong

Study participating centre
Nethersole School of Nursing

-

Hong Kong

-

Sponsor information

Organisation

Hong Kong Health Services Research Fund (China)

Sponsor details

Health Welfare and Food Bureau
Government Secretariat, HKSAR
20th floor Murray Building
Garden Road

-

Hong Kong

-

+852 (0)2973 8288
hsrf@hwfb.gov.hk

Sponsor type

Government

Website

http://www.fhb.gov.hk/grants/english/funds/funds_hhsrf/funds_hhsrf_abt/funds_hhsrf_abt.html

ROR

<https://ror.org/03qh32912>

Funder(s)

Funder type

Government

Funder Name

Hong Kong Health Services Research Fund (Hong Kong)

Results and Publications

Publication and dissemination plan
Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Results	01/04/2002		Yes	No