

Can music at a frequency of 432 Hz reduce dental anxiety in patients undergoing tooth extraction?

| | | |
|--|---|--|
| Submission date 11/12/2018 | Recruitment status No longer recruiting | <input type="checkbox"/> Prospectively registered |
| Registration date 23/01/2019 | Overall study status Completed | <input type="checkbox"/> Protocol |
| Last Edited 10/09/2021 | Condition category Mental and Behavioural Disorders | <input type="checkbox"/> Statistical analysis plan |
| | | <input checked="" type="checkbox"/> Results |
| | | <input type="checkbox"/> Individual participant data |

Plain English summary of protocol

Background and study aims

It has been observed that music therapy allows controlling the clinical levels of anxiety of patients undergoing several treatments. However, there is still controversy regarding the effects of music at a frequency of 432 Hz, and the real difference discernible with the music at 440 Hz.

The aim of this study is to compare the effects of music at 432 Hz on the clinical perception of anxiety and levels and salivary cortisol in patients undergoing a surgical procedure like a tooth extraction.

Who can participate?

Patients over the age of 15 to 35 who attend the Austral University of Chile dental service.

What does the study involve?

Participants are asked to join this study while they are at the Austral University of Chile dental clinics. Participants must score 9 or higher in MDAS anxiety score. Participants are randomly allocated to one of three groups (432 Hz, 440 Hz or control), and they will be exposed to relaxing piano music (Giorgio Constantini album "Dreamers") 432 Hz or 440 Hz, during 15 minutes. Saliva samples are taken before and after the music stimulation, participants also complete the anxiety questionnaires after the music stimulation.

Where is the study run from?

At the Dental clinics of the Austral University of Chile, Valdivia.

When is the study starting and how long is it expected to run for?

January 2019 to March 2019

Who is funding the study?

Austral University of Chile, Valdivia, Chile.

Who is the main contact?

Dr. Pedro Aravena

paravena@uach.cl

Contact information

Type(s)

Scientific

Contact name

Dr Pedro Aravena

ORCID ID

<https://orcid.org/0000-0003-1230-4573>

Contact details

Universidad Austral de Chile. Valdivia. Chile

Valdivia

Chile

5111434

Additional identifiers

Protocol serial number

195/2018

Study information

Scientific Title

Effect of music at 432 Hz in dental anxiety and salivary cortisol levels in patients undergoing tooth extraction. A randomized clinical trial.

Acronym

N/A

Study objectives

Musical stimulation at a frequency of 432 Hz is more effective in decreasing salivary cortisol levels and dental anxiety compared to music at a frequency of 440 Hz in patients undergoing tooth extraction.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The Scientific Ethics Committee of the Valdivia Health Service in Chile, 05/07/2018, ref. 95/2018.

Study design

Interventional, randomised parallel clinical trial

Primary study design

Interventional

Study type(s)

Quality of life

Health condition(s) or problem(s) studied

Dental anxiety

Interventions

The study will consist of three arms, the participants of the three groups will be randomized by a simple randomization using an online randomizer. All the participants will be intervened once, when they come to the clinics for a tooth extraction. Each participant before the tooth extraction will answer the CORAH MDAS anxiety scale, and those who obtain a score of 9 or above will apply. A saliva sample will be collected from each participant before the intervention. The first group will receive music (Giorgio Constantini "Dreamers") at a frequency of 432 Hz during 15 minutes with headphones at a moderate volume, then a second saliva sample will be taken and he will answer the anxiety questionnaire again. The second group will receive music (Giorgio Constantini "Dreamers") at a frequency of 440 Hz during 15 minutes with headphones at a moderate volume, then a second saliva sample will be taken and he will answer the anxiety questionnaire again. The third group will not be exposed to music, patients will be set in the dental unit during 15 minutes after the first saliva sample, then a second saliva sample will be taken and he will answer the anxiety questionnaire again. Then the profesional will proceed with the tooth extraction as normal.

Intervention Type

Other

Primary outcome(s)

1. Dental anxiety will be measured using the CORAH- MDAS questionnaire before and after music stimulation.
2. Salivary Cortisol will be measured using 3 ml of unstimulated saliva before and after music stimulation.
 - 2.1. Saliva samples will be transported under refrigeration conditions and then frozen at -20 °C until laboratory analysis.
 - 2.2. For statistical analysis, the amount of saliva secreted will be expressed in mL / min and cortisol expressed in ug / dl.

Key secondary outcome(s)

N/A

Completion date

01/03/2019

Eligibility**Key inclusion criteria**

1. A Modified Dental Anxiety Scale in Spanish (MDAS) score greater > 9 points
2. 15 to 30 years of age
3. ASA I
4. Requiring simple tooth extraction.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

42

Key exclusion criteria

1. Suffering from systemic diseases
 - 1.1. Diabetes
 - 1.2. Immunosuppression
 - 1.3. Hypertension
 - 1.4. Thyroid pathology
 - 1.5. Heart disease
 - 1.6. Alcoholism
 - 1.7. Pheochromocytoma
 - 1.8. Cushing's syndrome
2. Heavy smokers (consumption of > 10 cigarettes a day)
3. Receiving permanent pharmacological treatment
 - 3.1. Tricyclic antidepressants,
 - 3.2. Anticholinergics
 - 3.3. Benzodiazepines
 - 3.4. Antihypertensives
 - 3.5. Diuretics
 - 3.6. Phenothiazines
 - 3.7. Narcotics
 - 3.8. Synthetic glucocorticoids (prednisone and prednisolone)
 - 3.9. Phenytoin
4. Pregnant women
5. Pericoronitis or infection at the time of surgery or 10 days before surgery.

Date of first enrolment

01/01/2019

Date of final enrolment

01/03/2019

Locations

Countries of recruitment

Chile

Study participating centre

Austral University of Chile Dental Clinics

Rudloff 1640, Valdivia, Chile.

Valdivia

Chile

5111710

Sponsor information

Organisation

Universidad Austral de Chile

ROR

<https://ror.org/029ycp228>

Funder(s)

Funder type

University/education

Funder Name

Universidad Austral de Chile

Results and Publications

Individual participant data (IPD) sharing plan

Data will be shared on OSF <https://osf.io/ya3dx> from 05/04/2019. Data will be exported in CVS anonymized by R package Anonimizer and will not have restriction for access by a GNU General Public License (GPL) 3.0.

IPD sharing plan summary

Stored in repository

Study outputs

| Output type | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|-------------|---------|--------------|------------|----------------|-----------------|
|-------------|---------|--------------|------------|----------------|-----------------|

| | | | | | |
|---|-------------------------------|------------|------------|-----|-----|
| Results article | | 11/05/2020 | 10/09/2021 | Yes | No |
| Participant information sheet | Participant information sheet | 11/11/2025 | 11/11/2025 | No | Yes |