# Controlled evaluation of Cognitive Behaviour Therapy (CBT) for Obsessive Compulsive Disorder (OCD) in children and adolescents: comparison of standard, therapist intensive therapy versus brief therapy

Submission date	Recruitment status	<ul><li>Prospectively registered</li></ul>
11/03/2004	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
11/05/2004	Completed	[X] Results
Last Edited	Condition category	Individual participant data
04/07/2011	Mental and Behavioural Disorders	

### Plain English summary of protocol

Not provided at time of registration

### Contact information

### Type(s)

Scientific

#### Contact name

Prof Derek Bolton

#### Contact details

Department of Psychology Institute of Psychiatry De Crespigny Park London United Kingdom SE5 8AF +44 (0)20 7848 5011 D.Bolton@iop.kcl.ac.uk

## Additional identifiers

**EudraCT/CTIS** number

**IRAS** number

#### ClinicalTrials.gov number

### Secondary identifying numbers

MREC 0312045

## Study information

#### Scientific Title

#### **Study objectives**

The aims of the study are:

- 1. To determine the effectiveness of Cognitive Behaviour Therapy (CBT) for children and adolescents with Obsessive Compulsive Disorder (OCD) and the extent to which this can be sustained by a treatment with relatively low intensity of therapist contact
- 2. To produce a treatment practice manual suitable for dissemination
- 3. To identify patient characteristics that may be related to differential treatment response
- 4. To determine whether treatment improves quality of life
- 5. To investigate service use associated with the two treatments

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

No ethics information provided at time of registration.

### Study design

Randomised controlled trial

### Primary study design

Interventional

### Secondary study design

Randomised controlled trial

### Study setting(s)

Not specified

### Study type(s)

Treatment

### Participant information sheet

### Health condition(s) or problem(s) studied

Obsessive Compulsive Disorder

#### **Interventions**

Participants will be randomly assigned to one of three conditions:

1. Standard CBT: comprising 12 sessions therapist contact and handouts explaining the features

of OCD and its treatment. Both this and the brief CBT will be delivered over a three month period.

- 2. Brief CBT: comprising five sessions therapist contact and use of a detailed multi-section workbook intended to supplement the therapy sessions.
- 3. Waiting-list/delayed treatment, for three months. At the end of this period if the child still has diagnosable OCD they will be offered treatment in either of the first two conditions on a randomized basis. This group will act as the control group for the study.

### Intervention Type

Other

#### Phase

Not Specified

#### Primary outcome measure

Child Yale-Brown Obsessive Compulsive Scale (CY-BOCS) (Scahill et al. 1997).

#### Secondary outcome measures

- 1. Anxiety Disorders Interview Schedule for Children and Parents (ADIS-C/P, Silverman & Nelles, 1988)
- 2. Obsessive Compulsive Inventory (OCI) adapted for use with children (Foa et al. 1997)
- 3. Responsibility Attitude Scale (Salkovskis et al. 2000)
- 4. Child OCD Impact Scale (COIS) child and parent version (Piacentini et al. 2001)
- 5. Manchester Short Assessment of Quality of Life (MANSA) (Priebe et al. 1999)

#### Overall study start date

01/10/2003

#### Completion date

31/03/2007

## **Eligibility**

### Key inclusion criteria

- 1. Aged 10 to 18
- 2. Diagnosis of OCD according to Diagnostic and Statistical Manual of Mental Disorders, Fourth edition (DSM-IV) criteria
- 3. If on medication, on a stable dosage for at least six weeks

#### Participant type(s)

**Patient** 

#### Age group

Child

#### Lower age limit

10 Years

#### Upper age limit

18 Years

#### Sex

Both

#### Target number of participants

110

#### Key exclusion criteria

- 1. Immediate suicide risk
- 2. Intelligence Quotient (IQ) less than 70
- 3. Comorbid diagnosis of autism or marked autistic spectrum features, or psychosis, which commonly raise problems about differential diagnosis
- 4. Comorbid condition which has greater treatment priority (such as some cases of depression, or school-refusal)

#### Date of first enrolment

01/10/2003

#### Date of final enrolment

31/03/2007

## Locations

#### Countries of recruitment

England

**United Kingdom** 

### Study participating centre Department of Psychology

London United Kingdom SE5 8AF

## Sponsor information

#### Organisation

King's College London (UK)

#### Sponsor details

Institute of Psychiatry De Crespigny Park London England United Kingdom SE5 8AF G.Dale@iop.kcl.ac.uk

#### Sponsor type

University/education

#### **ROR**

https://ror.org/0220mzb33

## Funder(s)

### Funder type

Charity

#### **Funder Name**

The Health Foundation (UK) (reference Number 1206/1782)

## **Results and Publications**

## Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

### **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/12/2011		Yes	No