Treatment strategy in patients with recurrent vasovagal syncope

Submission date	Recruitment status	Prospectively registered
20/12/2005	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
20/12/2005	Completed	Results
Last Edited	Condition category	Individual participant data
18/11/2008	Signs and Symptoms	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr W. Wieling

Contact details

Academic Medical Centre
Department of Internal Medicine
Amsterdam
Netherlands
1105 AZ
+31 (0)20 566 9111
w.wieling@amc.uva.nl

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

NHS 2003B156; NTR143

Study information

Scientific Title

Acronym

STAND (Syncope Treatment Association Netherlands Danmark)

Study objectives

- 1. In patients with recurrent vasovagal syncope, current conventional therapy will fail in 40%, after 1 year follow-up
- 2. In patients with recurrent vasovagal syncope, treated with conventional therapy and training in physical counter pressure manoeuvres, failure rate will be reduced to 20% (50% reduction) and quality of life will improve significantly
- 3. In the subgroup of patients with recurrent vasovagal syncope, refractory to training in physical counter pressure manoeuvres, Midodrine therapy will lead to a recurrence rate of less than 20% and will improve quality of life significantly

Ethics approval required

Old ethics approval format

Ethics approval(s)

Received from the local medical ethics committee

Study design

Multicentre, randomised, single-blind, active controlled, crossover trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Vasovagal syncope

Interventions

- 1. Physical counterpressure manoeuvres for all patients
- 2. Midodrine crossover therapy

Double-blind randomisation is used to decide whether patients first receive midodrine or placebo.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

- 1. Syncope recurrences during an entire treatment protocol including both physical counterpressure manoeuvres and the use of medication (midodrine)
- 2. The number of patients with recurrences during treatment with midodrine after recurrent failure of using the manoeuvres

Secondary outcome measures

- 1. Time to first recurrence syncope and presyncope
- 2. Presyncope burden
- 3. Quality of life

Overall study start date

02/01/2005

Completion date

02/01/2008

Eligibility

Key inclusion criteria

- 1. Clinical diagnosis of classical neurally-mediated reflex syncope, based on the medical history or non-classical diagnosis of neurally-mediated reflex syncope and a positive tilt-table test
- 2. Three syncope episodes in the last year
- 3. Recognisable prodromal symptoms
- 4. Aged 18 70 years

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

300

Key exclusion criteria

- 1. Suspected or certain heart disease and high likelihood of cardiac syncope
- 2. Orthostatic hypotension

- 3. Episodes of loss of consciousness different from syncope (e.g. epilepsy, psychiatric, metabolic, drop-attack, transient ischaemic attack [TIA], intoxication, cataplexy)
- 4. Steal syndrome
- 5. Psychologically or physically (due to any other illness) or cognitively unfit for participation in the study according to the opinion of the investigator
- 6. Patient compliance doubtful
- 7. Patient geographically or otherwise inaccessible for follow-up
- 8. Patient unwilling or unable to give informed consent
- 9. Pregnancy
- 10. Life expectancy less than 1 year

Date of first enrolment

02/01/2005

Date of final enrolment

02/01/2008

Locations

Countries of recruitment

Netherlands

Study participating centre Academic Medical Centre

Amsterdam Netherlands 1105 AZ

Sponsor information

Organisation

Academic Medical Centre (AMC) (Netherlands)

Sponsor details

Meibergdreef 9 Amsterdam Netherlands 1105 AZ

Sponsor type

University/education

Website

http://www.amc.uva.nl/

ROR

https://ror.org/03t4gr691

Funder(s)

Funder type

Research organisation

Funder Name

Netherlands Heart Foundation (Nederlandse Hartstichting) (The Netherlands)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration