

Study of alternative regimens of high dose induction therapy for systemic vasculitis

Submission date 05/02/2002	Recruitment status Stopped	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 05/02/2002	Overall study status Stopped	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 19/05/2014	Condition category Circulatory System	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Professor PA Bacon

Contact details
Department of Rheumatology
Division of Immunity & Infection
University of Birmingham Medical School
Edgbaston
Birmingham
United Kingdom
B15 2TT
+44 (0)121 414 6778
p.a.bacon@bham.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
B0697

Study information

Scientific Title

Acronym

Hi Cy3

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Systemic vasculitis

Interventions

At entry the patients will be randomised to either:

1. The HiCy3 regime (six tapering pulses of cyclophosphamide over 3.5 months, with the first pulse being 1.6 g/m²)
2. The spCy regime - standard pulse cyclophosphamide (nine pulses of 15 mg/kg over 6 months)

All patients will receive intravenous methyl prednisolone with each cyclophosphamide pulse plus relatively low dose routine oral steroid. All patients will also receive mesna with each cyclophosphamide pulse, and will progress to a low dose azathioprine consolidation regime, given up to the end of month 18 of total study.

Updated 19/05/2014: this trial was stopped for reasons of poor recruitment in 2009.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Cyclophosphamide, methyl prednisolone, mesna, azathioprine

Primary outcome measure

Not provided at time of registration

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/02/2001

Completion date

30/08/2006

Reason abandoned (if study stopped)

Participant recruitment issue

Eligibility

Key inclusion criteria

1. Patients with newly diagnosed systemic vasculitis
2. Patients with a major recent flare and total previous dose of cyclophosphamide less than 70 g

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

Not provided at time of registration

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/02/2001

Date of final enrolment

30/08/2006

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Department of Rheumatology

Birmingham

United Kingdom

B15 2TT

Sponsor information

Organisation

Arthritis Research Campaign (ARC) (UK)

Sponsor details

Copeman House

St Mary's Court

St Mary's Gate

Chesterfield

Derbyshire

United Kingdom

S41 7TD

-

info@arc.org.uk

Sponsor type

Charity

Website

<http://www.arc.org.uk>

ROR

<https://ror.org/02jkpm469>

Funder(s)

Funder type

Charity

Funder Name

Arthritis Research Campaign (UK)

Results and Publications**Publication and dissemination plan**

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration