Effect of a functional bread on blood pressure, glucose metabolism and endothelial function

Submission date 06/05/2013	Recruitment status No longer recruiting	Prospectively registeredProtocol
Registration date 20/05/2013	Overall study status Completed	[_] Statistical analysis plan[X] Results
Last Edited 19/11/2015	Condition category Circulatory System	Individual participant data

Plain English summary of protocol

Background and study aims

Hypertension (high blood pressure) is one of the main causes of cardiovascular disease, hospitalization and also a cause of death in developed countries. It has been extensively recognised that lifestyle change is the first step in the prevention (especially in those individuals with normal blood pressure) but also in the control of hypertension. Several changes in lifestyle such as quitting smoking, weight loss in overweight individuals, moderate alcohol consumption and following a healthy diet rich in vegetables and fruits, low in meat and processed food and moderate in low fat dairy products, and reducing salt intake are considered important to control hypertension. Gamma aminobutyric acid (GABA), a bioactive component is known for its role in regulation of blood pressure, neurotransmission (transmission of signals in brain cells), calming and diuretic (substance that promotes the production of urine which may decrease blood pressure) properties. Because of these and other beneficial properties, different food products enriched with GABA have been proposed as potential functional foods. Recently, our group has produced bread with lower glycemic index (low blood sugar levels) than traditional bread, fermented with bacteria that produce GABA and partially substituting sodium chloride (common salt) by potassium salts. This bread could have beneficial effects on blood pressure, insulin resistance and endothelial (thin layer of cells that line the interior surface of blood vessels which reduces friction of the flow of blood allowing the fluid to be pumped further) function. Therefore, the main aim of the present study is to assess the effect of bread reduced in sodium chloride and enriched with potassium salts and rich in GABA on blood pressure, insulin resistance, inflammation and endothelial function on subjects with prehypertension, or light or moderate hypertension.

Who can participate?

The study will include 30 men and women with pre-hypertension but who are not taking antihypertensive medication aged between 18 and 65 years.

What does the study involve?

All the participants will be randomly assigned to three interventions, each of four weeks duration:

1. Dietary recommendations + traditional bread

2. Dietary recommendations + bread reduced in sodium chloride and enriched with potassium

salts

3. Dietary recommendations + bread reduced in sodium chloride and enriched with potassium salts and containing 20 mg/100g of GABA.

What are the possible benefits and risks of participating?

The benefits for the participants are mainly that they will receive dietary counselling to follow a healthy diet by trained dietitians and also this study will help them to control the blood pressure. However, we cannot confirm that all participants will receive a direct benefit from the present study. But the study will provide further knowledge in relation to the consumption of different types of bread in the control of blood pressure, glucose and insulin metabolism and endothelial function. The main risk for the participant is that they could experience slight burning sensation during the blood test and also a hematoma (bruising) can appear. Rarely, they could suffer from sickness. However, the amount of blood sample taken is relatively small (65 ml).

Where is the study run from?

This study is conducted in the Hospital Sant Joan de Reus (Reus, Spain). The study is led by the Nutrition Unit, Faculty of Medicine and Health Science, IISPV, University Rovira i Virgili (Spain), and CIBERobn (P.I. Jordi Salas-Salvadó) with the collaboration of Vascular Medicine and Metabolism Unit, Lipids and Atherosclerosis Research Unit, Sant Joan University Hospital, IISPV, Spanish Biomedical Research Network in Diabetes and Associated Metabolic Disorders (CIBERDEM), Barcelona, Spain.

When is the study starting and how long is it expected to run for? The study started in March 2013 and it is expected to finish in March 2014. The study will be recruiting participants from March 2013 until October 2013.

Who is funding the study? The study is financed by Europastry, S.A.

Who is the main contact? Prof. Jordi Salas-Salvadó jordi.salas@urv.cat

Contact information

Type(s) Scientific

Contact name Prof Jordi Salas-Salvadó

Contact details

Unitat de Nutrició Facultat de Medicina i Ciències de la salut Universitat Rovira i Virgili C/Sant Llorenç, 21 Reus Spain 43201

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers 13-01-31/1PROJ3

Study information

Scientific Title

Effect of functional bread reduced in salt and fermented with dough containing lactobacillus brevis forming gamma-aminobutyric acid, on blood pressure, glucose metabolism and endothelial function

Acronym

PANTENS

Study objectives

Regular consumption of bread enriched with gamma-aminobutyric acid (GABA) and reduced in sodium chloride will have a short and medium term hypotensive effect compared to the consumption of traditional bread or bread reduced in sodium chloride.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Sant Joan Hospital Ethical Committee, 31/01/2013, ref: 13-01-31/1proj3

Study design

Randomised crossover double-blind clinical trial

Primary study design Interventional

Secondary study design Randomised cross over trial

Study setting(s) Hospital

Study type(s) Treatment

Participant information sheet

Not available in web format, please contact info.nutricio@urv.cat to request a patient information sheet

Health condition(s) or problem(s) studied

Pre-hypertension

Interventions

1. Healthy dietary recommendations + traditional bread

2. Healthy dietary recommendations + bread reduced in sodium chloride

3. Healthy dietary recommendations + bread reduced in sodium chloride fermented with Lactobacillus Brevis

120 g/day of bread in each intervention period.

Duration of intervention: 4 weeks for each of the three interventions.

Intervention Type

Other

Primary outcome measure

Daily mean blood pressure measured by a 24 hour continuous register at baseline and at the end of each intervention period (after one month).

Secondary outcome measures

- 1. Blood pressure during activity and sleeping period
- 2. Blood pressure during the three hours after consuming the bread at morning.

3. Fasting glycemia, insulinemia and Homeostatic Measurement Assessment-Insulin Resistance (HOMA-IR)

- 4. Endothelial function and peripheral inflammation measured by biochemical markers.
- 5. Endothelial function measured by the Endo-PAT method
- 6. Adherence to the intervention
- 7. Tolerance and safety

Measured at baseline and at the end of each intervention period (after one month)

Overall study start date

06/03/2013

Completion date 06/03/2014

Eligibility

Key inclusion criteria

Patients (male and female) aged between 18 and 65 years with pre-hypertension but without antihypertensive medication

Participant type(s) Patient

Age group Adult

Lower age limit

18 Years

Sex Both

Target number of participants 30; male and female

Key exclusion criteria

1. Severe hypertension (systolic blood pressure ≥ 160 mmHg, diastolic blood pressure ≥ 100 mmHg)

- Type 2 diabetes
 Body mass index (BMI) >35 kg/m^2
 Target organ injuries attributed to hypertension
 Inflammatory or infectious disease
 Anti-inflammatory or antibiotic drugs
 Alcoholism or drug abuse
- 8. Recent hypocaloric diet

Date of first enrolment 06/03/2013

Date of final enrolment 01/10/2013

Locations

Countries of recruitment Spain

Study participating centre Universitat Rovira i Virgili Reus Spain 43201

Sponsor information

Organisation Europastry (Spain)

Sponsor details Pza Xavier Cugat 2 Ed. C, Planta 4 Parc Sant Cugat Nord Sant Cugat del Vallès Barcelona Spain 08174

Sponsor type University/education

Website http://www.europastry.com/

ROR https://ror.org/01rqhg698

Funder(s)

Funder type Industry

Funder Name Europastry (Spain)

Results and Publications

Publication and dissemination plan Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/11/2015		Yes	No