

# Assessment of safety, pharmacokinetics and efficacy in a combination treatment with SMP-114

<b>Submission date</b> 15/02/2006	<b>Recruitment status</b> Stopped	<input checked="" type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 23/02/2006	<b>Overall study status</b> Stopped	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 10/09/2019	<b>Condition category</b> Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Dr Dainippon Sumitomo Pharma Europe Ltd (UK) -

### Contact details

Clinical Department  
Southside  
97-105 Victoria Street  
London  
United Kingdom  
SW1E 6QT

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

NCT00296257

Secondary identifying numbers

D2450174

# Study information

## Scientific Title

A phase II, multicentre, randomised, double-blind, placebo-controlled study evaluating the efficacy, safety and pharmacokinetics of two doses of a candidate disease modifying anti-rheumatic drug (DMARD) (SMP-114, 120 mg and 240 mg once daily) administered in combination with ongoing methotrexate treatment in patients with active rheumatoid arthritis

## Acronym

ASPECTS

## Study objectives

SMP-114 in combination with methotrexate is more efficacious than methotrexate alone.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Local medical ethics committee (UK) , 29/01/2006, ref: 05/Q0501/170

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Not specified

## Study type(s)

Treatment

## Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

## Health condition(s) or problem(s) studied

Rheumatoid arthritis (RA)

## Interventions

SMP-114 (120 mg and 240 mg) in combination with methotrexate compared to methotrexate alone.

## Intervention Type

Drug

**Phase**

Phase II

**Drug/device/biological/vaccine name(s)**

SMP-114, methotrexate

**Primary outcome measure**

The efficacy of SMP-114 (120 mg and 240 mg) versus placebo in terms of the percentage of patients meeting the ACR criteria for 20% improvement in RA (ACR20) at week 24.

**Secondary outcome measures**

1. The efficacy of SMP-114 (120 mg and 240 mg) versus placebo after 24 weeks in terms of:

1.1. ACR50

1.2. ACR70

1.3. Disease Activity Score-28 (DAS28)

1.4. European League Against Rheumatism (EULAR) response

2. The efficacy of SMP-114 versus placebo in terms of change in:

2.1. Core variables

2.2. Time to response

2.3. Quality of life

2.4. Radiological measurements of joint damage

2.5. Assessment of safety and tolerability

2.6. Pharmacokinetics (PK) measurements

**Overall study start date**

28/02/2006

**Completion date**

21/07/2008

**Eligibility****Key inclusion criteria**

1. Male or female patients aged at least 18, with rheumatoid arthritis (RA) for a minimum of six months
2. Has been receiving methotrexate treatment (stable for eight weeks)
3. Has active disease classified as American College of Rheumatology (ACR) functional class of I, II or III

**Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Both

**Target number of participants**

Approximately 300 patients in total - 100 patients per arm

**Key exclusion criteria**

1. Has previously discontinued DMARD therapy due to hepatic intolerance
2. Has received any DMARD in addition to methotrexate during the four weeks prior to randomisation
3. Is receiving more than two DMARDs in addition to methotrexate at the time of screening
4. Is receiving or has received gold, leflunomide or biological agents including tumour necrosis factor (TNF) or Interleukin 1 (IL-1) inhibitors within the eight weeks prior to randomisation
5. Has previously failed two or more DMARDS

**Date of first enrolment**

28/02/2006

**Date of final enrolment**

13/07/2007

**Locations****Countries of recruitment**

Czech Republic

England

Germany

Hungary

Netherlands

Poland

United Kingdom

**Study participating centre**

**Dainippon Sumitomo Pharma Europe Ltd (UK)**

London

United Kingdom

SW1E 6QT

**Sponsor information****Organisation**

Dainippon Sumitomo Pharma Europe Ltd (UK)

**Sponsor details**

Southside  
97-105 Victoria Street  
London  
United Kingdom  
SW1E 6QT

**Sponsor type**

Industry

**ROR**

<https://ror.org/03sh4z743>

**Funder(s)****Funder type**

Industry

**Funder Name**

Dainippon Sumitomo Pharma Europe Ltd (UK)

**Results and Publications****Publication and dissemination plan**

Not provided at time of registration

**Intention to publish date****Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration