De-ESCALaTE HPV: Determination of Epidermal growth factor receptor-inhibitor (cetuximab) versus Standard Chemotherapy (cisplatin) early And Late Toxicity Events in Human Papillomavirus-positive oropharyngeal squamous cell carcinoma

Submission date	Recruitment status	[X] Prospectively registered
20/02/2012	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
20/02/2012	Completed	[X] Results
Last Edited	Condition category	Individual participant data
29/10/2021	Cancer	

Plain English summary of protocol

http://www.cancerresearchuk.org/cancer-help/trials/a-trial-looking-side-effects-treatment-throat-cancer-de-escalate-hpv

Contact information

Type(s)

Scientific

Contact name

Mrs Tessa Fulton-Lieuw

Contact details

Warwick Clinical Trials Unit Division of Health Sciences Warwick Medical School The University of Warwick Coventry United Kingdom CV4 7AL +44 2476 574 880 M.T.Fulton-Lieuw@warwick.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

2011-005165-21

ClinicalTrials.gov (NCT)

NCT01874171

Protocol serial number

11723

Study information

Scientific Title

De-ESCALaTE HPV: Determination of Epidermal growth factor receptor-inhibitor (cetuximab) versus Standard Chemotherapy (cisplatin) early And Late Toxicity Events in Human Papillomavirus-positive oropharyngeal squamous cell carcinoma: a randomised controlled trial

Acronym

De-ESCALaTE HPV

Study objectives

Oropharyngeal squamous cell carcinoma (OPSCC) incidence is increasing rapidly in the developed world. This has been attributed to a rise in Human Papillomavirus (HPV) infection. HPV+ OPSCC is considered a distinct disease entity, affecting younger patients and has a good prognosis following treatment. Subsequently, patients can live with the considerable side effects for several decades.

Radiotherapy and cetuximab have demonstrated similar efficacy to platin chemoradiotherapy in head and neck cancer, but is potentially less toxic.

Results of this trial will be used to determine the optimum treatment of this debilitating cancer, with the primary aim of decreasing toxicity and improving quality of life for HPV+OPSCC patients.

Ethics approval required

Old ethics approval format

Ethics approval(s)

NRES Committee West Midlands Coventry & Warwickshire, 29/11/2011, ref: 11/WM/0381

Study design

Both; Interventional; Design type: Treatment

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Topic: National Cancer Research Network; Subtopic: Head and Neck Cancer; Disease: Head and Neck

Interventions

HPV positive patients will be randomised to receive either cisplatin + radiotherapy (Arm A) or cetuximab + radiotherapy (Arm B) and will be followed up for two years. Patients that are HPV negative will enter into the Registration Cohort Study.

Cetuximab, Initial dose of 400mg/m2, administered intravenously, 1 week before start of radiotherapy followed by 7 weekly doses of 250mg/m2, administered intravenously. during radiotherapy.

Cisplatin, Three doses of cisplatin 100mg/m2, administered intravenously, on days 1, 22 and 43 of radiotherapy.

Intervention Type

Drug

Phase

Phase III

Drug/device/biological/vaccine name(s)

Cetuximab, cisplatin

Primary outcome(s)

Current primary outcome as of 13/03/2012:

Severe toxicity (acute and late) (Grade 3-5); Timepoint(s): Two years from end of treatment

Previous primary outcome:

Severe toxicity (Grade 3-5); Timepoint(s): Two years from end of treatment

Key secondary outcome(s))

- 1. Acute severe toxicity; Timepoint(s): 3 months from end of treatment
- 2. Late severe toxicity; Timepoint(s): Two years from end of treatment
- 3. Quality of Life; Timepoint(s): Two years from end of treatment
- 4. Dysphagia; Timepoint(s): Two years from end of treatment
- 5. Cost effectiveness; Timepoint(s): Two years from end of treatment
- 6. Overall survival, recurrence and metastasis; Timepoint(s): Two years from end of treatment

Completion date

31/07/2019

Eligibility

Key inclusion criteria

Current inclusion criteria as of 13/03/2012:

- 1. Stage III-IVa oropharyngeal squamous cell tumours
- 2. Clinical multidisciplinary team decision to treat with primary curative chemoradiotherapy
- 3. No previous treatment for the primary tumour, including surgery, neck dissection or tracheostomy [except node biopsies or diagnostic tonsillectomy]

- 4. Medically fit Eastern Cooperative Oncology Group (ECOG) 0, 1 or 2
- 5. Adequate cardiovascular, haematological, renal and hepatic function
- 6. Age 18 years or over
- 7. Written informed consent given
- 8. Using adequate contraception [male and female participants]. Must take contraceptive measures during, and for at least three months after treatment.

Previous inclusion criteria:

- 1. Stage III-IVa oropharyngeal squamous cell tumours
- 2. Clinical multidisciplinary team decision to treat with primary curative chemoradiotherapy
- 3. No previous treatment for the primary tumour, including surgery, neck dissection or tracheostomy [except node biopsies or diagnostic tonsillectomy]
- 4. Medically fit Eastern Cooperative Oncology Group (ECOG) 0, 1 or 2
- 5. Adequate cardiovascular, haematological, renal and hepatic function
- 6. Age 18 years or over
- 7. Written informed consent given
- 8. Using adequate contraception [male and female participants]

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

334

Key exclusion criteria

Current exclusion criteria as of 13/03/2012:

- 1. Distant metastasis (i.e. stage IVc disease)
- 2. Tumor, Node, Metastasis (TNM) Stage T1-2N0 disease
- 3. Treated with primary radical surgery to the primary site e.g. resection
- 4. Concurrent use of CYP3A4 inducers or inhibitors
- 5. Serious cardiac illness or other medical conditions precluding the use of cisplatin or cetuximab
- 6. HPV+ patients who have p16+ tumours who also have N2b, N2c or N3 nodal disease and who also smoke more than 10 pack years (i.e. have both risk factors)
- 7. Pregnant or lactating
- 8. Previous treatment for any other cancer with cytotoxics, radiotherapy or antiEGFR therapies
- 9. Inadequate renal, haematological or liver functions
- 10. Patients with clinically significant hearing impairment.

- 11. Life expectancy less than three months
- 12. Other malignancy within the past three years except basal cell skin cancer or preinvasive carcinoma of the cervix

Previous exclusion criteria:

- 1. Distant metastasis (i.e. stage IVc disease)
- 2. Tumor, Node, Metastasis (TNM) Stage T1-2N0 disease
- 3. Treated with primary radical surgery to the primary site e.g. resection
- 4. Concurrent use of CYP3A4 inducers or inhibitors
- 5. Serious cardiac illness or other medical conditions precluding the use of cisplatin or cetuximab
- 6. HPV+ patients who have p16+ tumours who also have N2b, N2c or N3 nodal disease and who also smoke more than 10 pack years (i.e. have both risk factors)
- 7. Pregnant or lactating
- 8. Previous treatment for any other cancer with cytotoxics, radiotherapy or antiEGFR therapies
- 9. Inadequate renal, haematological or liver functions
- 10. Life expectancy less than three months
- 11. Other malignancy within the past three years except basal cell skin cancer or preinvasive carcinoma of the cervix

Date of first enrolment

09/10/2012

Date of final enrolment

28/10/2016

Locations

Countries of recruitment

United Kingdom

England

Scotland

Wales

Belgium

Ireland

Italy

Netherlands

Study participating centre Warwick Clinical Trials Unit University of Warwick Coventry United Kingdom CV4 7AL

Study participating centre Aberdeen Royal Infirmary

Foresterhill Road Aberdeen United Kingdom AB25 2ZN

Study participating centre St Luke's Centre for Radiation at Beaumont Hospital

Beaumont Road Dublin Ireland

_

Study participating centre Bradford Royal Infirmary

BIHR – Temple Bank House Bradford Royal Infirmary Bradford United Kingdom BD9 6RJ

Study participating centre Bristol Haematology & Oncology Centre

Horfield Road Bristol United Kingdom BS2 8ED

Study participating centre Castle Hill Hospital

Castle Road Cottingham United Kingdom HU16 5JQ

Study participating centre Cheltenham General Hospital

Sandford Road Cheltenham United Kingdom GL53 7AN

Study participating centre Clatterbridge Cancer Centre

Clatterbridge Road Bebington, Wirral United Kingdom CH63 4JY

Study participating centre Colchester General Hospital

Turner Road Colchester Essex CO4 5JL Colchester United Kingdom CO4 5JL

Study participating centre Glan Clwyd Hospital

North Wales Cancer Treatment Centre Glan Clwyd Hospital Bodelwyddan Denbighshire Bodelwyddan United Kingdom LL18 5UJ

Study participating centre James Cook University Hospital

Marton Road Middlesbrough United Kingdom TS4 3BW

Study participating centre Leicester Royal Infirmary

Infirmary Square Leicester United Kingdom LE1 5WW

Study participating centre Musgrove Park Hospital

The Beacon Centre Taunton United Kingdom TA1 5DA

Study participating centre **New Cross Hospital**

Deansley Centre United Kingdom WV10 9PQ

Study participating centre **Nottingham City Hospital**

Hucknall Road Nottingham United Kingdom NG5 1PB

Study participating centre Queen Elizabeth Hospital Birmingham

Cancer Centre, Edgbaston Birmingham United Kingdom B15 2TH

Study participating centre **Royal Derby Hospital**

Uttoxeter Road

Derby United Kingdom DE22 3NE

Study participating centre Royal Marsden Hospital (London)

Fulham Road London United Kingdom SW3 6JJ

Study participating centre Royal Marsden Hospital (Sutton)

Downs Road
Sutton
Surrey
Sutton,
United Kingdom
SM2 5PT

Study participating centre Royal Surrey County Hospital

Egerton Road Guildford United Kingdom GU2 7XX

Study participating centre Royal United Hospital

Combe Park Bath United Kingdom BA1 3NG

Study participating centre Singleton Hospital

Sketty Lane Swansea United Kingdom SA2 8QA

Study participating centre St James's Institute of Oncology

Beckett Street Leeds United Kingdom LS9 7TF

Study participating centre St Luke's Hospital

Highfield Road Rathgar Dublin 6, Dublin Ireland

Study participating centre University Hospitals Coventry & Warwickshire

Clifford Bridge Road Coventry United Kingdom CV2 2DX

Study participating centre Velindre Hospital

Whitchurch Cardiff United Kingdom CF14 2TL

Study participating centre VU University Medical Center

De Boelelaan 1117 Netherlands 1081 HV

Study participating centre Manor Hospital Moat Road Walsall United Kingdom WS2 9PS

Study participating centre Western General Hospital

Crewe Road Edinburgh United Kingdom EH4 2XU

Study participating centre Weston Park Hospital

Whitham Road Sheffield United Kingdom S10 2SJ

Study participating centre Northampton General Hospital

Cliftonville Northampton United Kingdom NN1 5BD

Study participating centre Norfolk & Norwich University Hospital

Colney Lane Norwich United Kingdom NR4 7UY

Sponsor information

Organisation

University of Warwick (UK)

ROR

https://ror.org/01a77tt86

Funder(s)

Funder type

Charity

Funder Name

Cancer Research UK (CRUK) (UK)

Alternative Name(s)

CR_UK, Cancer Research UK - London, Cancer Research UK (CRUK), CRUK

Funding Body Type

Private sector organisation

Funding Body Subtype

Other non-profit organizations

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The current data sharing plans for the current study are unknown and will be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	05/01/2019		Yes	No
HRA research summary	Participant information sheet		28/06/2023		No
Participant information sheet		11/11/2025	11/11/2025	No	Yes
<u>Plain English results</u>	Study website	06/02/2019	29/10/2021	No	Yes
Study website		11/11/2025	11/11/2025	No	Yes