

Non-randomised trial of a lipid lowering drug and a steroid for the treatment of relapsed Burkitt's lymphoma in Blantyre, Malawi

Submission date 24/12/2008	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 23/01/2009	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 03/07/2014	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Elizabeth Molyneux

Contact details
Department of Paediatrics,
College of Medicine
University of Malawi
Blantyre
Malawi
3

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
N/A

Study information

Scientific Title

A phase II non-randomised study of medroxyprogesterone acetate plus bezafibrate as adjunctive therapy in the treatment of relapsed Burkitt's lymphoma in Blantyre, Malawi

Study objectives

That patients with relapsed Burkitt's lymphoma will respond to adjunctive therapy with bezafibrate and medroxyprogesterone acetate.

Ethics approval required

Old ethics approval format

Ethics approval(s)

University of Malawi College of Medicine Research and Ethics Committee, 01/11/2005, ref: COMREC P/05/06/467

Study design

Interventional single centre non-randomised phase II study

Primary study design

Interventional

Secondary study design

Non randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Burkitt's lymphoma

Interventions

The trial drugs are given orally, daily for 6 weeks:

1. Medroxyprogesterone acetate 4 mg/kg twice daily
2. Bezafibrate 200 mg daily or twice daily if weight greater than 20 kg

For participants 21 - 30 the trial drugs doses are increased to:

1. Medroxyprogesterone acetate 20 mg/kg once daily
2. Bezalip Mono one 400 mg tablet/10 kg body weight daily

For participants 31 - 40 the trial drugs doses are increased to:

1. Medroxyprogesterone acetate 20 mg/kg once daily
2. Bezalip Mono two 400 mg tablets/10 kg body weight daily

All patients will receive standard anti-Burkitt's lymphoma therapy with cyclophosphamide, vincristine and intrathecal methotrexate/hydrocortisone starting the first day of the second week.

Intervention Type

Drug

Phase

Phase II

Drug/device/biological/vaccine name(s)

Bezafibrate, medroxyprogesterone acetate

Primary outcome measure

1. Response of Burkitt's lymphoma in the first week of trial therapy
2. Adverse events attributable to the trial drugs medroxyprogesterone acetate and bezafibrate

Secondary outcome measures

1. Response to therapy
2. Disease-free survival
3. Overall survival

Follow-up to a minimum of a year.

Overall study start date

01/02/2006

Completion date

01/12/2009

Eligibility

Key inclusion criteria

1. Aged less than 14 years, either sex
2. Diagnosis of relapsed Burkitt's lymphoma confirmed by cytology/immunophenotyping
3. Negative pregnancy test if the patient is of childbearing potential
4. Informed consent, and the ability of the guardian and patient to co-operate with treatment and follow up must be ensured and documented

Participant type(s)

Patient

Age group

Child

Upper age limit

14 Years

Sex

Both

Target number of participants

40

Key exclusion criteria

1. Patient unable to swallow tablets
2. Patients living outside Malawi (follow up is not possible for patients living in Mozambique)
3. Pregnancy
4. Breast feeding

Date of first enrolment

01/02/2006

Date of final enrolment

01/12/2009

Locations

Countries of recruitment

Malawi

Study participating centre

Department of Paediatrics,

Blantyre

Malawi

3

Sponsor information

Organisation

University of Malawi (Malawi)

Sponsor details

College of Medicine

Chichiri

Blantyre

Malawi

3

Sponsor type

University/education

Website

<http://www.medcol.mw/>

ROR

<https://ror.org/04vtx5s55>

Funder(s)

Funder type

University/education

Funder Name

University of Birmingham (UK) - Division of Immunity and Infection

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/03/2014		Yes	No