

Identifying factors contributing to poor outcomes in patients with gastric cancer.

Submission date 12/03/2019	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 26/03/2019	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 24/09/2021	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Gastric cancer (GC) is the second leading cause of cancer-related mortality worldwide. Therefore, identifying the predictive factors for surgical morbidity, disease recurrence, and long-term survival is necessary for preventing GC patient mortality. We aimed to evaluate the factors that contribute to the poor prognoses of GC patients.

Who can participate?

All post-curative resection gastric cancer patients.

What does the study involve?

All patients underwent total or distal gastrectomy, and we gave chemotherapy to the patient whom a state has good.

What are the possible benefits and risks of participating?

No benefits and risks of participating.

Where is the study run from?

Onomichi General Hospital

When is the study starting and how long is it expected to run for?

May 2011 to June 2017.

Who is funding the study?

Investigator-initiated and funded.

Who is the main contact?

Hitomi Takechi, red.df2fb@gmail.com

Study website

N/A

Contact information

Type(s)

Public

Contact name

Dr Hitomi Takechi

Contact details

1-10-23, Hirahara, Onomichi-shi
Hiroshima
Japan
722-8508
+81 848 22 8111
red.df2fb@gmail.com

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number**ClinicalTrials.gov number**

Nil known

Secondary identifying numbers

Nil known

Study information

Scientific Title

Using the preoperative prognostic nutritional index as a predictive factor for non-cancer-related death in post-curative resection gastric cancer patients: a retrospective study

Acronym

GC, PNI

Study objectives

We aimed to evaluate the factors that contribute to the poor prognoses of gastric cancer patients.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 14/03/2019, Ethical Review Board of Onomichi General Hospital (1-10-23, Hirahara, Onomichi-shi, Hiroshima, 722-8508, Japan; +81-848-22-8111), ref: OJH-201892.

Study design

Retrospective, single-centre, observational, longitudinal study

Primary study design

Observational

Secondary study design

Longitudinal study

Study setting(s)

Hospital

Study type(s)

Diagnostic

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet.

Health condition(s) or problem(s) studied

Gastric adenocarcinomas

Interventions

All patients underwent total or distal gastrectomy and D1+ or D2 lymph node dissection in accordance with the Japanese Gastric Cancer Treatment Guidelines published in 2010 (ver. 3). All patients were histologically confirmed to have stage I, II, or III gastric adenocarcinomas and underwent total or distal gastrectomy. The total duration of observation and follow-up were conducted within 5 years post-operation, or until death.

Intervention Type

Other

Primary outcome measure

1. Disease-free survival is defined as the time between the date of surgery and disease recurrence or the last available follow-up.
2. Overall survival is defined as the time between the date of surgery and death or the last available follow-up.

Secondary outcome measures

1. Absolute neutrophil and lymphocyte counts are measured using routine blood and biochemical tests on the day before surgery.
2. Serum albumin is measured using routine blood and biochemical tests on the day before surgery.
3. C-reactive protein (CRP) concentrations are measured using routine blood and biochemical tests on the day before surgery.
4. Prognosis is measured using the modified Glasgow Prognosis Score, perineural invasion and neutrophil to lymphocyte ratio on the day before surgery.
5. Diagnosis is determined using surgical pathology reports after surgery.

Overall study start date

09/05/2011

Completion date

30/06/2017

Eligibility

Key inclusion criteria

Post-curative resection gastric cancer patients

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

182 patients

Total final enrolment

182

Key exclusion criteria

N/A

Date of first enrolment

14/12/2016

Date of final enrolment

15/05/2017

Locations

Countries of recruitment

Japan

Study participating centre

Department of Surgery, Onomichi General Hospital

1-10-23, Hirahara, Onomichi-shi

Hiroshima

Japan

722-8508

Sponsor information

Organisation

Department of Surgery, Onomichi General Hospital

Sponsor details

1-10-23, Hirahara, Onomichi-shi

Hiroshima

Japan

722-8508

0848228111

red.df2fb@gmail.com

Sponsor type

Hospital/treatment centre

Website

<http://onomichi-gh.jp/>

ROR

<https://ror.org/05nr3de46>

Funder(s)**Funder type**

Other

Funder Name

Investigator initiated and funded

Results and Publications**Publication and dissemination plan**

Planned publication in BMC Gastroenterology.

Intention to publish date

31/03/2019

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Hitomi Takechi (red.df2fb@gmail.com). The data will be available for 5 years.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
-------------	---------	--------------	------------	----------------	-----------------

[Results article](#)

05/08/2020

24/09/2021

Yes

No