

Effect of botulinum toxin treatment in children with cerebral palsy

Submission date 04/08/2005	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 04/08/2005	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 11/06/2008	Condition category Nervous System Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Study website

<http://www.vumc.nl/revalidatie/onderzoek>

Contact information

Type(s)

Scientific

Contact name

Prof J.G. Becher

Contact details

P.O. Box 7057
Amsterdam
Netherlands
1007 MB
+31 (0)20 444 0763
reva@vumc.nl

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

Stichting Bio-Kinderrevalidatie (PGO 01-0134); NTR41

Study information

Scientific Title

The effect of multi-level botulinum toxin treatment and intensive rehabilitation on walking ability in children with cerebral palsy

Acronym

The BOLIEN project

Study objectives

Multi-level botulinum toxin-A (BTX-A) treatment of the lower extremities in combination with comprehensive rehabilitation leads to an improvement in mobility of children with cerebral palsy.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval received from the local ethics committee.

Study design

Multicentre, randomised active controlled, parallel group trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Cerebral palsy (cerebral palsy)

Interventions

Group A: multi-level BTX injections 6 weeks after the first assessment

Group B: multi-level BTX injections 30 weeks after the first assessment

Intervention:

Multi-level treatment with botulinum toxin A (BTX). Possible target muscles for a multi-level treatment are the psoas, medial/lateral hamstrings, hip-adductors, rectus femoris, triceps surae, and tibialis anterior/posterior unilateral or bilateral. Starting one week after the multi-level BTX-injections, the patients will be treated by a physiotherapist according to a standardised treatment protocol for 12 weeks.

Randomisation:

The patients will be randomised into two groups in a multiple baseline design. Follow-up measurements will be performed at 6, 12, 24 and 48 weeks.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Botulinum toxin

Primary outcome measure

1. Gross Motor Function Measure (GMFM)
2. Energy cost of walking

Secondary outcome measures

1. Spasticity of the treated muscles
2. Passive range of motion of lower extremity joints
3. Edinburgh Visual Gait score (GAIT)
4. Paediatric Evaluation Disability Inventory (PEDI), domain mobility
5. Problem score

Overall study start date

01/02/2001

Completion date

01/08/2006

Eligibility**Key inclusion criteria**

1. Diagnosis of cerebral palsy (CP), hemiplegia or diplegia
2. Ability to walk with or without a walking aid, with or without an ankle-foot orthosis
2. Gait characterised by persistent flexion of the hip and knee in mid-stance when walking
3. Aged between 4 and 12 years

Participant type(s)

Patient

Age group

Child

Lower age limit

4 Years

Upper age limit

12 Years

Sex

Both

Target number of participants

47

Key exclusion criteria

1. BTX treatment in lower extremities 16 weeks before inclusion
2. Orthopaedic surgery 24 weeks before inclusion
3. Contra-indication for BTX-A
4. Contra-indication for general anaesthesia
5. Severe fixed contractures
6. Orthopaedic deformities, which have a bad influence on walking:
 - 6.1. (Sub)luxation of the hip with a migration index greater than 50 degrees
 - 6.2. Hip endorotation contracture greater than 15 degrees
 - 6.3. Flexion contracture of knee greater than 15 degrees
7. Presence of ataxia or dyskinesia
8. Other problems which have a negative influence on walking

Date of first enrolment

01/02/2001

Date of final enrolment

01/08/2006

Locations**Countries of recruitment**

Netherlands

Study participating centre

P.O. Box 7057

Amsterdam

Netherlands

1007 MB

Sponsor information**Organisation**

Vrije University Medical Centre (VUMC) (The Netherlands)

Sponsor details

Faculty of Earth and Life Sciences

Institute of Health Sciences

De Boelelaan 1085

Amsterdam
Netherlands
1081 HV

Sponsor type
University/education

Website
<http://www.vumc.nl/english/>

ROR
<https://ror.org/00q6h8f30>

Funder(s)

Funder type
Charity

Funder Name
Princess Beatrix Funds (Prinses Beatrix Fonds) (The Netherlands)

Funder Name
Johanna Kinderfonds (The Netherlands)

Funder Name
Foundation for Paediatric Rehabilitation (Stichting Bio-Kinderrevalidatie) (The Netherlands)

Results and Publications

Publication and dissemination plan
Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration