# A comparative pharmacokinetic study of oral mifepristone and vaginal misoprostol in pregnant women

Submission date	Recruitment status	<ul><li>Prospectively registered</li></ul>
15/05/2008	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
15/05/2008	Completed	Results
Last Edited	Condition category	Individual participant data
15/05/2008	Pregnancy and Childbirth	<ul><li>Record updated in last year</li></ul>

# Plain English summary of protocol

Not provided at time of registration

# Contact information

#### Type(s)

Scientific

#### Contact name

Dr Helena von Hertzen

#### Contact details

World Health Organization (WHO) 20 Avenue Appia Geneva-27 Switzerland CH-1211 +41 (0)22 791 3376 vonhertzenh@who.int

# Additional identifiers

**EudraCT/CTIS** number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

A65037

# Study information

#### Scientific Title

#### **Study objectives**

The present study aims at comparing the pharmacokinetics of the original formulations of mifepristone and misoprostol and a new generic co-packaged product. This is necessary to demonstrate bioequivalence to regulatory authorities.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Ethics approval received from:

- 1. World Health Organization (WHO) Scientific and Ethical Review Group, Department of Reproductive Health and Research on the 27th April 2006 (ref: A65037)
- 2. Ethics Committee of Gynaecology and Obstetrics, Otology, Ophtalmology, Neurology and Neurosurgery of the Hospital District of Helsinki and Uusimaa on the 17th August 2006 (ref: 297/E9/06)
- 3. WHO Ethics Review Committee on the 13th September 2007 (ref: A65037)

#### Study design

Randomised single-blind study

#### Primary study design

Interventional

#### Secondary study design

Randomised controlled trial

#### Study setting(s)

Hospital

# Study type(s)

Treatment

#### Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

#### Health condition(s) or problem(s) studied

Pregnancy

#### Interventions

To demonstrate bioequivalence a new generic co-packaged mifepristone (one tablet x 200 mg) /misoprostol (four tablets x 0.2 mg) product (SunPharma, India) with the original formulations of mifepristone (one tablet x 200 mg [Exelgyn, France]) and misoprostol (four tablets x 0.2 mg [Pfizer, USA]).

Contact details for Principal Investigator:
Dr Oskari Heikinheimo
Department of Obstetrics and Gynaecology
Helsinki University Central Hospital
Helsinki
00029-HUS
Finland

Tel: +358 (0)40 587 1070 Fax: +358 (0)94 717 4801

Email: oskari.heikinheimo@helsinki.fi

Details of joint sponsor: Concept Foundation (Thailand) 111 Paholyothin Rd Thailand Science Park Pathumthani 12120 Thailand

Tel: +66 (0)2 564 8021 Fax: +66 (0)2 564 8024 Email: phall@rhalliance.org

Website: http://www.conceptfoundation.org

#### **Intervention Type**

Drug

#### Phase

**Not Specified** 

#### Drug/device/biological/vaccine name(s)

Mifepristone, misoprostol

#### Primary outcome measure

The primary outcome of the study will be to ascertain the bioequivalence of each the two formulations of mifepristone and misoprostol, as determined by the measurement of the pharmacokinetic parameters, maximum serum concentration (Cmax), time to maximum serum concentration (tmax) and area under the curve (AUC) in each study group.

#### Secondary outcome measures

The secondary outcome will be the efficacy (defined as the proportion of complete abortions in each study group) and side effects of each of the two product regimens. The complete abortion rate and the induction to abortion interval will also be compared. Adverse events, if any, will be analysed on an intention to treat basis.

#### Overall study start date

19/10/2007

#### Completion date

19/10/2008

# **Eligibility**

#### Key inclusion criteria

Subjects admitted to the study will fulfil the following criteria:

- 1. Good general health
- 2. Older than the legal age of consent
- 3. On day one of the study (day of mifepristone administration) the duration of pregnancy is not more than 63 days (counted from the first day of the last menstrual period) in a normal 28-day cycle
- 4. The duration of the pregnancy corresponds to the length of amenorrhoea when verified by ultrasound; if the gestational length according to ultrasound measurements differ by more than four days, the ultrasound dating will be used
- 5. The pregnancy is single and intrauterine (single sac)
- 6. If treatment with misoprostol should fail, subject agrees to surgical termination of pregnancy
- 7. Willing and able to participate in the study once the objective and study requirements have been explained

#### Participant type(s)

**Patient** 

#### Age group

Adult

#### Sex

**Female** 

#### Target number of participants

60

#### Key exclusion criteria

Subjects will not be recruited if any of the following conditions are present:

- 1. Alleray towards mifepristone or misoprostol
- 2. A history or evidence of disorders that represent a contraindication to the use of mifepristone (chronic adrenal failure, severe asthma uncontrolled by corticosteroid therapy, inherited porphyria)
- 3. A history or evidence of disorders that represent a contraindication to the use of prostaglandins (mitral stenosis, glaucoma, sickle cell anaemia, diastolic pressure over 90 mmHg, bronchial asthma, arterial hypotension)
- 4. A history or evidence of thrombo-embolism, severe or recurrent liver disease or pruritus of pregnancy
- 5. Has any medical condition or disease that requires regular treatment with systemic drugs, care or precaution in conjunction with abortion
- 6. Tendency of abnormal bleeding (such as yon Willebrandt's disease)
- 7. The presence of intrauterine device (IUD) in utero
- 8. Previous surgery of uterus/uterine cervix is a relative contraindication, however, previous low-segment caesarean section is not a contraindication
- 9. Suspicion of any pathology of pregnancy (e.g., molar, non-viable pregnancy, threatened abortion)
- 10. Suspected or known breast or genital neoplasia
- 11. Breast-feeding
- 12. Where difficulties are anticipated in follow-up

#### Date of first enrolment

19/10/2007

#### Date of final enrolment

19/10/2008

# Locations

#### Countries of recruitment

Finland

Switzerland

# Study participating centre World Health Organization (WHO)

Geneva-27 Switzerland CH-1211

# Sponsor information

#### Organisation

World Health Organization (WHO) (Switzerland)

### Sponsor details

20 Avenue Appia Geneva-27 Switzerland CH-1211 +41 (0)22 791 3376 vonhertzenh@who.int

#### Sponsor type

Research organisation

#### Website

http://www.who.int

#### ROR

https://ror.org/01f80g185

# Funder(s)

#### Funder type

Research organisation

#### **Funder Name**

World Health Organization (WHO) (Switzerland) (ref: A65037)

#### Alternative Name(s)

, , Всемирная организация здравоохранения, Organisation mondiale de la Santé, Organización Mundial de la Salud, WHO, , BO3, OMS

#### **Funding Body Type**

Private sector organisation

#### **Funding Body Subtype**

International organizations

#### Location

Switzerland

#### **Funder Name**

Concept Foundation (Thailand) (ref: BE0101)

# **Results and Publications**

# Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

#### IPD sharing plan summary

Not provided at time of registration