Impact of replacing conventional emergency department diagnostic procedures by a singlepass whole body computed tomography (panscan) on the survival of patients with severe trauma

Submission date	Recruitment status No longer recruiting	Prospectively registered	
Registration date 24/08/2011	Overall study status Completed	 Statistical analysis plan 	
		[X] Results	
Last Edited 19/04/2017	Condition category Injury, Occupational Diseases, Poisoning	Individual participant data	

Plain English summary of protocol

Background and study aims

Despite major improvements in emergency care, severe trauma, mainly due to road traffic crashes, falls, and assaults remains the leading cause of death in the industrialized countries. The rapid transfer of trauma victims to a specialized trauma centre is life-saving. On admission, the goal of diagnostic work-up is to identify life-threatening injuries, immediately followed by surgical and intensive care. The current diagnostic standard includes different imaging procedures like ultrasound, x-rays, and a cranial (head) computed tomography (CT) scan supplemented by CT scans of individual body regions as needed. In many trauma centres worldwide, this often time-consuming approach has now been replaced by a whole-body CT-scan, called the "pan-scan" for trauma. In theory, the pan-scan may detect injuries earlier and more precisely than the traditional stepwise procedure. Although compelling and plausible, there is a lack of evidence of whether the pan-scan must also be traded-off against the increased exposure to radiation. The aim of this study is to find out whether the introduction of pan-scan into trauma resuscitation decreases mortality (death rate) for patients after severe blunt trauma compared to a conventional, staged work-up.

Who can participate?

Patients with suspected blunt multiple trauma requiring resuscitation in the emergency department/trauma bay

What does the study involve?

The outcomes of patients admitted before and after the introduction of pan-scan for severe trauma are compared. Mortality (death rate), adjusted for injury severity and other factors, morbidity (i.e. inflammatory complications like lung failure and multiple organ failure), and emergency department time are assessed.

What are the possible benefits and risks of participating? Not provided at time of registration

Where is the study run from? The University Trauma Centres in Murnau and Greifswald (Germany)

When is the study starting and how long is it expected to run for? July to October 2011

Who is funding the study? Investigator initiated and funded (Germany)

Who is the main contact? Dr Dirk Stengel zkf@ukb.de

Contact information

Type(s) Scientific

Contact name Dr Dirk Stengel

Contact details Emergency Hospital Berlin (Unfallkrankenhaus Berlin) Warener Str. 7 Berlin Germany 12683 +49 (0)30 5681 4090 zkf@ukb.de

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers ukb_PATRES_3.2_0711

Study information

Scientific Title

Effectiveness of primary whole-body computed tomography (pan-scan) in improving process and outcome quality after severe and multiple trauma (The Pan-scan for Trauma Resuscitation Study, Part 3)

Acronym PATRES-3

Study objectives

The introduction of a single-pass whole-body, contrast-enhanced computed tomography (Pan-Scan) into trauma resuscitation decreases all-cause in hospital mortality of patients after severe blunt trauma compared to a conventional, staged work-up algorithm

Ethics approval required Old ethics approval format

Ethics approval(s) Bavarian Chamber of Physicians (Bayerische Landesärztekammer), 16/03/2010

Study design Retrospective cohort study

Primary study design Observational

Secondary study design Cohort study

Study setting(s) Hospital

Study type(s) Diagnostic

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Multiple and severe blunt trauma

Interventions

1. Control cohort: Trauma resuscitation and staged diagnostic work-up according to Advanced Trauma Life Support (ATLS(R)) standards including physical examination (ABCDE-algorithm), focused assessment with sonography for trauma (FAST, including thoracic views), plain x-rays of the chest, pelvis, and spine, cranial CT, followed by selective CT-scans of suspicious body regions 2. Intervention cohort: Trauma resuscitation and staged diagnostic work-up according to Advanced Trauma Life Support (ATLS(R)) standards, primary single-pass pan-scan

Intervention Type

Phase Not Applicable

Primary outcome measure

All-cause in-hospital mortality

Secondary outcome measures

All-cause in-hospital mortality, adjusted for injury severity and other confounding / interaction variables identified by multivariable logistic regression analysis
 Morbidity (i.e. inflammatory complications like lung failure [ARDS] multiple organ failure [MOF])
 Emergency department time

Overall study start date

15/07/2011

Completion date

01/10/2011

Eligibility

Key inclusion criteria

Consecutive men and women (no age restrictions) with suspected blunt multiple trauma directly transferred from the scene to the hospital and requiring resuscitation in the emergency department / trauma bay

Participant type(s)

Patient

Age group Adult

Sex

Both

Target number of participants 300 per group

Key exclusion criteria

Due to the retrospective nature of this analysis only patients with insufficient or lacking information in the hospital documentation system will be excluded from the analysis

Date of first enrolment 15/07/2011

Date of final enrolment 01/10/2011

Locations

Countries of recruitment Germany **Study participating centre Emergency Hospital Berlin (Unfallkrankenhaus Berlin)** Berlin Germany 12683

Sponsor information

Organisation Emergency Hospital Berlin (Unfallkrankenhaus Berlin) (Germany)

Sponsor details

Warener Str. 7 Berlin Germany 12683 +49 (0)30 5681 4090 zkf@ukb.de

Sponsor type Hospital/treatment centre

Website http://www.ukb.de/

ROR https://ror.org/011zjcv36

Funder(s)

Funder type Hospital/treatment centre

Funder Name Investigator initiated and funded (Germany)

Results and Publications

Publication and dissemination plan Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	09/12/2011		Yes	No