

# A randomised controlled trial investigating the orthodontic bracket bond failure rates using Ortho Solo Universal bond enhancer compared to a conventional bonding primer

<b>Submission date</b> 30/09/2005	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 30/09/2005	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 04/08/2008	<b>Condition category</b> Oral Health	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Mr N W T Harradine

### Contact details

C/O Research & Effectiveness Department  
Level 1, The Old Building  
Bristol Royal Infirmary  
Malborough Street  
Bristol  
United Kingdom  
BS2 8HW  
+44 (0)117 928 3473  
[r&eoffice@ubht.swest.nhs.uk](mailto:r&eoffice@ubht.swest.nhs.uk)

## Additional identifiers

### Protocol serial number

N0264149441

# Study information

## Scientific Title

## Study objectives

To investigate if a new glue system reduces the number of brackets (orthodontic brace attachments to teeth) which debond (glue fails) during treatment with fixed braces.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Study type(s)

Treatment

## Health condition(s) or problem(s) studied

Oral Health

## Interventions

A split mouth design will be used with right and left in the upper arch decided by random allocation with random number tables. Only incisors, canines and premolars will be included in the study.

The two types of primer to be used for bonding are the following:

1. OrthoSolo Bond enhancer
2. Transbond XT conventional adhesive

## Intervention Type

Other

## Phase

Not Specified

## Primary outcome(s)

Bond failure rate.

## Key secondary outcome(s)

Not provided at time of registration

## Completion date

30/06/2008

# Eligibility

## Key inclusion criteria

1. Aged 16 or under
2. Both arches to be treated with fixed appliances
3. Written consent given to be included in the trial

## Participant type(s)

Patient

## Healthy volunteers allowed

No

## Age group

Child

## Upper age limit

16 years

## Sex

Not Specified

## Key exclusion criteria

Patients not meeting inclusion criteria.

## Date of first enrolment

01/07/2004

## Date of final enrolment

30/06/2008

# Locations

## Countries of recruitment

United Kingdom

England

## Study participating centre

C/O Research & Effectiveness Department

Bristol

United Kingdom

BS2 8HW

# Sponsor information

## Organisation

Department of Health

## Funder(s)

### Funder type

Government

### Funder Name

United Bristol Healthcare NHS Trust (UK)

### Funder Name

NHS R&D Support Funding (UK)

## Results and Publications

### Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	Results	01/03/2008		Yes	No