A safety study of Neucrylate AN™ Liquid Embolic System for the treatment of cerebral berry aneurysms

Submission date	Recruitment status	Prospectively registered
08/09/2009	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
06/10/2009	Completed	Results
Last Edited	Condition category	Individual participant data
11/05/2017	Circulatory System	Record updated in last year

Plain English summary of protocolNot provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Joti Johnaton Bhattacharya

Contact details

Southern General Hospital 1345 Govan Road Glasgow United Kingdom G51 4TF

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

Protocol No. VALOR 8002

Study information

Scientific Title

A prospective, non-randomised, open-label, multicenter safety study of Neucrylate AN™ Liquid Embolic System for the treatment of cerebral berry aneurysms

Study objectives

The primary objectives of this safety study are to assess the efficacy and composite safety-and-efficacy of Neucrylate AN™ Liquid Embolic System for the treatment of cerebral aneurysms. The secondary objectives assess other features of the treatment, including the incidence of all AEs, an assessment of the passage of unwanted device into the arterial lumen, the user acceptability of the device, the success of delivery, need for retreatment, and neurologic deterioration.

Ethics approval required

Old ethics approval format

Ethics approval(s)

- 1. Germany: Medical Faculty of the University Duisberg, Essen Ethics Committee, approved on 05 /05/2009 (ref: 09-4030)
- 2. United Kingdom: Scotland A Research Ethics Committee, approved on 05/08/2009 (ref: 09/MRE00/47)
- 3. Hungary: To be submitted as of 08/09/2009

Study design

Single-arm interventional study

Primary study design

Interventional

Secondary study design

Non randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Patient information materials are available at the investigational sites and by contacting Valor Medical (the trial sponsor) at info@valormedical.com

Health condition(s) or problem(s) studied

Berry aneurysms in the brain

Interventions

The treatment being studied is the Neucrylate AN™ Liquid Embolic System, which is a liquid that is placed into the aneurysm via angiography catheters. There is no comparator. There are follow-up visits at 6 weeks and at 5 months following hospital discharge. All hospital visits and all follow-up visits include neurological assessments and adverse events/serious adverse events (AE

/SAE) collection. The 6-month visit includes brain imaging (computed tomography angiography [CTA], magnetic resonance imaging [MRI]) or catheter angiography to assess the aneurysm.

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

- 1. Neurological assessments will be done using the Glasgow Coma Scale, Hunt and Hess Scale, and Modified Rankin Score. These will be done at Screening, Procedure Day, Post-procedure Day 1, Hospital Discharge, Week 6, and at the Month 6 Visit.
- 2. Aneurysm filling will be assessed using the following scale on Procedure Day and at the Month 6 Visit:

i. 0 - 24% filling

ii. 25 - 49% filling

iii. 50 - 74% filling

iv. 75 - 89% filling

v. 90% filling or more

3. Major Adverse Events (MAEs): During the implant procedure and for the 6-month follow-up period, all of the deaths, major strokes (resulting in a Modified Rankin score of >=3), and haemorrhages from the treated aneurysm will be documented.

Secondary outcome measures

- 1. Adverse Events (AEs) and Serious Adverse Events (SAEs): During the implant procedure and for the 6-month follow-up period, all of the adverse events and serious adverse events will be documented. The investigator will provide his/her opinion, based on clinical experience and judgment, on the relationship between the event and either: (a) the procedure done to implant Neucrylate™, or (b) the presence of the Neucrylate™ in the body.
- 2. Unwanted device: Unwanted passage of device beyond the aneurysm in the parent vessel, or prior to reaching the aneurysm, on a 6-point scale:
- i. No device in brain arteries noted
- ii. Device in brain arteries that compromise <=25% of the arterial lumen
- iii. Device in brain arteries that compromise 26-50% of the arterial lumen
- iv. Device in brain arteries that compromise 51-75% of the arterial lumen
- v. Device in brain arteries that compromise >=75% of the arterial lumen
- vi. Device completely occludes arterial lumen
- 3. User acceptability: For all three user acceptability measures (1) visibility of material, (2) ease of introduction, and (3) ease of delivery, assessments will be recorded.

Overall study start date

01/09/2009

Completion date

01/04/2011

Eligibility

Key inclusion criteria

- 1. Subject must be a male or female >=18 years of age (i.e., not children as defined by local law or regulation)
- 2. Subject must have a cerebral aneurysm and neurological status
- 3. Subject must be considered by the physician to be available for subsequent visits
- 4. Subject must be able to comply with all aspects of the treatment and evaluation schedule over 7 months duration
- 5. Subject must sign and date an EC/IRB-approved written informed consent prior to initiation of any study procedures, including screening procedures (if unable to sign for self, where applicable, legal representative may do so)
- 6. Subject has not previously been treated for aneurysm or subarachnoid haemorrhage

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

40

Key exclusion criteria

- 1. Subject is female and pregnant, or breastfeeding
- 2. Subject has a known allergy to cyanoacrylates
- 3. Subject has a significant bleeding disorder
- 4. Subject has known hypersensitivity to any component of the study device or procedural materials
- 5. Subject is concurrently involved in another investigational study
- 6. Subject has received any investigational product within 30 days prior to entry into this trial
- 7. Subject has an acute life-threatening illness other than the neurological disease to be treated in this trial
- 8. Inability to obtain valid informed consent (consent may be given by legal representative, where applicable)
- 9. Subject has a life expectancy of less than 1 year due to other illness or condition (in addition to aneurysm)
- 10. The subject requires treatment for fusiform or lateral aneurysm

Date of first enrolment

01/09/2009

Date of final enrolment

01/04/2011

Locations

Countries of recruitment

Germany

Hungary

Scotland

G51 4TF

United Kingdom

Study participating centre Southern General Hospital Glasgow United Kingdom

Sponsor information

Organisation

Valor Medical Inc. (USA)

Sponsor details

6749 Top Gun Street Suite 109 San Diego, CA United States of America 92121 +1 (858) 643 1675 info@valormedical.com

Sponsor type

Industry

Website

http://valormedical.com

Funder(s)

Funder type

Industry

Funder Name

Valor Medical Inc. (USA)

Results and Publications

Publication and dissemination planNot provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output typeDetailsDate createdDate addedPeer reviewed?Patient-facing?HRA research summary28/06/2023NoNo