

Effects of breathing training on respiratory muscle efficiency, pain, health-related quality of life and intake of drugs in sedentary women with fibromyalgia

Submission date 11/09/2012	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 27/10/2014	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
Last Edited 16/04/2018	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Fibromyalgia is a long-term condition of unknown cause in which patients suffer from a variety of symptoms, such as pain, muscle weakness, or tiredness. Muscle weakness can also affect the heart and lung muscles and thus can lead to poor quality of life. We want to see how well the breathing training works in increasing the strength of the lung muscles and also in alleviating symptoms such as pain and tiredness.

Who can participate?

Adult women who have been diagnosed with fibromyalgia

What does the study involve?

Women were randomly allocated to one of two groups: experimental or control group. Women in the experimental group received 12 weeks of breathing training, while the control group did not receive the training. We checked the effectiveness of the breathing technique at the start of the study, after 12 weeks and immediately after the end of the training.

What are the possible benefits and risks of participating?

Not provided at time of registration

Where is the study run from?

Not provided at time of registration

When is study starting and how long is it expected to run for?

January 2012 to April 2012

Who is funding the study?

University of Évora (Portugal)

Who is the main contact?
Prof Pablo Tomas-Carus
ptc@uevora.pt

Contact information

Type(s)
Scientific

Contact name
Prof Pablo Tomas-Carus

Contact details
University of Évora
Department of Sports and Health
Research Centre in Sports Sciences
Health and Human Development
Évora
Portugal
7000-671

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
N/A

Study information

Scientific Title

A randomised controlled trial investigating the effects of 12 weeks of breathing training techniques on respiratory muscle efficiency, pain, health-related quality of life and intake of drugs in sedentary women with fibromyalgia

Study objectives

1. 12 weeks of breathing training may lead to changes in respiratory muscle efficiency, pain and health-related quality of life, and intake of drugs of sedentary women with fibromyalgia
2. Gains in respiratory muscle efficiency are related to improvements in pain intensity of tender points and self-reported pain of sedentary women with fibromyalgia
3. Gains in respiratory muscle efficiency are related to improvements in health-related quality of life and reduced intake of specific drugs of sedentary women with fibromyalgia
4. Gains in respiratory muscle efficiency are related to reduction of intake of specific drugs of sedentary women with fibromyalgia

Ethics approval required

Old ethics approval format

Ethics approval(s)

University of Évora Ethics Committee, June 2012, ref: 1200

Study design

Single-centre interventional randomized controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Quality of life

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Syndrome of fibromyalgia

Interventions

The breathing therapy consisted of 30 minutes/session for 7-times/week (1-time supervised by an expert in breathing training techniques, and 6-times unsupervised at home with regard to audiovisual training) and for 12 weeks. Each session included five breathing exercises (3 minutes for each) were used in the form of circuit: an exercise on awareness of breathing, an exercise on costal expansion, and three exercises on diaphragmatic breathing. This circuit was performed twice, with a total time of 30 minutes per session

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

The primary endpoint with respect to effects of breathing training techniques on respiratory muscle efficiency. Therefore, the functional respiratory examination was measured with global body plethymograph. The standard parameters of ventilatory pattern were recorded: minute ventilation (VE), respiratory frequency (f), tidal volume (VT) and the ratio of inspiratory and the total times (T_i/T_{tot}). In the study of muscle efficiency, two parameters were monitored: the maximal inspiratory pressure (MIP) and maximum occlusion pressure (P0.1). The maximal expiratory pressure (MEP) was measured as a component of the study of evaluation of respiratory muscles. Measurements were taken at baseline and post-intervention at 12 weeks.

Secondary outcome measures

1. Pain was evaluated by the rheumatologist as follows:

1.1. Pain in tender points with digital dolorimeter

1.2. Widespread pain index (WPI) and total symptom severity (SS) by applying the 2010 ACR preliminary classification criteria diagnoses of fibromyalgia

1.3. Overall pain by using a visual analog scale (VAS)

2. Health-related quality of life (HRQoL) was evaluated using the Portuguese language version of the Short Form 36 Health Survey (SF-36)

3. The Portuguese version of the Fibromyalgia Impact Questionnaire (FIQ) was used to evaluate the impact of FM on patients physical and mental health

4. Type and number of drugs taken in relation to fibromyalgia were recorded

Overall study start date

23/01/2012

Completion date

30/04/2012

Eligibility

Key inclusion criteria

1. Diagnosis of fibromyalgia by a rheumatologist

2. Non-smokers and not consumers of alcohol

3. Age between 25 and 70 years

Participant type(s)

Patient

Age group

Adult

Sex

Female

Target number of participants

48 potentially eligible, 35 gave consent (exercise group: 18; control group: 17)

Key exclusion criteria

1. History of severe trauma

2. Peripheral nerve entrapment

3. Inflammatory rheumatic diseases

4. Severe psychiatric illness

5. Respiratory diseases

6. Other diseases that prevent breathing training

7. Pregnancy

8. Attend to another psychological or physical therapy

Date of first enrolment

23/01/2012

Date of final enrolment

30/04/2012

Locations**Countries of recruitment**

Portugal

Study participating centre

University of Évora

Évora

Portugal

7000-671

Sponsor information**Organisation**

University of Évora (Portugal)

Sponsor details

Department of Sports and Health

Research Centre in Sports Sciences

Health and Human Development

Romão Ramalho

59 (CLV)

Évora

Portugal

7000-671

Sponsor type

University/education

Website

<http://www.uevora.pt/>

ROR

<https://ror.org/02gyps716>

Funder(s)**Funder type**

University/education

Funder Name

University of Évora (Portugal)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/08/2018		Yes	No