Effect of wearable continuous vital signs measurements on general wards length of stay

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
13/12/2021		Protocol		
Registration date	Overall study status	Statistical analysis plan		
24/12/2021	Completed	[X] Results		
Last Edited	Condition category	Individual participant data		
19/01/2024	Surgery			

Plain English summary of protocol

Background and study aims

Surgical complications are unfortunately still common. For several years now, wearable, wireless devices for continuous measurements of vital signs become available instead of intermittent, manual measurements. This makes it possible to detect clinical deterioration earlier, potentially improving care outcomes. The study aims to determine the effect of continuous monitoring of vital signs in the ward on length of hospital stay in colorectal, pancreatic, and liver surgery.

Who can participate?

Patients undergoing colorectal, pancreatic, or liver resections.

What does the study involve?

Patients wear a wearable sensor for continuously measuring heart rate and respiratory rate after surgery during their hospital stay.

What are the possible benefits and risks of participating?

Possible benefit for patients is that clinical deterioration is earlier detected and treated. There are no risks in participating.

Where is the study run from? Isala, Zwolle (Netherlands)

When is the study starting and how long is it expected to run for? February 2020 to July 2022

Who is funding the study?
Isala Innovation & Science Funds (Netherlands)

Who is the main contact?

JPL Leenen, MSc, j.p.l.leenen@isala.nl

Contact information

Type(s)

Scientific

Contact name

Mr Jobbe Leenen

ORCID ID

https://orcid.org/0000-0001-7269-2892

Contact details

Dr. van Heesweg 2 Zwolle Netherlands 8025 AB +31 384241245 j.p.l.leenen@isala.nl

Type(s)

Scientific

Contact name

Dr Gijsbert Patijn

ORCID ID

https://orcid.org/0000-0001-8113-4171

Contact details

Dr. van Heesweg 2 Zwolle Netherlands 8025 AB +31 384244349 g.a.patijn@isala.nl

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

ID1

Study information

Scientific Title

Effectiveness of wireless wearable continuous vital signs monitoring on wards: a prospective single-arm study with historical control group

Acronym

Ef-CoMoViSi trial

Study objectives

Continuous monitoring of vital signs reduces length of stay than intermittent vital signs monitoring on the general ward

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 17/12/2021, METC Isala (Dr. van Heesweg 2, Building M [Mondriaan], room 0.25, Mailbox 10400, Zwolle, 8000 GK, Netherlands; +31 (0)88 624 30 82; metc@isala.nl), ref: 20211114

Study design

Prospective single-arm study with historic control group

Primary study design

Observational

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Vital signs of surgical patients undergoing colorectal, liver and pancreatic resections

Interventions

During the pre-admission consult by telephone, study information is given by the nurse and informed consent was provided by the patient. When patients are admitted and underwent surgery, the wearable sensor (Philips Healthdot) for continuous monitoring of vital signs is attached by the nurse. Vital signs are intermittently measured and monitored according to the Modified Early Warning Score protocol (once daily). Until discharge, the patient wears the sensor and vital sign trends are reviewed six times a day by the nurse and once a day by the physician. When trends deviated, necessary actions were taken. When the patient was discharged, the sensor was detached. After one month, clinical outcomes were registered based upon the patient file.

The control group was a historical cohort of patients included through the EMR.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Wearable vital signs monitoring (Philips Healthdot, Philips, Eindhoven, NL)

Primary outcome(s)

Length of stay (in days) measured using the admission and discharge date in days from the Electronic Medical Record (EMR) at 30 days after discharge.

Key secondary outcome(s))

- 1. RRT calls measured using reports in the EMR at 30 days after discharge.
- 2. House-officer calls measured using reports in the EMR at 30 days after discharge
- 3. Unplanned ICU admission measured using reports in the EMR at 30 days after discharge
- 4. ICU length of stay measured using reports in the EMR at 30 days after discharge
- 5. Mortality measured using reports in the EMR at 30 days after discharge
- 6. Readmission measured using reports in the EMR at 30 days after discharge
- 7. Unplanned diagnostics measured using reports in the EMR at 30 days after discharge
- 8. Discharge destination measured using reports in the EMR at 30 days after discharge
- 9. Nursing care after admission measured using reports in the EMR at 30 days after discharge
- 10. Days alive at home (DAH30) measured using reports in the EMR at 30 days after discharge
- 11. Complication rate according Clavien-Dindo classification using reports in the EMR at 30 days after discharge
- 12. Failure-to-rescue measured using reports in the EMR at 30 days after discharge

Completion date

01/07/2022

Eligibility

Key inclusion criteria

- 1. Expected length of stay ≥2 days
- 2. Admitted to the surgical ward of Isala
- 3. Admission indication: Colorectal, Liver or Pancreatic resection

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

Not being able to provide informed consent

Date of first enrolment

01/01/2022

Date of final enrolment

01/07/2022

Locations

Countries of recruitment

Study participating centre Isala

Dr. van Heesweg 2 Zwolle Netherlands 8025 AB

Sponsor information

Organisation

Isala

ROR

https://ror.org/046a2wj10

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Isala

Results and Publications

Individual participant data (IPD) sharing plan

The anonymized datasets generated during and analysed during the current study will be available upon request from JPL Leenen (j.p.l.leenen@isala.nl)

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		17/01/2024	19/01/2024	Yes	No
Participant information sheet	version 1	01/04/2021	21/12/2021	No	Yes
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes