

UK heel fracture trial: surgical treatment versus non-operative care

Submission date 07/02/2006	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
Registration date 22/02/2006	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 28/07/2014	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Damian Griffin

Contact details
Warwick Medical School
Clinical Sciences Building
Research Wing
Clifford Bridge Road
Coventry
United Kingdom
CV2 2DX
+44 (0)2476 968618
damian.griffin@warwick.ac.uk

Additional identifiers

Protocol serial number
15964

Study information

Scientific Title

Improved functional outcome in heel fracture with surgical treatment versus non-operative care: a randomised controlled trial

Study objectives

Surgical treatment leads to improved functional outcome compared with non-operative care.

Please note that as of 09/02/2009 the trial start and end dates of this record were updated. The initial dates at the time of registration were:

Initial anticipated start date: 01/01/2006

initial anticipated end date: 30/06/2010

Ethics approval required

Old ethics approval format

Ethics approval(s)

Oxfordshire REC A, 24/05/2006, ref: 06/Q1604/58

Study design

Observer blind randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Calcaneal fracture

Interventions

Intervention: open reduction and internal fixation by extensile lateral approach

Control: non-surgical treatment with elevation and ice followed by spintage and early mobilisation

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

The Kerr Calcaneal Fracture Score (a validated, reliable, patient-derived outcome instrument for pain and function following calcaneal fracture, accepted by surgeons working in the area)

Key secondary outcome(s)

Amended as of 09/02/2009:

Point four has been amended as follows:

4. Gait and foot pressure analysis using F-Scan for gait analysis. This is an in shoe pressure system which also enables objective assessment of various parameters of gait.

Initial information at time of registration:

1. Complications, including wound dehiscence, infection, mal-union, non-union and radiographic arthritis
2. General health using the SF-36 questionnaire
3. American Orthopaedic Foot and Ankle Society Hind Foot Score
4. Gait and foot pressure analysis using GAITRite (a simple portable pressure sensitive mat connected to a laptop computer that enables objective assessment of various parameters of gait including walking speed, step length, and dynamic contact pressures)
5. Health status using EQ-5D
6. Resource use will be monitored for the economic analysis. National Health Service (NHS) costs will be collated for each trial arm. Cost-consequences will be monitored via short questionnaires. In addition, average time off work or reduced working hours attributed to the condition in both groups will be recorded.

Completion date

30/11/2010

Eligibility

Key inclusion criteria

1. Closed displaced intra-articular fractures of the calcaneus
2. Aged over 18 years, no upper age limit, either sex

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

Amended as of 09/02/2009:

1. Calcaneal fracture with severe deformity resulting in fibula impingement
2. Previous calcaneal abnormality (infection, tumour or deformity)
3. Other serious injuries to either lower limb that would interfere with rehabilitation of the index calcaneal fracture
4. Peripheral vascular disease (defined as having been investigated or treated for poor lower limb circulation)
5. Other contra-indication to surgery, defined as:
 - 5.1. Severe cardiac impairment, e.g. heart or valve replacement, arrhythmia, previous myocardial infarction
 - 5.2. Severe respiratory impairment, e.g. chronic obstructive pulmonary disease, asthma that has

required hospital admission

5.3. Any other systemic medical condition that would produce a specific contraindication to a general anaesthetic

6. Evidence that the patient would be unable to adhere to trial procedures or complete questionnaires, such as dementia or intravenous drug abuse

Initial information at time of registration:

1. Diabetes

2. Peripheral vascular disease, or other local or systemic contra-indication to surgery

3. Injury to the ipsilateral leg

4. Very severe deformity with the lateral wall of the calcaneus impinging upon the fibula

Date of first enrolment

01/06/2006

Date of final enrolment

30/11/2010

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Warwick Medical School

Coventry

United Kingdom

CV2 2DX

Sponsor information

Organisation

University Hospitals Coventry and Warwickshire NHS Trust (UK)

ROR

<https://ror.org/025n38288>

Funder(s)

Funder type

Charity

Funder Name

Arthritis Research Campaign (ARC) (UK) (ref: 15964)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	24/07/2014		Yes	No