

# Grid removals vs. dose and image quality for diagnostic imaging on a Innova 2000 cardiac system.

<b>Submission date</b> 30/09/2005	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 30/09/2005	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 01/07/2010	<b>Condition category</b> Circulatory System	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Dr Henry Lindsay

### Contact details

Bradford Cardiology Research Unit  
Ward 22  
Bradford Royal Infirmary  
Duckworth Lane  
Bradford  
United Kingdom  
BD9 6RJ  
+44 (0)1274 364 181  
[Steven.lindsay@bradfordhospitals.nhs.uk](mailto:Steven.lindsay@bradfordhospitals.nhs.uk)

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

## Secondary identifying numbers

N0050140299

# Study information

## Scientific Title

## Study objectives

Demonstrate a reduction in patient exposure/dose commensurate with no negative impact on diagnosis by removing antiscatter grid.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Hospital

## Study type(s)

Diagnostic

## Participant information sheet

## Health condition(s) or problem(s) studied

Coronary artery disease

## Interventions

Patients referred for diagnosis of coronary artery disease and with a Body Mass Index of less than 40 will be randomised into two groups. One group will receive the standard technique with grid, the other group will receive the modified (lower skin dose) technique without the grid. Post diagnosis images acquired will be double blindly reviewed for image quality.

## Intervention Type

Other

## Phase

Not Applicable

**Primary outcome measure**

1. Successful diagnosis of disease
2. Lower skin dose to the patient
3. Lower exposure to members of staff monitored during the trial as the employer is required to do by IRR1999 regulation 8(1)

**Secondary outcome measures**

Not provided at time of registration

**Overall study start date**

28/01/2004

**Completion date**

28/07/2004

## Eligibility

**Key inclusion criteria**

1. Patients referred for diagnosis of coronary artery disease by coronary angiography . 100
2. BMI <40

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Both

**Target number of participants**

100 recruited locally

**Key exclusion criteria**

1. Risk of pregnancy
2. Patients with suspected valve disease
3. BMI  $\geq$  40

**Date of first enrolment**

28/01/2004

**Date of final enrolment**

28/07/2004

## Locations

**Countries of recruitment**

England

United Kingdom

**Study participating centre**  
**Bradford Cardiology Research Unit**  
Bradford  
United Kingdom  
BD9 6RJ

## **Sponsor information**

**Organisation**  
Department of Health

**Sponsor details**  
Richmond House  
79 Whitehall  
London  
United Kingdom  
SW1A 2NL  
+44 (0)20 7307 2622  
dhmail@doh.gsi.org.uk

**Sponsor type**  
Government

**Website**  
<http://www.dh.gov.uk/Home/fs/en>

## **Funder(s)**

**Funder type**  
Government

**Funder Name**  
Bradford Teaching Hospitals NHS Foundation Trust (UK)

## **Results and Publications**

**Publication and dissemination plan**  
Not provided at time of registration

**Intention to publish date**

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**

Not provided at time of registration