The effect of pre- and post-operative supplemental enteral nutrition in high-risk patients undergoing elective cardiac surgery. A prospective randomised placebo controlled double blind multicentre trial.

Submission date	Recruitment status	Prospectively registered
27/01/2006	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
27/01/2006	Completed	[X] Results
Last Edited	Condition category	[] Individual participant data
26/08/2009	Surgery	

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Robert Tepaske

Contact details

Academic Medical Center
Department of Intensive Care, C3-324
P.O. Box 22660
Amsterdam
Netherlands
1105 AZ
r.tepaske@amc.uva.nl

Additional identifiers

ClinicalTrials.gov (NCT) NCT00247793

Protocol serial number

Study information

Scientific Title

Acronym

IMPACT II

Study objectives

The effects of a pre-operative supplemental enteral feeding with IMPACT® on the systemic inflammatory response to cardiopulmonary bypass and on immunological parameters will be examined.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Received from local medical ethics committee

Study design

Multicentre prospective randomised double blind placebo controlled parallel group trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

High risk patients undergoing elective cardiac surgery

Interventions

All patients receive an oral nutritional supplement for at least 5 days with a maximum of 10 days before their operation in addition to their normal diet. One treatment group received a supplement that was enriched with arginine, omega-3 PUFAs and nucleotides compared to the control. The other treatment group received a supplement that was further enriched with glycine compared with the first treatment group. Patients that needed enteral nutrition post-operatively received a formula that was comparable with the pre-operative supplement.

Intervention Type

Procedure/Surgery

Phase

Not Specified

Primary outcome(s)

Postoperative morbidity e.g. infectious morbidity and organ (dys)function

Key secondary outcome(s))

Immunological parameters (inflammatory response) ICU and hospital stay of length

Completion date

01/11/1997

Eligibility

Key inclusion criteria

Patients aged ≥70 years undergoing coronary bypass grafting, or pre-operative fraction <0.40 or patients undergoing mitral valve replacements or combinations

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Senior

Sex

All

Key exclusion criteria

- 1. Age <21 years
- 2. Pregnancy
- 3. Insulin dependent diabetes mellitus
- 4. Hepatic cirrhosis
- 5. Known malignancy
- 6. Use of chemotherapy, NSAIDs or corticosteroids
- 7. Schizophrenia
- 8. Severe renal failure
- 9. Patients with organ transplantation in the past

Date of first enrolment

01/05/1996

Date of final enrolment

01/11/1997

Locations

Countries of recruitment

Netherlands

Study participating centre

Academic Medical Center

Amsterdam Netherlands 1105 AZ

Sponsor information

Organisation

Academic Medical Centre (AMC) (Netherlands)

ROR

https://ror.org/03t4gr691

Funder(s)

Funder type

Industry

Funder Name

Novartis (Switzerland)

Alternative Name(s)

Novartis AG, Novartis International AG

Funding Body Type

Government organisation

Funding Body Subtype

For-profit companies (industry)

Location

Switzerland

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output typeDetailsDate createdDate addedPeer reviewed?Patient-facing?Results articleresults01/09/2001YesNo