

# Attention control training for infants at risk of ADHD

|  |   |  |
|--|---|--|
| <b>Submission date</b><br>19/06/2015   | <b>Recruitment status</b><br>No longer recruiting             | <input checked="" type="checkbox"/> Prospectively registered<br><input checked="" type="checkbox"/> Protocol |
| <b>Registration date</b><br>22/06/2015 | <b>Overall study status</b><br>Completed                      | <input checked="" type="checkbox"/> Statistical analysis plan<br><input checked="" type="checkbox"/> Results |
| <b>Last Edited</b><br>22/12/2021       | <b>Condition category</b><br>Mental and Behavioural Disorders | <input type="checkbox"/> Individual participant data   |

## Plain English summary of protocol

### Background and study aims

Attention deficit/hyperactivity disorder (ADHD) is a developmental condition that has a significant impact on a person's education, social development and communication. Medication is often used as a treatment but this has limited effects. Psychological approaches, although more acceptable to many, have not worked well, perhaps due to being administered too late in development. The best time to intervene is likely to be in infancy, before the disorder fully develops and when brains are more amenable to positive environmental effects. To test this idea we will undertake a study of a novel computer-based attention training treatment for infants identified as being at increased genetic risk for ADHD. The training approach uses state of the art technology to link attention allocation (as measured by infant gaze) to rewarding images and outcomes on the screen – thus reinforcing concentration and strengthening attention capacity (as previously shown in typically developing infants). We are interested to see whether such effects can also be seen in infants at risk for ADHD, whether there are knock-on effects on early manifestations of ADHD behaviours, and what the brain processes underpinning such effects might be. If the initial study is successful, we will plan a larger scale effectiveness RCT in the near future.

### Who can participate?

Children under 14 months old identified as being at increased genetic risk of ADHD as they all have an immediate family member with a diagnosis of ADHD and/or hyperactive symptoms.

### What does the study involve?

Participants are randomly allocated into one of two groups. Those in group 1 (training group) are given up to 9 weekly 'in home' sessions of the computer-based training over a 3 month period (one session a week). Those in group 2 (control) are given up to 9 weekly 'in home' sessions (over a 3 month period) of non-contingent videos. The aim is to run the sessions at the participants family home but they can be run in the clinic or in the lab based on the family's needs and wishes. Pre-training (10-14 months) and post-training assessments (14-18 months) are administered both at home and in the lab, at the Centre for Brain and Cognitive Development (CBCD). An intermediate home-based assessment is also carried out after the first five training sessions. In addition, longer-term follow-ups occur at 24 and 36 months through a linked study (MRC-STARS).

What are the possible benefits and risks of participating?

Over the course of the study, participants will have the opportunity to learn about research in ADHD and interact directly with researchers in the field. In the long term, this study will benefit future families of children with ADHD. There are no notable risks associated with taking part in this study.

Where is the study run from?

Centre for Brain and Cognitive Development (London), University of Southampton, King's College London, South London and Maudsley NHS Foundation Trust and the Solent NHS Trust (UK)

When is the study starting and how long is it expected to run for?

April 2015 to September 2018

Who is funding the study?

MQ Transforming Mental Health (UK)

Who is the main contact?

1. Dr Amy Goodwin (public), amy.l.goodwin@kcl.ac.uk (updated 13/09/2021, previously: amy.goodwin@bbk.ac.uk)
2. Dr Emily Jones (scientific)
3. Professor Mark Johnson (scientific)

## Contact information

### Type(s)

Public

### Contact name

Dr Amy Goodwin

### Contact details

Centre for Brain & Cognitive Development (CBCD)  
Birkbeck  
University of London  
London  
United Kingdom  
WC1E 7HX  
+44 20 7079 0761  
amy.l.goodwin@kcl.ac.uk

### Type(s)

Scientific

### Contact name

Dr Emily Jones

### Contact details

Centre for Brain and Cognitive Development (CBCD)  
Birkbeck College

Malet Street  
London  
United Kingdom  
WC1E 7HX  
+44 20 7631 6587  
e.jones@bbk.ac.uk

**Type(s)**

Scientific

**Contact name**

Dr Mark Johnson

**Contact details**

Centre for Brain and Cognitive Development (CBCD)  
Birkbeck College  
Malet Street  
London  
United Kingdom  
WC1E 7HX

**Additional identifiers****Protocol serial number**

N/A

**Study information****Scientific Title**

Attention control training for infants at risk of ADHD: a randomised controlled trial

**Acronym**

INTER-STARS

**Study objectives**

The study hypotheses are the following:

1. The proposed training programme will improve attention control in infants at familial risk for ADHD
2. These effects will be mediated by changes in the executive attention system and will transfer to a range of testing contexts in the short and medium term
3. These changes in neurocognitive function will be associated with reductions in early emerging symptoms of ADHD

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

NRES – London Central, ref: 15/LO/0407.

**Study design**

Phase 2 randomised controlled trial

## **Primary study design**

Interventional

## **Study type(s)**

Treatment

## **Health condition(s) or problem(s) studied**

Infants at risk for Attention Deficit Hyperactivity Disorder (ADHD)

## **Interventions**

Training Programme:

Individual training sessions will be conducted by research assistants in the participants' homes under the supervision of an experienced postdoctoral researcher. The infant training protocol consists of a battery of gaze-contingent adaptive tasks targeting attention control. These tasks are designed to train attention control across cognitive domains that include sustained attention, working memory, visual search and inhibitory control. Tasks are designed to be attractive and enjoyable for infants, to maximise participant retention and acceptability of the intervention to families. Games are adaptive, such that they become harder as infants perform better. This maintains motivation and ensures that training is targeted at an appropriate level for individual infants.

Control Training:

The Control group will receive up to 9 weekly 'in home' sessions over three months (approximately one session per week) of infant-directed commercial videos. Set-up, procedures, audiovisual complexity and duration of clips will be matched to the training condition where possible.

## **Intervention Type**

Behavioural

## **Primary outcome(s)**

Our primary outcome measure will be a composite measure of:

1. Cognitive control, expressed as the percentage of trials on which infants correctly anticipate the location of the target stimulus during both the learning and reversal phase
2. Disengaging visual attention as measured in the gap-overlap task by the difference in saccadic reaction times between the baseline and the overlap condition
3. Sustained attention, expressed as peak look duration during the interesting condition minus peak look duration during the boring condition (or alternatively we can use the ratio), across both home and lab-based measures. To note, in the lab-based sustained attention task only one type of stimulus is used to calculate the peak look duration

Treatment blind analysis will be carried out to assess quality of data collected during testing sessions. Therefore we will use a home-lab composite primary outcome measure score UNLESS the following conditions are not met for at least 75% of the sample:

1. Cognitive control task: each infant must have a minimum 4 trials with anticipations (either correct or incorrect) for both learning and reversal phases
2. Gap-overlap task: each infant must have a minimum of 5 valid trials per condition (baseline, gap, overlap)

3. Sustained attention: a minimum of 4 'looks' per infant during both boring and interesting phases.

4. Time between last home session and post-training lab-visit less than 4 weeks

If these conditions are not met for 75% of the sample, then we will EITHER use the home measures only (if 1, 2 and 3 are met for 75% of infants for the home battery, but 4 is not met) or the lab measures only, (if 1, 2 and 3 are not met for the home battery but 4 is met) to calculate the final composite score.

If this is not possible (e.g. 1, 2, 3 and 4 are not met for the home battery) then we will select either the lab or the home composite on the basis of which battery has the greater proportion of infants who meet criteria 1, 2 and 3.

### **Key secondary outcome(s)**

Secondary outcome measures will include:

1. Measures of generalisation to behaviour

We will employ several behavioural measures of sustained attention and activity level at 14 months. These include:

1.1. Infant Behaviour Questionnaire (IBQ; assessment of temperament including domains such as attentional focusing, effortful control)

1.2. Toy play (duration of attention to objects)

1.3. Early Social Communication Scales (ESCS, Initiating Joint Attention and Responding to Joint Attention tasks)

These measures tap behaviours that are relevant in everyday contexts for infants. For example, the IBQ asks about a child's ability to pay attention for extended periods during book reading or interaction with a parent. Further, performance on these measures has been linked to levels of later ADHD symptoms. Thus, these measures will allow us to assess the generalisability of training effects to naturalistic contexts.

### **Completion date**

31/01/2019

## **Eligibility**

### **Key inclusion criteria**

Inclusion criteria as of 12/01/2017

1. Infants will be under 14 months of age at enrolment;

2. Infants will have a first degree relative (an older sibling or a parent) with a clinical and/or research diagnosis of ADHD or a probable diagnosis of ADHD (assessed using DSM IV or V criteria). To note, depending on recruitment's rates, we may also recruit infants with an older sibling or parent with ASD;

3. Infants have agreed to take part in our affiliated STAARS project.

Screening procedure for ADHD probable diagnosis:

In order to maximise participation in the final months of recruitment the study team aim to introduce a targeted screening approach of specific populations. If an interested family will contact us about INTER-STAARS with a suspected diagnosis of ADHD for either a parent or child, we will assess eligibility using the following criteria:

Children

1. For children aged <6 years old:

A shortened version of the Conners Early Childhood (Conners, 2009) will be administered over the phone with a parent by a trained researcher. Cut-offs for inclusion will be:

1.1. Presence of 4 DSM-5 ADHD symptoms on either the inattention scale or the hyperactivity/impulsivity scale

1.2. Positive score on the impairment scale

2. For children aged  $\geq 6$  years old:

A shortened version of the Conners 3 (Conners, 2008) will be administered over the phone with a parent by a trained researcher. Cut-offs for inclusion will be:

2.1. Presence of 5 DSM-5 ADHD symptoms on either the inattention scale or the hyperactivity/impulsivity scale.

2.2. Positive score on the impairment scale.

#### Adults

1. A shortened version of the Conners Adult ADHD Rating Scale (CAARS, Conners, Erhart & Sparrow, 2003) will be administered over the phone by a trained researcher. The cut-off for inclusion will be:

1.1. Presence of 5 DSM-5 ADHD symptoms for either the hyperactivity/impulsivity or inattention scale.

#### Original inclusion criteria:

1. Infants will be under 12 months of age at enrolment;

2. Infants will have a first degree relative (an older sibling or a parent) with a clinical and/or research diagnosis of ADHD or a probable diagnosis of ADHD (assessed using DSM IV or V criteria). To note, depending on recruitment's rates, we may also recruit infants with an older sibling or parent with ASD

#### Participant type(s)

Other

#### Healthy volunteers allowed

No

#### Age group

Neonate

#### Sex

All

#### Key exclusion criteria

1. Serious medical or developmental conditions, such as epilepsy, heart conditions, cerebral palsy, intellectual disability

2. Significant uncorrected vision or hearing problems;

3. Eye-tracker not able to track infants' eyes after four consecutive attempts as measured during the pre-training home assessment

Added 12/01/2017:

4. Down Syndrome in the older sibling

#### Date of first enrolment

01/07/2015

**Date of final enrolment**

30/09/2018

**Locations****Countries of recruitment**

United Kingdom

England

**Study participating centre****Centre For Brain and Cognitive Development (CBCD) (lead centre)**

Birkbeck College, Malet Street

London

United Kingdom

WC1E 7HX

**Study participating centre****University of Southampton**

Highfield Campus

Southampton

United Kingdom

SO17 1BJ

**Study participating centre****King's College London**

Institute of Psychiatry, Psychology and Neuroscience (IoPPN), De Crespigny Park

London

United Kingdom

SE5 8AF

**Study participating centre****South London and Maudsley NHS Foundation Trust (SLaM)**

Maudsley Hospital, Denmark Hill

London

United Kingdom

SE5 8AZ

**Study participating centre****Solent NHS Trust**

Adelaide Health Centre, Western Community Hospital, William Macleod Way

Southampton  
United Kingdom  
SO16 4XE

## Sponsor information

### Organisation

Birkbeck College

### ROR

<https://ror.org/02mb95055>

## Funder(s)

### Funder type

Charity

### Funder Name

MQ Transforming Mental Health

## Results and Publications

### Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Dr Simona Salomone ([ubssal002@mail.bbk.ac.uk](mailto:ubssal002@mail.bbk.ac.uk))

### IPD sharing plan summary

Available on request

### Study outputs

| Output type                                   | Details                       | Date created | Date added | Peer reviewed? | Patient-facing? |
|---|-------------------------------|--------------|------------|----------------|-----------------|
| <a href="#">Results article</a>               |                               | 20/12/2021   | 22/12/2021 | Yes            | No              |
| <a href="#">Protocol article</a>              | protocol                      | 28/12/2016   |            | Yes            | No              |
| <a href="#">HRA research summary</a>          |                               |              | 28/06/2023 | No             | No              |
| <a href="#">Participant information sheet</a> | Participant information sheet | 11/11/2025   | 11/11/2025 | No             | Yes             |
| <a href="#">Statistical Analysis Plan</a>     | version v2.0                  | 16/07/2019   | 16/07/2019 | No             | No              |
| <a href="#">Study website</a>                 | Study website                 | 11/11/2025   | 11/11/2025 | No             | Yes             |