# POPPIE: Pilot study Of midwifery Practice in Preterm birth Including women's Experiences

| Submission date              | <b>Recruitment status</b> No longer recruiting | <ul><li>Prospectively registered</li></ul> |  |  |
|------------------------------|--|--|--|--|
| 21/08/2017                   |  | [X] Protocol                               |  |  |
| Registration date 21/08/2017 | Overall study status Completed                 | [X] Statistical analysis plan              |  |  |
|                              |  | [X] Results                                |  |  |
| Last Edited                  | Condition category                             | [] Individual participant data             |  |  |
| 17/09/2024                   | Pregnancy and Childbirth                       |  |  |  |

#### Plain English summary of protocol

Background and study aims

In 2012, 7% of live births in England and Wales were premature (born before 37 weeks). Babies born prematurely may need special care, are more likely to die and are more likely to have disabilities or develop health problems in adult life than those born at full term. In 40% of cases, the cause of premature birth is unknown. However, it is known that some women are more at risk. This includes, for example, those who have previously given birth early, have had a late miscarriage or women who have had surgery on their cervix. A study found that women who receive care from the same midwife or team of midwives during pregnancy, birth and after birth are 24% less likely to experience preterm birth. Screening women at risk of preterm birth in specialist obstetric clinics is now considered to be helpful, but these methods are rarely used and women who require specialist expertise often suffer from fragmented maternity care. A care pathway has been developed which combines continuity of midwife care with rapid referral to a specialist obstetric clinic throughout pregnancy through to the postpartum period for women who at high risk of preterm birth. The aim of this study to test whether this new model of care is feasible and improves experience and outcomes for mother and child.

#### Who can participate?

Pregnant women with a single pregnancy (24 weeks or less) who at risk of preterm birth

#### What does the study involve?

Participants are randomly allocated either to standard care or the preterm midwifery team. Participants allocated to standard care receive the same care as they would normally receive according to their local maternity services in line with usual practice. Participants allocated to the the preterm midwifery team are assigned a named midwife and a partner midwife who together with a small team of midwives provide continuity of care throughout pregnancy, birth and the postnatal period. The midwife works in partnership with the participants, assesses their needs, plans their care, refers them to other professionals if required, and ensures that they have access to maternity services needed. All participants are followed up through the hospital records and questionnaires. Some participants are invited to attend an interview during the postnatal period about their experience of the type of care received.

What are the possible benefits and risks of participating?

It cannot be promised that the study will directly benefit the participants, but it will help to develop a model of maternity care that may benefit women in the future. Taking part in the study is not expected to disadvantage participants in any way. However, completing the questionnaires and an interview may take up to one hour of their time.

Where is the study run from? Lewisham and Greenwich NHS Trust (UK)

When is the study starting and how long is it expected to run for? May 2017 to May 2019

Who is funding the study? National Institute for Health Research CLAHRC South London (UK)

Who is the main contact?

1. Mrs Cristina Fernandez Turienzo cristina.fernandez\_turienzo@kcl.ac.uk

2. Prof. Jane Sandall jane.sandall@kcl.ac.uk

3. Mrs Jackie Moulla

#### Contact information

#### Type(s)

Scientific

#### Contact name

Mrs Cristina Fernandez Turienzo

#### ORCID ID

https://orcid.org/0000-0002-7393-6593

#### Contact details

Department of Women and Children's Health School of Life Course Sciences Faculty of Life Sciences & Medicine King's College London St. Thomas' Hospital London United Kingdom SE1 7EH +44 (0)207 188 7188 (exte. 89853) cristina.fernandez turienzo@kcl.ac.uk

#### Type(s)

Scientific

#### Contact name

Prof Jane Sandall

#### **ORCID ID**

https://orcid.org/0000-0003-2000-743X

#### Contact details

Department of Women and Children's Health School of Life Course Sciences Faculty of Life Sciences & Medicine King's College London St. Thomas' Hospital London United Kingdom SE1 7EH +44 (0)20 7188 3639 jane.sandall@kcl.ac.uk

#### Type(s)

Scientific

#### Contact name

Mrs Jackie Moulla

#### Contact details

Lewisham and Greenwich NHS Trust University Hospital Lewisham Lewisham High Street London United Kingdom SE13 6LH

#### Additional identifiers

#### Protocol serial number

31951; 214196

## Study information

#### Scientific Title

POPPIE: Pilot study Of midwifery Practice in Preterm birth Including women's Experiences

#### Acronym

**POPPIE** 

#### Study objectives

A model of continuity of midwifery care for women at risk of preterm birth is feasible, and improves pregnancy experience and outcomes.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

London - South East Research Ethics Committee, 07/03/2017, ref: 17/LO/0029

#### Study design

Randomised; Interventional; Design type: Process of Care, Complex Intervention, Management of Care

#### Primary study design

Interventional

#### Study type(s)

Treatment

#### Health condition(s) or problem(s) studied

Specialty: Reproductive health and childbirth, Primary sub-specialty: General Obstetrics/ Midwifery; UKCRC code/ Disease: Reproductive Health and Childbirth/ Complications of labour and delivery

#### **Interventions**

The allocation ratio of intervention to control will be 1:1. Randomisation will be managed via a secure web-based randomisation facility hosted by MedSciNet which will write the randomisation program and hold the allocation code.

#### POPPIE care

Women randomised to the intervention group will receive continuity of midwifery care, which aims to provide ante-, intra- and postnatal care mainly from one midwife or her/his practice partner (backed up by the team for out of hours care) in either community or hospital settings, to a defined group of women identified at increased risk of preterm birth. Midwife continuity of care is provided in a multi-disciplinary network of consultation and referral with other care providers. Some antenatal and/or intrapartum and/or postpartum care is provided in consultation with medical staff as appropriate. Within these models, midwives are, however, in partnership with the woman, the lead professional with responsibility for assessment of her needs, planning her care, referral to other professionals as appropriate, and for ensuring provision of maternity services. The POPPIE team will comprise 6 wte midwives, including the team leader.

#### Standard care

Women allocated to the control group will receive the current model of maternity care at the study site with access to expertise as required according to NICE and Trust antenatal care guidelines. Antenatal care is provided by antenatal staff (midwives and obstetricians). Staff in the Birth Units provide labour and birth care and midwives in the postnatal ward provide postnatal care. Women are also offered midwifery visits at home following discharge from hospital.

#### Intervention Type

Other

#### Primary outcome(s)

The initiation of the following interventions related to the prevention and/or management of preterm labour and birth: antibiotics for UTIs, smoking cessation and domestic violence

referrals, transvaginal scan assessments of the cervix, fetal fibronectin assessments, cerclage insertion, progesterone administration, corticosteroid administration, magnesium sulphate administration, admission for observation or in utero transfer; Timepoint(s): following birth

#### Key secondary outcome(s))

- 1. Recruitment and attrition rates and acceptability to women, healthcare professionals and stakeholders; Timepoints: at baseline/randomisation and in mid and post-implementation
- 2. Health in pregnancy: other complications; Timepoint: following birth
- 3. Labour and birth outcomes; Timepoint: following birth
- 4. Maternal and neonatal postnatal outcomes; Timepoint: following birth
- 5. Measure of implementation; Timepoints: early, mild and post-implementation
- 6. Measure of quality of care; Timepoint: 4/6 weeks after birth
- 7. Measure of women's experience (trust, stress, system responsiveness, and safety); Timepoint: 4/6 weeks after birth
- 8. Assessment of psycho-social health; Timepoints: at baseline/randomisation and 4/6 weeks after birth
- 9. Health economic analysis of cost and resource use for mothers and infants; Timepoint: post-implementation

#### Completion date

30/05/2019

# Eligibility

#### Key inclusion criteria

Asymptomatic pregnant women with singleton pregnancy and ≤ 24 weeks' gestation and identified at risk of PTB fulfilling one or more of the following criteria:

- 1. Cervical surgery (such as cone biopsy, LLETZ)
- 2. Uterine abnormality (such as bicornuate uterus)
- 3. Previous short cervix
- 4. Short cervix this pregnancy (< 25mm)
- 5. Previous cerclage
- 6. Previous premature ruptured membranes (< 37 weeks)
- 7. One or more previous PTB (< 37 weeks)
- 8. Previous late miscarriage/abortion (>14 weeks)
- 9. Smoking at booking

#### Participant type(s)

Patient

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Sex

Female

#### Total final enrolment

#### Key exclusion criteria

- 1. > 24 weeks' gestation
- 2. Aged < 19 years old at recruitment
- 3. Unable/unwilling to give informed consent
- 4. Multiple pregnancy
- 5. Resides outside the catchment area covered by Lewisham Hospital
- 6. Receiving care from an specialist team already (e.g., teenagers, women suffering severe mental health illness, domestic violence or human trafficking; women with pre-existing diabetes, HIV, hepatitis)

#### Date of first enrolment

11/05/2017

#### Date of final enrolment

30/09/2018

#### Locations

#### Countries of recruitment

**United Kingdom** 

England

# Study participating centre Lewisham and Greenwich NHS Trust

Lewisham High Street London United Kingdom SE13 6LH

# **Sponsor information**

#### Organisation

King's College London

#### ROR

https://ror.org/0220mzb33

# Funder(s)

#### Funder type

#### Funder Name

National Institute for Health Research CLAHRC South London

## **Results and Publications**

#### Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date.

#### IPD sharing plan summary

Data sharing statement to be made available at a later date

#### **Study outputs**

| Output type                           | Details                       | Date created | Date added               | Peer reviewed? | Patient-facing? |
|---------------------------------------|-------------------------------|--------------|--------------------------|----------------|-----------------|
| Results article                       | Feasibility results           | 06/10/2020   | 08/10/2020               | Yes            | No              |
| Protocol article HRA research summary |                               | 14/05/2019   | 05/05/2023<br>28/06/2023 |                | No<br>No        |
| Other publications                    | Process evaluation            | 12/01/2023   | 30/03/2023               | Yes            | No              |
| Other publications                    | Participants' experiences     |              | 05/05/2023               | Yes            | No              |
| Participant information sheet         | Participant information sheet | 11/11/2025   | 11/11/2025               | No             | Yes             |
| Statistical Analysis Plan             | version 0.1                   | 04/01/2018   | 17/09/2024               | No             | No              |
| Study website                         | Study website                 | 11/11/2025   | 11/11/2025               | No             | Yes             |