

A comparison of the ability of the Inditherm® mattress and the forced hot air blower to prevent hypothermia

Submission date 29/09/2006	Recruitment status Stopped	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 29/09/2006	Overall study status Stopped	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 09/07/2009	Condition category Surgery	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Susan Mallett

Contact details
Department of Anaesthesia
Royal Free Hampstead NHS Trust
Pond Street
Hampstead
London
United Kingdom
NW3 2QG

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
N0256171924

Study information

Scientific Title

Study objectives

Is the under-patient warming-mattress as, more or less effective than the forced hot air blower in preventing hypothermia in patients having major abdominal surgery?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Prevention

Participant information sheet

Health condition(s) or problem(s) studied

Surgery: Pancreatectomy

Interventions

Patients will be randomly allocated to mattress or forced air warming. Temperatures will be monitored before, during and after the operation. The results will be compared and analysed.

Intervention Type

Procedure/Surgery

Phase

Not Specified

Primary outcome measure

To establish whether body temperature is maintained to the same extent with the Inditherm® mattress as with the forced hot air blower.

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/01/2005

Completion date

05/12/2005

Reason abandoned (if study stopped)

Lack of staff/facilities/resources

Eligibility

Key inclusion criteria

60 patients scheduled for pancreatectomy or liver resection

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

60

Key exclusion criteria

Patients do no consent.

Date of first enrolment

01/01/2005

Date of final enrolment

05/12/2005

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Department of Anaesthesia

London

United Kingdom
NW3 2QG

Sponsor information

Organisation

Record Provided by the NHSTCT Register - 2006 Update - Department of Health

Sponsor details

The Department of Health, Richmond House, 79 Whitehall
London
United Kingdom
SW1A 2NL
+44 (0)20 7307 2622
dhmail@doh.gsi.org.uk

Sponsor type

Government

Website

<http://www.dh.gov.uk/Home/fs/en>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

The Royal Free Hampstead NHS Trust (UK), NHS R&D Support Funding

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

