Effects of cervical vertebral manipulative therapy on judo athletes grip strength

| Submission date | Recruitment status | Prospectively registered |
|-------------------|--------------------------|-----------------------------|
| 20/05/2011 | No longer recruiting | ☐ Protocol |
| Registration date | Overall study status | Statistical analysis plan |
| 02/06/2011 | Completed | Results |
| Last Edited | Condition category | Individual participant data |
| 02/06/2011 | Musculoskeletal Diseases | Record updated in last year |

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Marcelo Botelho

Contact details

Av. Oceanica, 3731 Rio Vermelho Salvador Brazil 41950-000

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers n/a

Study information

Scientific Title

Study objectives

When cervical spinal manipulation (CSMT) is applied to the cervical spine, grip strength in Judo athletes can be increased

Ethics approval required

Old ethics approval format

Ethics approval(s)

Research Ethics Committee, Institute of Higher Education (Instituto Mantenedor de Ensino Superior) (Brazil) May 2009, Ref 904

Study design

Prospective, single blind, pilot randomized clinical trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Sports performence influence on judo athletes

Interventions

- 1. Cervical spine manipulative therapy
- 2. Sham manipulation

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

- 1. Grip strength variations before CSMT therapy or sham intervention and after first, second and third intreventions on groups treatment and placebo
- 2. For measurement it was used a hand hydraulic dynamometer (Jamar 5030 J1)

Secondary outcome measures

No secondary outcome measures

Overall study start date

01/06/2009

Completion date

30/06/2009

Eligibility

Key inclusion criteria

- 1. Age ranging from 15-30 years
- 2. Regular attendance to training and competing sessions for at least four days a week
- 3. Never been submitted to chiropractic care and possessno prior knowledge of its procedures
- 4. No change of the medical or physical routine due the addition of the new procedures

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

25

Key exclusion criteria

- 1. Spine anomalies, such as hypoplasia or instability of the odontoid process
- 2. Acute fracture or infections
- 3. Cancer
- 4. Local hematoma
- 5. Signs of progressive neurological deficit
- 6. Arnold-Chiari malformation
- 7. Vertebral dislocation
- 8. Signs of meningeal irritation
- 9. Joint instability signs

Date of first enrolment

01/06/2009

Date of final enrolment

30/06/2009

Locations

Countries of recruitment

Brazil

Study participating centre Av. Oceanica, 3731 Salvador Brazil 41950-000

Sponsor information

Organisation

School of Technology and Science (Faculdade de Tecnologia e Ciências) (Brazil)

Sponsor details

c/o Dr Marcelo Borges Botelho and Dr Bruno Andrade Faculdade de Tecnologia e Ciências Salvador Brazil 41950-000

Sponsor type

University/education

ROR

https://ror.org/04c3ymz82

Funder(s)

Funder type

Other

Funder Name

Investigator initiated and funded (Brazil)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summaryNot provided at time of registration