

Phase III project, randomised controlled trial of brief intervention for illicit drugs linked to the World Health Organization (WHO) alcohol, smoking and substance involvement screening test (ASSIST): multicentre study conducted in Australia, Brazil, India, Spain, Thailand and USA

Submission date 10/11/2004	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 08/02/2005	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 31/05/2011	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Vladimir Poznyak

Contact details
World Health Organization (WHO)
20 Avenue Appia
Geneva-27
Switzerland
CH-1211
poznyak@who.int

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

RPC024

Study information

Scientific Title

Acronym

ASSIST

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Not Specified

Participant information sheet

Health condition(s) or problem(s) studied

Substance abuse

Interventions

1. Both groups: ASSIST and a demographic profile questionnaire
2. Intervention group: brief intervention for the drug scoring highest on ASSIST and related self-help materials
3. Control group: on waitlist and brief intervention at 3 months follow-up

Intervention Type

Other

Phase

Phase III

Primary outcome measure

Not provided at time of registration

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/01/2005

Completion date

31/12/2005

Eligibility**Key inclusion criteria**

1. Age 18 - 50 years
2. Member of main ethnic group in the population
3. Able to communicate in the national language
4. Willing for three month follow-up
5. Be able to be followed up three months later and give contact details of two to three other people
6. Have a fixed address and provide contact details of their home

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Not Specified

Target number of participants

1047

Key exclusion criteria

1. Any pending court session with possible incarceration within three months
2. Any severe intellectual disability or cognitive impairment
3. Severe behaviour disturbance or psychotic symptoms
4. Tendencies to violent or aggressive behaviour
5. Intoxicated or withdrawal from alcohol or drugs
6. Incarcerated or in the environment with no free movements in the last three months

Date of first enrolment

01/01/2005

Date of final enrolment

31/12/2005

Locations

Countries of recruitment

Australia

Brazil

India

Spain

Switzerland

Thailand

United States of America

Study participating centre

World Health Organization (WHO)

Geneva-27

Switzerland

CH-1211

Sponsor information

Organisation

World Health Organization (WHO)/The Department of Mental Health and Substance Abuse (MSD) (Switzerland)

Sponsor details

20, Avenue Appia

Geneva-27

Switzerland

CH 1211

Sponsor type

Research organisation

Website

<http://www.who.int>

ROR

<https://ror.org/01f80g185>

Funder(s)

Funder type

Research organisation

Funder Name

World Health Organization (WHO)/The Department of Mental Health and Substance Abuse (MSD) (Switzerland)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/06/2008		Yes	No